

341 E. Ohio Street, Chicago, Illinois 60611

VELSICOL CHEMICAL CORPORATION

ty to the second of the second

on treated areas may be * left keep of

ions favor infilt in areas treated to lite

te water by deading of equipment or dis-

this label. Shrimp and crab may be knec pply where these are important les lur es

torresidies or reps frequence of my

unt Vanna and parate and the

reated sien where the kins delike in the thi

Lift are way of Mew ore and per help have

mediates. Explicitly the continuous the lion. After first active given lights stay.

3 · t1

ISOBER CARREL WAS ABOUT A BOOK OF A

Hother were a recorded to proceed Respect to the transport of the in

ly enters the control of the third Skide.

The remove of months they Expliced persons

eadache i Kilkin voll 📡 i tartigs weisk

St. rate on a sustaining move score sweat

those in the association so

ASES OF MARKET TO POISONING

the West Congress

NO WILDLIFE

ural Extens of heryone

FOLLOWING PROTECTIVE

DPEN FLAME

LOTHING

RULES

ViC*in f

Dr dom 🛌 🥡

ymptooss

wer us 😅 🦠

rubber steist es

FIRST A

and the programmer of the second of the second of the second of a sed ა : **მ**ა : **მ** 14 180 (C SC SC or mout

NOTE 1

Chate O 🛊 in the constant of March 1986 is a some one of the office and and only of the top each of At the stopped of pu Charles and the state of the st States of Course tax a tax of appropriate taying PATENCE INCHATE OF RATIFACT 48.

CONTAI

the company of the state of the state of en tar de emplo este esto esta esta in the first settle set in set and

the restricted to the control of act in the second of the second of

DIRECTI

man Mark the second of the sec of a source by the first of the source The second of the state of the second of the

COTTON INSEC

an an apragation

Par Arms

care in exert Report of 4

OBSERVE THE FO

THE STATE OF THE STATE OF THE STATE OF THE

POST T

The state of the s troute to race NOTICE FACE ... The second secon the second of the second of the second

of swallowed

lowed even in small amounts, or spaled or splashed on skin. dust may be fataspray mist or dust may be fatal in eyes or on clothing (liquid goes through clothes)

This product can kill you if swall. Personous if touched by hands. Breathing vapors, spray hist or

POISONOUS TO FISH AND WILDLIFE

This product is toxic to fish and wildlife. Birds feeding on treated areas may be killed. Keep out of any body of water. Do not apply when weather conditions favor drift from areas treated. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment or disposar of wastes. Apply this product only as specified on this label. Shrimp and crab may be killed at application rates recommended on this label. Do not apply where these are important resources.

This product is toxic to bees exposed to direct treatment or residues on crops. Protective informamation may be obtained from your Cooperative Agricultural Extension Service.

DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME.

USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE **EQUIPMENT AND CLOTHING**

- (1) Wear waterproof pants, coat, hat, rubber boots or rubber overshoes.
- (2) Wear safety goggles
- (3) Wear mask or respirator approved by the U.S. Bureau of Mines for methyl parathion protection.
- (4) Wear heavy duty natural rubber gloves.

WORK SAFETY RULES

Keep all unprotected persons and children away from treated area where there is danger of drift.

Do not rub eyes or mouth with hands. If you feel sick in any way STOP work and get help right away. Call a doctor (physician), clinic or hospital—immediately. Explain that the victim has been exposed to methyl parathion and describe his condition. After first aid is given (see First Aid Treatment Section) and if a doctor cannot come, take victim to clinic or hospital.

IMPORTANT! Before removing gloves, wash them with soap and water. Always wash hands, face and arms with soap and water before smoking, eating or drinking.

AFTER WORK, take off all work clothes and shoes. Shower, using scap and water. Wear only clean clothes when leaving job. Do not wear containinated clothing. Wash protective clothing and protective equipment with soap and water after each use. Respirator should be cleaned and filter replaced according to instructions included with respirator.

CALL A PHYSICIAN IMMEDIATELY IN ALL CASES OF SUSPECTED POISOMING

PGISON SIGNS (Symptoms)

Methyl parathion is a very dangerous poison. It rapidly enters the body on contact with all skin surfaces and eyes. Clothing wet with this material must be removed immediately. Exposed persons must to one prompt medical treatment or they may die.

Some of the signs and symptoms of poisoning are: headache, nausea, vomiting, cramps, weakness, blurred vision, pin-point pupils, tightness in chest, labored breathing, nervousness, sweat ing, watering of eyes, drooting or frothing of mouth and nose, muscle spasms and coma-





FIRST AID TREATMENT

Call a doctor (physician), clinic or hospital immediately. Explain that the victim has been exposed to methyl parathion and describe his condition

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. See doctor immediately.

If breathing has stopped start artificial respiration immediately and maintain until doctor sees victim. If swallowed and victim is awake (conscious) make him vomit quickly. Induce vomiting by sticking finger down throat or by giving soapy or strong salty water to drink. Repeat until vomit fluid is clear. Never give anything by mouth to an unconscious person. Have victim lie down and keep quiet. See doctor immediately.

NOTE TO PHYSICIAN

Antidote—administer atropine sulfate in large doses, TWO to FOUR mg. intravenously or intra muscularly as soon as cyanosis is overcome. Repeat at 5 to 10 minute intervals until signs of atropinization appear. 2-PAM chloride is also antidotal and may be administered in conjunction with atropine. DO NOT GIVE MORPHINE OR TRANQUILIZERS. Methyl parathion is a strong cholinesterase inhibitor affecting the central and peripheral nervous systems and producing cardiac and respiratory depression. At first sign of pulmonary edema, the patient should be given supplemental oxygen and treated symptomatically. Continued absorption of the poison may occur and fatal relapses have been reported after initial improvement. VERY CLOSE SUPERVISION OF THE PATIENT IS INDICATED FOR AT LEAST 48 HOURS.

CONTAINER DISPOSAL

Do not reuse empty containers.

Decontaminate empty containers by rinsing with a solution prepared by mixing 5 gallons of water, 2 pounds caustic soda (household lye) and 1 cup detergent. Close container openings and rotate container repeatedly until all inner surfaces are thoroughly wet. Bury rinse solution at least 18 inches deep in isolated area of noncropland away from water surfaces. Crush or perforate container to prevent further use and dispose of by burying with wastes or by burning. (Keep out of smoke.)

DIRECTIONS FOR USE

BELT MP is designed specifically for control of cotton insects. Full coverage of plants during application is essential to good control. Use sufficient water to provide uniform coverage. A minimum of 20 gallons of water is recommended.

COTTON INSECTS			Amount BELT MP
Boll weevil Cottor, leafworm Fleahoppers	Garden webworm Darkling beetle Fall armyworins Farnished plant bug	Lygus bugs finitings thrips Cabbage looper	1-2 qt. per acre
Beet armyworm Bollworms	· · · · · · · · · · · · · · · · · · ·		2 qt. per acre

Apply on foliage as needed. Repeat at 4 to 5 day intervals as required. For aerial application use with at least 5 to 10 gallons of water per acre.

OBSERVE THE FOLLOWING PRECAUTIONS

Workers entering fields within 24 hours after application should wear protective clothing

Do not apply after bolls open. Do not graze dairy or meat animals in treated fields

Do not apply or allow to drift to areas occupied by unprotected humans, beneficial animals or onto adjoining food and forage crops.

POST TREATED AREA

Consult your State Agricultural Extension Service or Experimental Station regarding posting of treated areas.

NOTICE: Because Velsical Chemical Corporation has no control over storage, handling, and conditions of use, which are of critical importance, Velsical Chemical Corporation makes no representation or warranty, either express or implied, for results or residues greater than any tolerance which may be established by appropriate governmental agencies, due to misuse, improper handling or storage of this material. Nor does Velsical Chemical Corporation assume any responsibility for in jury to persons, crops, animals, soil or property arising out of misuse, improper handling or storage of this material.