

## POISON INFORMATION

**KEEP OUT OF REACH OF CHILDREN. May be fatal if swallowed, inhaled or absorbed through the skin or eyes.**

Do not get on skin, eyes or clothing. Do not breathe vapor or spray mist. Avoid prolonged exposure to fumes. Handle concentrate in a ventilated area. Wear clean rubber gloves, protective clothing and goggles when handling the concentrate. Wear a mask or respirator of a type passed by the U. S. Bureau of Mines for Dichloroves (DDVP) protection. Wash thoroughly with soap and water before eating or smoking. Wash all contaminated clothing with soap and hot water before reuse. Keep all unprotected persons out of treatment area.

**DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME.**

**USE PRECAUTIONS. Use this product only as directed on this label.**

Toxic to fish, wildlife and birds. Do not contaminate any body of water nor apply to any area not specified on this label. Do not contaminate water by cleaning of equipment or disposal of wastes.

Do not use on edible products, areas of food processing plants, restaurants, or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed.

Do not use in poultry houses or animal buildings.

Do not allow spray to contact food, feedstuffs or water supplies.

Thoroughly wash dishes, and food and cooking utensils with soap and water if they become contaminated with this product.

Keep children and pets away from treated surfaces until spray has dried. Cover fishbowls and remove pets from treated fish spray.

**CONTAINER DISPOSAL. Do not reuse empty container.**

Decontaminate containers by washing with a strong solution of alkali and detergent followed by rinsing with water. Dispose of washings and rinses by burying in noncropland away from water supplies.

Containers may also be incinerated, or burning or punching holes in them and burying with ashes.

### ANTIDOTE AND FIRST AID TREATMENT

Call a doctor immediately if patient develops a case of suspected poisoning.

Keep patient quiet and quiet.

If patient is not breathing, start artificial respiration immediately.

**EXTERNAL.—IN CASE OF CONTACT.** Remove patient from area; remove all contaminated clothing and wash skin with soap and running water. **FOR EYES—**Flush immediately with running water. Continue washing for at least 10 minutes. Call a doctor immediately.

**INTERNAL.** If swallowed and patient is awake, induce vomiting immediately by putting a finger down the patient's throat or by giving a soupv. or strong salt water solution to drink. Repeat until vomit is clear. **NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON.**

**ATROPINE** is the emergency antidote for this material. If warning symptoms appear (see below), administer two 1-100 grain atropine tablets immediately. **DO NOT ADMINISTER UNTIL WARNING SYMPTOMS APPEAR.**

### NOTE TO PHYSICIAN

**DULAKT<sup>TM</sup>-I** contains chlorpyrifos and DDVP which are cholinesterase inhibitors. Treat symptomatically. Atropine is an antidote. If atropine is used, it should only be administered in conjunction with atropine.

**WARNING SYMPTOMS** include weakness, tiredness, tightness in the chest, blurred vision, increased or pinpoint pupils, salivation, sweating, nausea, vomiting, abdominal cramps, and diarrhea.


**TREATMENT:** Administer atropine sulfate by injection in doses of 1 to 2 milligrams. Repeat at 10 minute intervals until complete atropinization is reached.

**DO NOT GIVE MORPHINE OR TRANQUILIZERS.**

Clear chest by postural drainage.

**NOTE:** As repeated exposure to cholinesterase inhibitors may, without warning, cause prolonged susceptibility to very small doses of cholinesterase inhibitors, allow no further exposure until cholinesterase regeneration has occurred (as determined by a blood test).

**VERY CLOSE SUPERVISION OF THE PATIENT IS INDICATED FOR AT LEAST 48 HOURS.**





# GOLD

ved, inhaled or

OPEN FLAME

his label

EMULSIFIABLE CO

Contains 1 Pound Chlorpyrifos\* and  
1 Pound DDVP per Gallon

**ACTIVE INGREDIENTS:**

|                                           |        |
|-------------------------------------------|--------|
| Chlorpyrifos*                             | 12.30% |
| 2,2-Dichlorovinyl dimethyl<br>phosphate** | 12.30% |
| Related compounds                         | 0.95%  |
| Xylene                                    | 68.65% |


|                           |                |
|---------------------------|----------------|
| <b>INERT INGREDIENTS:</b> | 5.80%          |
| <b>TOTAL</b>              | <b>100.00%</b> |

\*0,0-Diethyl 0-(3,5,6-Trichloro-2-pyridyl)  
phosphorothioate — U.S. Patent No.  
3,244,586.

\*\*DDVP.


E.P.A. Reg. No. 8

## NET CONTENTS:




Manufactured and distributed by

# GOLD CREST



EMULSIFIABLE CONCENTRATE



E.P.A. Reg. No. 876-168-AA

NET CONTENTS: 5 GALLONS

## USE DIRECTIONS FOR HOUSEHOLD INSECT CONTROL

Use Dulak™ Emulsifiable Concentrate for the control of cockroaches, firebrats, silverfish, and spiders in and around residences, restaurants, and other structures.

Dilute Dulak™-E with water to suit your use. To make a spray, combine 1.5% CHLORPYRIFOS, 0.5% PYRIFOS and 0.5% DDVP with 0.5% CHLORPYRIFOS and 0.25% DDVP as shown in the dilution chart below. Make application according to directions given for pests listed. Repeat application as needed.

## SPRAY DILUTION CHART

| GALLONS OF<br>SPRAY MIXTURE<br>DESIRED | Fluid Concentrations of Dulak™-E<br>to be mixed with water |                                 |
|----------------------------------------|------------------------------------------------------------|---------------------------------|
|                                        | 1.5% CHLORPYRIFOS<br>0.5% DDVP                             | 0.5% CHLORPYRIFOS<br>0.25% DDVP |
| Water-base Spray                       |                                                            |                                 |
| 1                                      | 5%                                                         | 1%                              |
| 2                                      | 10                                                         | 2                               |
| 5                                      | 25%                                                        | 5                               |
| 10                                     | 53%                                                        | 10                              |
| Oil-base Spray**                       |                                                            |                                 |
| 1                                      | 1%                                                         | 1%                              |
| 2                                      | 2                                                          | 2                               |
| 5                                      | 20                                                         | 5                               |
| 10                                     | 40                                                         | 10                              |

\*\*For use in oil-base sprays only. Do not use in water-base sprays.

## For Control of Cockroaches (resistant and nonresistant), Firebrats, Silverfish and Spiders

Use 1.0-2.5% CHLORPYRIFOS and 0.5% DDVP in water-base sprays for cockroaches, firebrats, silverfish and spiders.

For cockroaches, apply spray to cracks and crevices, under sinks, and in other areas where they hide. For firebrats, apply spray to areas where they are found. For silverfish and spiders, apply spray to areas where they are found.

## For Control of Brown Dog Ticks

Use 1.0-2.5% CHLORPYRIFOS and 0.5% DDVP in water-base sprays for brown dog ticks. Apply spray to areas where they are found.

## NOTICE

This product is a restricted use pesticide. It is not to be used on food, feed, or other articles of commerce. It is not to be used on or around livestock. It is not to be used on or around poultry. It is not to be used on or around bees. It is not to be used on or around fish. It is not to be used on or around birds. It is not to be used on or around mammals. It is not to be used on or around reptiles. It is not to be used on or around amphibians. It is not to be used on or around invertebrates. It is not to be used on or around plants. It is not to be used on or around animals. It is not to be used on or around humans. It is not to be used on or around the environment. It is not to be used on or around the world.