



GOLD CREST

MULSIFIABLE CONCENTRATE

Contains 1 Pound
 1 Pound
ACTIVE
 Chlorpyrifos 2.0%
 Phosphamidon 1.0%
 Xyloclear 0.5%
INERT INGREDIENTS
 96.5%
 *0.0-0.0001% phosphamidon
 phosphamidon (U.S. Patent No. 3,244,085)
 **DDVP.

E.P.A. Reg. No. 876-167-AA

NET WEIGHTS: 3 GALLONS

ACCEPTED

EP 13 13/2

REGISTERED
 TRADEMARK
 OF THE
 UNITED STATES
 PATENT AND
 TRADEMARK
 OFFICE

Manufactured and distributed by

34 E. Ohio St. Chicago, Illinois 60611

DANGER
POISON POISON

KEEP OUT OF REACH OF CHILDREN. May be fatal if swallowed, inhaled or absorbed through the skin or eyes.

Do not get on skin, eyes, or clothing. Do not breathe vapors or spray mist. Avoid prolonged contact with water. Handle concentrate in a ventilated area. Wear clean rubber gloves, protective clothing and goggles when handling the concentrate. Wear a mask or respirator of a type passed by the U. S. Bureau of Mines for Dichlorvos (DDVP) protection. Wash thoroughly with soap and water before eating or smoking. Wash all contaminated clothing with soap and water before reuse. Keep all unprotected persons out of treatment area.

DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME.

USE PRECAUTIONS. Use this product only as directed on this label.

Toxic to fish, wildlife and birds. Do not contaminate any body of water nor apply to any area not specified on this label. Do not contaminate water by cleaning of equipment or disposal of wastes.

Do not use in edible products areas of food processing plants, restaurants, or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed.

Do not use in poultry houses or animal buildings.

Do not allow spray to contact food, feedstuffs or water supplies.

Thoroughly wash dishes and food handling utensils with soap and water if they become contaminated with this product.

Keep children and pets away from treated surfaces until spray has dried. Cover fishbowls and remove pets from area before spraying.

CONTAINER DISPOSAL. Do not reuse empty container.

Decontaminate containers by washing with a strong solution of alkali and detergent followed by rinsing with water. Dispose of washings and rinses by burying in noncropland away from water supplies.

Containers should be disposed of by crushing or punching holes in them and burying with wastes.

ANTIDOTE AND FIRST AID TREATMENT

Call a doctor, clinic or hospital immediately in all cases of suspected poisoning.

Keep patient prone and quiet.

If patient is not breathing, start artificial respiration immediately.

EXTERNAL: IN CASE OF CONTACT—Remove patient from area, remove all contaminated clothing and wash skin with soap and running water. **FOR EYES**—Flush immediately with running water. Continue washing for at least 10 minutes. Call a doctor immediately.

INTERNAL: If swallowed, and patient is awake, induce vomiting immediately by putting a finger down the patient's throat or by giving a soapy or strong salt water solution to drink. Repeat until vomit is clear. **NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON.**

ATROPINE is the emergency antidote for this material. If warning symptoms appear (see below), administer two 1/100 grain atropine tablets immediately. **DO NOT ADMINISTER UNLESS WARNING SYMPTOMS APPEAR.**

NOTE TO PHYSICIAN

DULAK™-II contains chlorpyrifos and DDVP which are cholinesterase inhibitors. Treat symptomatically. Atropine is an antidote. 2-PAM is also antidotal and may be administered in conjunction with atropine.

WARNING SYMPTOMS include weakness, headache, tightness in the chest, blurred vision, nonreactive pinpoint pupils, salivation, sweating, nausea, vomiting, abdominal cramps and diarrhea.

TREATMENT: Administer atropine sulfate by injection in doses of 1 to 2 milligrams. Repeat at 10-minute intervals until complete atropinization occurs.

DO NOT GIVE MORPHINE OR TRANQUILIZERS.

Clear chest by postural drainage.

NOTE: As repeated exposure to cholinesterase inhibitors may, without warning, cause prolonged susceptibility to very small doses of cholinesterase inhibitors, allow no further exposure until cholinesterase regeneration has occurred (as determined by a blood test).

VERY CLOSE SUPERVISION OF THE PATIENT IS INDICATED FOR AT LEAST 48 HOURS.

USE DIRECTIONS FOR HOUSEHOLD INSECT CONTROL

Use Dulak™-II to control cockroaches, firebrats, silverfish, spiders and brown dog ticks in and around residential, industrial and commercial buildings.

Dilute Dulak™-II with water or a suitable base oil to make a spray containing 0.5% CHLORPYRIFOS and 0.25% DDVP, or 0.25% CHLORPYRIFOS and 0.13% DDVP as shown in the dilution chart below. Make application according to directions given for pests listed. Repeat application as needed.

SPRAY DILUTION CHART

GALLONS OF SPRAY MIXTURE DESIRED	Fluid Ounces* of Dulak™-II required to make spray mixture	
	0.5% CHLORPYRIFOS 0.25% DDVP	0.25% CHLORPYRIFOS 0.13% DDVP
Water-base Spray		
1	2 ² / ₃	1 ¹ / ₃
3	8	4
5	13 ¹ / ₃	6 ² / ₃
10	26 ² / ₃	13 ¹ / ₃
Oil-base Spray**		
1	2	1
3	6	3
5	10	5
10	21	10

* 1 fluid ounce—2 tablespoonsful or 6 teaspoonsful

** calculated on the basis of deodorized kerosene

For Control of Cockroaches (resistant and nonresistant).

Use a 0.25/0.13% spray to control light infestations and a 0.5/0.25% spray to quickly reduce heavy infestations.

Apply as a coarse spray or with a paint brush to dark corners of rooms and closets, cracks and crevices in walls, along and behind baseboards, beneath and behind sinks, stoves, refrigerators and cabinets, around plumbing and other utility installations or other localized areas where pests normally occur.

For Control of Firebrats, Silverfish and Spiders

Use a 0.5/0.25% spray. Apply as a coarse spray or with a paint brush to dark corners of rooms and closets, cracks and crevices in walls, along and behind baseboards, beneath and behind sinks, stoves, refrigerators and cabinets, around plumbing and other utility installations or other localized areas where pests normally occur.

For Control of Brown Dog Ticks

Thoroughly apply a 0.5/0.25% solution as a spot treatment to infested areas such as pet beds and resting quarters, nearby cracks and crevices, and other localized areas where this pest may be present. After treatment, old bedding should be removed and replaced with fresh bedding. DO NOT TREAT PETS WITH THIS PRODUCT.

NOTICE

Because Velsicol Chemical Corporation has no control over storage, handling, and conditions of use, which are of critical importance, Velsicol Chemical Corporation makes no representation or warranty, either express or implied, for results or residues greater than any tolerance which may be established by appropriate governmental agencies, due to misuse, improper handling or storage of this material. Nor does Velsicol Chemical Corporation assume any responsibility for injury to persons, crops, animals, soil or property arising out of misuse, improper handling or storage of this material.