# **CAUTION**

Harmful if swallowed. Avoid contact with skin, eyes, and clothing. In case of contact, wash exposed skin with plenty of soap and water; flush eyes with plenty of water for at least 15 minutes and get medical attention. Keep out of reach of children.

# **CONTAINER DISPOSAL**

Do not reuse empty container. The empty containers should be rinsed with the oil involved at least three times before disposal, and rinse oils should be added to spray tank. Discard container in a safe place. Follow State Recommendations regarding container disposal.

#### **IMPORTANT**

Do not apply (except as recommended) on or near desirable plants, or in locations where the chemical may be washed or moved into contact with their roots. Applications by ground rigs and hand dispensers should be carried out only when there is no hazard from drift of product to susceptible plants such as beans, flowers, fruit trees, grapes, ornamentals, peas, potatoes, soybeans, sunflowers and tomatoes, during both the growing and dormant periods. (Coarse sprays are less likely to drift.) Do not contaminate irrigation ditches or water used for domestic purposes. Do not allow this product to come in direct contact with seeds, insecticides or fungicides. To avoid injury to desirable plants, equipment used for BANVEL\*-510 Herbicide should be thoroughly cleaned before reuse to handle or apply any other agricultural chemicals.

Do not graze dairy animals on treated areas within 6 weeks after application.

Do not graze meat animals on treated areas within 2 weeks of slaughter.

DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME.

**NOTICE:** Because Velsicol Chemical Corporation has no control over storage, handling, and conditions of use, which are of critical importance, Velsicol Chemical Corporation makes no representation or warranty, either express or implied, for results or residues greater than any tolerance which may be established by appropriate governmental agencies, due to misuse, improper handling or storage of this material. Nor does Velsicol Chemical Corporation assume any responsibility for injury to persons, crops, animals, soil or property ansing out of misuse, improper handling or storage of this material.

07258-400AC

40

2 VELSICOL CHEMICAL CORPORATION 1980



# VELSICOLI BANVEL

# OIL SOLUBLE INDUSTRIAL FOR BRUSH AND BROADLEAF W

Contains 1 Pound Dicamba and 2 Pounds 2,4.

ACTIVE INGREDIENTS:

Dicamba (3,6-dichloro-q-anis-c acid; 11.40% Related acids 1.52% Isooctyl ester of 2.4,5-trichloroche.no..yacetic acid\* 32.80% INERT INGREDIENTS 54.28%

1074L .....10000%

\*Equivalent to 22.96 % 2.4.7-tri-filterophenoxyacetic acc.

OF CHILDREN CAUTION

See Left Panel for Additional Cautions

VELSIC

341 E. O:

41



SICOL

# **BLE INDUSTRIAL HERBICIDE** ND BROADLEAF WEED CONTROL

nd Dicamba and 2 Pounds 2,4,5-T Per Gallon

KEEP OUT OF REACH **OF CHILDREN** CAUTION

See Left Panel for **Additional Cautions**  E.P.A. Reg. No. 876-169-AA E.P.A. Est. No. 876-TX-2

**NET CONTENTS: 5 GALLONS** 

VELSICOL CHEMICAL CORPORATION 341 E. OHIO STREET, CHICAGO, ILLINOIS 60611

41

BANVEL \*-510 Herbicide is soluble in oil, not water, and is to be used with diesel oil or fuel oil only. DO NO BE WITH WATER.

USE BANVEL®-510 Herbicide for brush control in wasteland and non-crop areas.

BANVEL®-510 Herbicide controls both hardwood and evergreen species such as alder, apple, ash, beech, birch, cascara, cedar, cherry, dogwood, elderberry, elm, fir, grape, hemlock, hickory, hornbeam, locust, maple, oak, pine, poplar, sassafras, spruce, sumac, walnut, willow, and similar woody species.

### **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not use on firetrails and lanes; forest lands, management areas, plantations, and stumplands; rights-of-ways; highways, pipelines, powerlines, utilities, roadsides, roadways, etc.; and pastures; or for any other use not included on this label.

Areas specified on this label can be treated ONLY if they are NOT included as part of those areas mentioned in the above paragraph.

# Spray the basel parts of the brush and tree trunk from the ground line up to a height of 1% to 2 feet. Spray until runoff with special emphasis on covering the mot crown. Thorough wetting of the indicated area is needed to achieve good control. Theatment may be made at any time during the year, including writer (except when snow or water prevents spraying to the ground line). Treat any time brush is dormant and most of the fotage has dropped off. Thoroughly wet the entire brush or tree to runoff. For Joot-suckening species, put special emphasis on covering the root crown **GROUND APPLICATION**

Hydraulic Spray Application: Mix 1-3 gallons of BANVEL®-510 Herbicide in sufficient oil to make 100 gallons of spray mixture. Apply at the rate of 100 gallons of spray mixture per acre of brush

**DORMANT STEM BROADCAST** 

Back Pack Mist Blower Application: Mx 8 to 16 gallons of BANVEL®-510 Herbicide in sufficient oil to make 100 gallons of spray mixture. Apply at the rate of 30 gallons of spray mixture per acre of brush

**AERIAL APPLICATION: (Western Oregon and Washing-**

Mix 1 gallon of BANVEL®-510 Herbicide with 29 gations of oil and apply at the rate of 30 gallons of spray mixture per acre of brush ACCEPTED

**BASAL BARK TREATMENT** 

Hydraulic Spray Application: Mix 1 to 3 gallons of BANVEL®-510 Herbicide in sufficient oil to make 100 gallons of spray mixture. Apply at the rate of 100 gallons of spray mixture per acre of brush

Back Pack Mist Blower Application: Mix 8 to 16 gations of BANVEL®-S10 Herbicide in sufficient oil to make 100 gallons of spray mixture. Apply at the rate of 30 gallons of spray mixture per acre of brush.

1000 Unc ... . ... Act, **ք**ա.պ. . colambia. I for the praticide ITA Ray, No. 1.54 registered under

42