

CAUTION

Harmful if swallowed. Contact with skin can cause toxic symptoms. Avoid breathing dust. In case of contact with skin, wash with soap and water. Avoid contamination of feed and foodstuffs. Keep out of reach of children.

Toxic to fish and wildlife. Keep out of any body of water. Birds feeding on treated areas may be killed. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

ANTIDOTE

External—In case of spillage on skin, wash promptly with soap and water.

Internal—Emetic of 1 tablespoonful of mustard in tumbler of water. Call a physician.

CONTAINER DISPOSAL

Do not reuse empty container. Destroy container by burying with waste or burning. Stay away from smoke or fumes.

NOTICE

Because Velsicol Chemical Corporation has no control over storage, handling, and conditions of use, which are of critical importance, Velsicol Chemical Corporation makes no representation or warranty, either express or implied, for results or residues greater than any tolerance which may be established by appropriate governmental agencies, due to misuse, improper handling or storage of this material. Nor does Velsicol Chemical Corporation assume any responsibility for injury to persons, crops, animals, soil or property arising out of misuse, improper handling or storage of this material.

VELSICOL[®]

Belt[®] 5% G

Granular Insecticide

ACTIVE INGREDIENT:

Technical Chlordane* 5.0%

INERT INGREDIENTS: 95.0%

TOTAL 100.0%

*Equivalent to 3.0% Octachloro-4,7-methanotetrahydroindane and 2.0% related compounds.

CAUTION

KEEP OUT OF THE REACH OF CHILDREN

See Left Panel for Antidote and
Additional Precautionary Statements

NET CONTENTS:

EPA Reg. No. 876-170-AA

VELSICOL CHEMICAL CORPORATION
341 East Ohio Street, Chicago, Illinois 60611

DIRECTIONS FOR USE

Insect	Area Treated	Application Rate BELT—5%	Application Directions
Fire ants	Noncropland (Lawns, ornamental turf, cemeteries, golf courses, parks, industrial sites, roadsides and similar non-cropland)	20 to 30 lbs 41 lbs technical chlordane per acre	BROADCAST SOIL TREATMENT Make broadcast application. Cover surface uniformly. Do not treat when soil is wet. Do not apply to pastures or rangeland.
	Noncropland and non food crop areas	See application directions	MOUND APPLICATION Apply 4-8 cups of BELT: 5% (equivalent to 0.07 - 0.14 lbs. technical chlordane) to entrance of nest as well as to an area 3 feet around mound. Treated areas should be examined 3 weeks after treatment and surviving colonies retreated. Do not graze live stock on treated areas within 1 year of treatment application.

APPLIED
6/30/72
876-170

