

CAUTION

Harmful if swallowed. Avoid contact with skin, eyes, and clothing. In case of contact, wash exposed skin with plenty of soap and water; flush eyes with plenty of water for at least 15 minutes and get medical attention. Keep out of reach of children.

CONTAINER DISPOSAL

Do not reuse empty container. The empty containers should be rinsed with water at least three times before disposal, and rinse water should be added to spray tank. Discard container in a safe place. Follow State Recommendations regarding container disposal.


IMPORTANT

Do not apply (except as recommended) on or near desirable plants, or in locations where the chemicals may be washed or moved into contact with their roots. Applications by ground rigs and hand dispensers should be carried out only when there is no hazard from drift of product to susceptible plants such as beans, flowers, fruit trees, grapes, ornamentals, peas, potatoes, soybeans, sunflowers and tomatoes, during both the growing and dormant periods. (Coarse sprays are less likely to drift.) Do not contaminate irrigation ditches or water used for domestic purposes. Do not allow this product to come in direct contact with seeds, insecticides or fungicides. To avoid injury to desirable plants, equipment used for **BANVEL**-720 should be thoroughly cleaned before reuse to handle or apply any other agricultural chemicals.

Do not graze dairy animals on treated areas within 7 days after application.

NOTICE: Because Velsicol Chemical Corporation has no control over storage, handling, and conditions of use, which are of critical importance, Velsicol Chemical Corporation makes no representation or warranty, either express or implied, for results or residues greater than any tolerance which may be established by appropriate governmental agencies, due to misuse, improper handling or storage of this material. Nor does Velsicol Chemical Corporation assume any responsibility for injury to persons, crops, animals, soil or property arising out of misuse, improper handling or storage of this material.

07262-400



VELSICOL

Banvel-720

WATER SOLUBLE INDUSTRIAL HERBICIDE
FOR BRUSH AND BROADLEAF WEED CONTROL

ACTIVE INGREDIENTS

2,4-Dichlorophenoxyacetic acid (2,4-D) (90% a.i.)	21.43%
2,4-Dichlorophenoxyacetic acid (2,4-D) (80% a.i.)	4.57%
2,4-Dichlorophenoxyacetic acid (2,4-D) (75% a.i.)	2.80%

INERT INGREDIENTS

	59.30%
TOTAL	100.00%

Equivalent to 21.43% 2,4-dichlorophenoxyacetic acid

E.P.A. Reg. No. 876-177-AA

NET CONTENTS: 5 GALLONS

CAUTION

KEEP OUT OF REACH OF CHILDREN

See Side Panel for Additional Cautions

VELSICOL CHEMICAL CORP.

341 E. OHIO STREET, CHICAGO, ILLINOIS 60611

USE

Rights of Way
(utility, railroad, highway, pipeline)
Nonselective forest control, fence rows, ditches, banks, washes and similar noncrops

For control of annual (deep rooted) perennial leaf weeds

To reduce the hazard with a drift reduction device designed to reduce

VELSICOL

Banvel-720

WATER SOLUBLE DIMETHYL SEBACATE HERBICIDE

FOR BRUSH AND BROADLEAF WEED CONTROL

Contains 2,4-D and 2,4,5-T

ACTIVE INGREDIENTS

Dimethylamine salt of 2,4-dichlorophenoxyacetic acid 22.40%
 Dimethylamine salt of 2,4,5-trichlorophenoxyacetic acid 1.80%
 Dimethylamine salt of 2,4-dichlorophenoxyacetic acid 25.80%

INERT INGREDIENTS 49.50%
TOTAL 100.00%

Equivalent to 21.43% 2,4-dichlorophenoxyacetic acid

E.P.A. Reg. No. 876-177 AA

NET CONTENTS 5 GALLONS

CAUTION

KEEP OUT OF REACH OF CHILDREN

See Side Panel for Additional Cautions

VELSICOL CHEMICAL CORP.

341 E. OHIO STREET CHICAGO, ILLINOIS 60611

DIRECTIONS FOR USE

USE	BRUSH/WEED	RATE/100 GAL. SPRAY MIX	APPLICATION DIRECTIONS
Rights-of-Way utility railroad highway pipe-line Nonselective forest brush control fence rows drain ditches banks wasteland and similar noncropland	For the control of unwanted woody brush including: Alder Ash Aspen Basswood Cedar Cherry Chinquapin Cucumber tree Gum Gray Redwood Elm Hemlock Hornbeam Locust Maple Mesquite Oak Persimmon Pine Poplar Sassafras Schinus (Christmasberry) Serviceberry Spicebush Spruce Sycamore Thornapple Thornberry Wild Plum Willow Witchhazel Yucca and similar woody plant species	1 gallon BANVEL 720 Herbicide plus 99 gallons of water	Hydraulic Spray Application Stem Foliage-High Water Volume Apply BANVEL 720 Herbicide after leaves are fully developed and until three weeks before frost. Treat all stems and foliage to runoff with special emphasis on covering the root crown. Use up to 100 gallons of spray mix per acre depending on the height and density of the brush.
	9 gallons BANVEL 720 Herbicide plus 91 gallons of water	Back Pack Mist Blower Application Basal Stem Foliage-Low Water Volume Apply BANVEL 720 Herbicide after leaves are fully developed and until three weeks before frost. Treat all stems and root crown to runoff. Use mist blower application on brush up to 6 feet tall at the rate of 10 to 15 gallons of spray mix per acre of brush.	
	3 gallons BANVEL 720 Herbicide plus 97 gallons of water	Aerial Application 15 Gallons of Spray Mix per Acre Apply BANVEL 720 Herbicide after leaves are fully developed and until three weeks before frost. Apply at the rate of 15 gallons of spray mix per acre of brush.	
		1 gallon BANVEL 720 Herbicide plus 99 gallons of water	Aerial Application 30 Gallons of Spray Mix per Acre Apply BANVEL 720 Herbicide after leaves are fully developed and until three weeks before frost. Apply at the rate of 30 gallons of spray mix per acre of brush.
For control of annual and deep-rooted perennial broadleaf weeds	Perennial Broadleaf Weeds and Vines Canada thistle Curly dock Dalmatian toadflax Field bindweed (morning glory) Leafy spurge Milkweed Perennial ragweed Puncturevine Redvine Russian knapweed Tansy ragwort Trevine and many other perennial broadleaf weeds	1 gallon BANVEL 720 Herbicide plus 99 gallons of water	For effective broad spectrum control of annual and perennial broadleaf weeds and vines, apply BANVEL 720 Herbicide when weeds are actively growing. Apply at the rate of 10 gallons of spray mix per acre. If less than 100 gallons of spray mix is applied per acre, increase the concentration of BANVEL 720 Herbicide to maintain the same rate of active ingredients per acre of brush.
	Annual Broadleaf Weeds Carpetweed Chickweed Clover Cocklebur Dogfennel English Daisy Henbit Krackel Lamb-quarters Mustard Pigweed Purslane Ragweed Sheep sorrel Smartweed Velvetleaf Wild buckwheat and many other annual broadleaf weeds	0.5 gallons BANVEL 720 Herbicide plus 99.5 gallons of water	

ACCEPTED
 October 18, 1972
 876-177

To reduce the hazards of spray drift when applying this product by ground or air equipment, apply with a drift-reducing agent such as foam spray, impact, inert system or with other systems designed to reduce spray drift.