

CAUTION

CONTAINER DISPOSAL

IMPORTANT

ACC
1975

CAUTION

Harmful if swallowed. Avoid contact with skin, eyes, and clothing. In case of contact, wash exposed skin with plenty of soap and water; flush eyes with plenty of water for at least 15 minutes and get medical attention. Keep out of reach of children.

CONTAINER DISPOSAL

Do not reuse empty container. The empty container should be rinsed with the oil involved at least three times before disposal, and rinse oils should be added to spray tank. Discard container in a safe place. Follow State Recommendations regarding container disposal.

IMPORTANT

Consult your State authorities for possible aerial application or other application restrictions. Do not apply (except as recommended) on or near desirable plants, or in locations where the chemical may be washed or moved into contact with their roots. Applications by ground rigs and hand dispensers should be carried out only when there is no hazard from drift of product to susceptible plants such as beans, flowers, fruit trees, grapes, ornamentals, peas, potatoes, soybeans, sunflowers and tomatoes, during both the growing and dormant periods. (Coarse sprays are less likely to drift.) Do not contaminate irrigation ditches or water used for domestic purposes. Do not allow this product to come in direct contact with seeds, fertilizers, insecticides or fungicides. To avoid injury to desirable plants, equipment used for BANVEL[®]-310 Herbicide should be thoroughly cleaned before reuse to handle or apply any other agricultural chemicals. Not for use or storage in or around the home.

Do not graze dairy animals on treated areas within 6 weeks after application.

Do not graze meat animals on treated areas within 2 weeks of slaughter.

DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME.

NOTICE: Because Velsicol Chemical Corporation has no control over storage, handling, and conditions of use, which are of critical importance, Velsicol Chemical Corporation makes no representation or warranty, either express or implied, for results or residues greater than any tolerance which may be established by appropriate governmental agencies, due to misuse, improper handling or storage of this material. Nor does Velsicol Chemical Corporation assume any responsibility for injury to persons, crops, animals, soil or property arising out of misuse, improper handling or storage of this material.

ACC

~)la

UNDER THE
FUNGICIDE
FOR ECON
ED UNDER

BANVEL[®]-310 Herbicide is soluble in oil, not water, and is to be used with diesel oil or No. 2 fuel oil only. **DO NOT USE WITH WATER.**

USE BANVEL[®]-310 Herbicide to control unwanted woody plants along utility, railroad, highway and pipeline rights-of-way; for non-selective forest brush control, and brush control in wasteland, and similar non-crop areas.

BANVEL[®]-310 Herbicide controls both hardwood and evergreen species such as alder, apple, ash, beech, birch, cascara, cedar, cherry, dogwood, elderberry, elm, fir, grape, hemlock, hickory, hornbeam, locust, maple, oak, pine, poplar, sassafras, spruce, sumac, walnut, willow and similar woody species.

DIRECTIONS FOR USE

DORMANT STEM BROADCAST	BASAL BARK TREATMENT
<p>Treat any time brush is dormant and most of the foliage has dropped off. Thoroughly wet the entire brush or tree to runoff. For root suckering species, put special emphasis on covering the root crown.</p> <p>GROUND APPLICATION</p> <p>Hydraulic Spray Application: Mix 1-3 gallons of BANVEL[®]-310 Herbicide in sufficient oil to make 100 gallons of spray mixture. Apply at the rate of 100 gallons of spray mixture per acre of brush.</p> <p>Back Pack Mist Blower Application: Apply as a directed spray. Mix 6 to 12 gallons of BANVEL[®]-310 Herbicide in sufficient oil to make 100 gallons of spray mixture. Apply at the rate of 30 gallons of spray mixture per acre of brush.</p> <p>AERIAL APPLICATION (Western Oregon and Washington Only) Mix 1 gallon of BANVEL[®]-310 Herbicide with 29 gallons of oil and apply at the rate of 30 gallons of spray mixture per acre of brush. Consult State authorities for possible aerial application restrictions.</p>	<p>Spray the basal parts of the brush and tree trunk from the ground line up to a height of 1 1/2 to 2 feet. Spray until runoff with special emphasis on covering the root crown. Thorough wetting of the indicated area is needed to achieve good control. Treatment may be made at any time during the year, including winter (except when snow or water prevents spraying to the ground line).</p> <p>Hydraulic Spray Application: Mix 1 to 3 gallons of BANVEL[®]-310 Herbicide in sufficient oil to make 100 gallons of spray mixture. Apply at the rate of 100 gallons of spray mixture per acre of brush.</p> <p>Back Pack Mist Blower Application: Apply as a directed spray mix. Mix 6 to 12 gallons of BANVEL[®]-310 Herbicide in sufficient oil to make 100 gallons of spray mixture. Apply at the rate of 30 gallons of spray mixture per acre of brush.</p>