

# VELSICOL

## HEPTACHLOR 5-G

GRANULAR

**FIRE AN  
TICK  
CHIGGER  
KILLER**



**ACTIVE INGREDIENTS:**

Heptachlor* .....	5.00%
Related Compounds .....	1.94%
<b>INERT INGREDIENTS</b> .....	<u>93.06%</u>
<b>TOTAL</b> .....	<b>100.00%</b>

\*Heptachlorote,rahydro-4,7-methanoindene.

### CAUTION

KEEP OUT OF THE REACH OF CHILDREN  
See antidote and additional caution statements below.

E.P.A. Reg. No. 876-187-AA

**NET CONTENTS**  
**50 lbs**

## CAUTION

Harmful if swallowed. Avoid skin contact, and wash hands, arms and face with soap and water after using. Avoid breathing dust. Avoid contamination of feed and foodstuffs. Keep out of reach of children.

Keep children and pets off treated areas until this material is washed into the soil and grass is dry.

Toxic to fish and wildlife. Keep out of any body of water. Birds feeding on treated areas may be killed. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

## ANTIDOTE

**EXTERNAL**—In case of spillage on skin, wash promptly with soap and water.

**INTERNAL**—Emetic of 1 tablespoonful of mustard in tumbler of water. Call a physician.

## CONTAINER DISPOSAL

Do not reuse empty container. Destroy container by burying with waste or burning. Stay away from smoke or fumes.

# VELSICOL

# Heptachlor

## 5% G

### GRANULAR INSECTICIDE

#### ACTIVE INGREDIENTS:

Heptachlor\* 5.00%

Related Compounds 1.94%

#### INERT INGREDIENTS:

93.06%

TOTAL 100.00%

\*Heptachlorobenzene-4,7-methanoindene

## CAUTION

### KEEP OUT OF REACH OF CHILDREN

See left panel for Antidote and Additional Precautionary Statements.

#### NET CONTENTS

10.56 LBS. (4.76 Kg.) AZ

VELSICOL CHEMICAL CORPORATION

## DIRECTIONS FOR USE

Insect	Area Treated	Application Rate Heptachlor 5%G	Application Directions
Ants	Noncropland lawns, recreational turf, cemeteries, golf courses, parks, industrial sites, roadsides and similar non-cropland	For a single broadcast application: 15 lbs. (1.25 lbs. heptachlor per acre)  For two broadcast applications spaced at 3 to 6 month intervals: 10 to 15 lbs. (1.5 to 1.75 lbs. heptachlor per acre)	<b>BROADCAST SOIL TREATMENT</b> Make broadcast application at least 2 weeks before mowing.  Do not treat with soil aeration.  Do not apply to areas where grazing occurs.
	Noncropland and nonfood crop areas	See application directions	<b>MOUND APPLICATION</b> Apply 2-4 cups of Heptachlor 5%G (equivalent to 1.56-1.2 ounces of heptachlor) to entrance of nest as well as to an area 3 feet around mound.  Treated areas should be examined 2 weeks after treatment and surviving colonies retreated.  Do not graze live stock on treated areas within 1 year of application.

## NOTICE

Because Velsicol Chemical Corporation has no control over storage, handling, and conditions of use, which are of critical importance, Velsicol Chemical Corporation makes no representation or warranty, either express or implied for results or residues greater than any tolerance which may be established by appropriate governmental agencies, due to misuse, improper handling or storage of this material. Nor does Velsicol Chemical Corporation assume any responsibility for injury to persons, crops, animals, soil or property arising out of misuse, improper handling or storage of this material.