



# GOLD CREST

# PROMAR

## MEAT FLAVORED BAIT PELLETS

**ACCEPTED**  
 JUN 4, 1973  
 UNDER THE FEDERAL INSECTICIDE  
 FUNGICIDE AND RODENTICIDE ACT  
 FOR ECONOMIC POISON REGISTER  
 ED UNDER NO. 876-193-AA  
 TO ATTACHED COMMENTS

**RODENTICIDE FOR USE ONLY BY PROFESSIONAL APPLICATORS**  
 Weather-Resistant Rodenticide for Control of  
 Commensal Mice and Rats Indoors and Outdoors

### CAUTION

**KEEP OUT OF THE  
 REACH OF CHILDREN**


SEE LEFT PANEL FOR  
 ADDITIONAL CAUTIONS

**ACCEPTED**  
 JUN 4 1973  
 UNDER THE FEDERAL INSECTICIDE  
 FUNGICIDE AND RODENTICIDE ACT  
 FOR ECONOMIC POISON REGISTER  
 E.F.A. Reg. No. 876-193-AA  
 TO ATTACHED COMMENTS.

### ACTIVE INGREDIENT:

Diphacinone  
 (2-Diphenylacetyl-1-  
 3-Indandione) ..... 0.005%

**INERT INGREDIENTS:** ..... 99.995%  
**TOTAL** ..... 100.000%



NET CONTENTS:

### CAUTION

Keep out of the reach of children, pets,  
 wildlife, and domestic animals.

### DIRECTIONS FOR USE

This product can be used in wet or  
 damp locations such as river banks



# GOLD CREST

# PROMAR™

## MEAT FLAVORED BAIT PELLETS

**ACCEPTED**  
 JUN 4, 1973  
 UNDER THE FEDERAL INSECTICIDE  
 FUNGICIDE AND RODENTICIDE ACT  
 FOR ECONOMIC POISON REGISTRATION  
 ED UNDER NO. 876-193  
 SUBJECT  
 TO ATTACHED COMMENTS

876-193

**RODENTICIDE FOR USE ONLY BY PROFESSIONAL APPLICATORS**  
 Weather-Resistant Rodenticide for Control of  
 Commensal Mice and Rats Indoors and Outdoors

### CAUTION


**KEEP OUT OF THE REACH OF CHILDREN**

SEE LEFT PANEL FOR  
 ADDITIONAL CAUTIONS

**ACCEPTED**  
 876-193  
 JUN 4 1973  
 UNDER THE FEDERAL INSECTICIDE  
 FUNGICIDE AND RODENTICIDE ACT  
 FOR ECONOMIC POISON REGISTERED  
 E.F. A. REG. NO. 876-193-AA  
 TO ATTACHED COMMENTS.

### ACTIVE INGREDIENT:

Diphacinone	
(2-Diphenylacetyl-1,3-Indandione)	0.005%
INERT INGREDIENTS:	99.995%
TOTAL	100.000%



NET CONTENTS:

### CAUTION

Keep out of the reach of children, pets, wildlife, and domestic animals.  
 PROMAR weatherproof bait should be

### DIRECTIONS FOR USE

This product can be used in wet or damp locations such as river banks,



NET CONTENTS:

### CAUTION

Keep out of the reach of children, pets, wildlife, and domestic animals.

PROMAR weatherproof bait should be placed in tamperproof bait boxes or in areas which are inaccessible to children, pets, wildlife, and domestic animals.

If swallowed by human beings, domestic animals or pets, this material may reduce the clotting ability of the blood and cause bleeding. In such cases, intravenous and oral administration of vitamin K, combined with blood transfusions, is indicated as in the case of hemorrhage caused by overdoses of bishydroxycoumarin (Dicumarol).

IN ALL CASES OF HUMAN INGESTION, IMMEDIATELY NOTIFY A PHYSICIAN.

### IMPORTANT

For best results, keep this product in a closed container, free from odors which may contaminate the bait and reduce acceptability.

Rodents may feed several times before the effects are noticed. Several days may be required for death to occur.

### CONTAINER DISPOSAL

Do not reuse empty container. Destroy by perforating or crushing. Bury or discard in a safe place.

**NOTICE:** Because Velsicol Chemical Corporation has no control over storage, handling, and conditions of use, which are of critical importance, Velsicol Chemical Corporation makes no representation or warranty, either express or implied, for results due to misuse, improper handling or storage of this material. Nor does Velsicol Chemical Corporation assume any responsibility for injury to persons, crops, animals, soil or property arising out of misuse, improper handling, or storage of this material.

### DIRECTIONS FOR USE

This product can be used in wet or damp locations such as river banks, railroad tracks, loading areas, in or around rat holes, under granaries, along fences, garbage dumps, etc.

All outdoor placements must be made in tamper proof boxes.

This product is equally effective in dry areas such as the insides of buildings and other protected areas.

Place baits in tamper proof bait stations along walls, in corners, and in concealed locations where rats can feed undisturbed.

Bait placements should be checked daily to make sure that an uninterrupted supply of bait is available. Maintain an uninterrupted supply of bait for at least 15 days. Continue baiting until all signs of feeding have stopped.

**RATS:** Place baits 20 to 30 feet apart. At least 4 ounces of bait should be used per location.

**MICE:** Place baits 6-10 feet apart. At least 4 oz. of bait should be used per station.

Bait placements should be kept permanently to prevent new infestation.

## VELSICOL CHEMICAL CORPORATION

341 East Ohio Street • Chicago, Illinois 60611