



RODENTICIDE FOR
CONTROL OF
COMMENSAL
MICE AND RATS

Net Contents:
4 ounces

VELSICOL[®]

Ramik[™] **Bait**
Packs

ACTIVE INGREDIENT:	
Diphacinone (2-Diphenylacetyl-1,3-Indandione)	0.005%
INERT INGREDIENTS	99.995%
TOTAL	100.000%

E.P.A. Reg. No. 876-206-AA

CAUTION

KEEP OUT OF THE
REACH OF CHILDREN

See back panel for
additional cautions.



VELSICOL CHEMICAL CORPORATION

341 East Ohio Street • Chicago, Illinois 60611
16301 100AAF

CAUTION

Keep out of the reach of children, pets, wildlife and domestic animals. Treated baits should be placed in locations not accessible to children, pets, wildlife and domestic animals, or in tamperproof bait boxes. Do not contaminate water by disposal of wastes. Apply this product only as specified on this label.

If swallowed by human beings, domestic animals or pets, this material may reduce the clotting ability of the blood and cause bleeding. In such cases, intravenous and oral administration of vitamin K, combined with blood transfusions, is indicated as in the case of hemorrhage caused by overdoses of bis-hydroxy coumarin (Dicumarol).

IN ALL CASES OF HUMAN INGESTION IMMEDIATELY NOTIFY A PHYSICIAN

IMPORTANT

For best results, keep this product in a closed container free from odors which may contaminate the bait and reduce acceptability. Rodents may feed several times before the effects are noticed. Several days may be required for death to occur.

CONTAINER DISPOSAL

Do not reuse empty container. Destroy when empty.

DIRECTIONS FOR USE

This product can be used in wet or damp locations, such as river banks, railroad tracks, loading areas, in or around rat holes, under granaries, along fences, garbage dumps, etc.

This product is equally effective in dry areas such as the inside of buildings and other protected areas.

Treated baits should be placed in locations not accessible to children, pets, wildlife and domestic animals, or in tamperproof bait boxes.

Place baits along walls, in corners, in concealed locations, next to

Handwritten signature or mark.

VELSICOL 4 ounces

RamikTM Bait Packs

ACTIVE INGREDIENT:		
Diphacinone (2-Diphenylacetyl-1,3-Indandione)	0.005%	
INERT INGREDIENTS	99.995%	
TOTAL	100.000%	

E.P.A. Reg. No. 876-206-AA

CAUTION
 KEEP OUT OF THE
 REACH OF CHILDREN
 See back panel for
 additional cautions.



VELSICOL CHEMICAL CORPORATION
 341 East Ohio Street • Chicago, Illinois 60611
 16301-100AAF

CAUTION

Keep out of the reach of children, pets, wildlife and domestic animals. Treated baits should be placed in locations not accessible to children, pets, wildlife and domestic animals, or in tamperproof bait boxes. Do not contaminate water by disposal of wastes. Apply this product only as specified on this label.

If swallowed by human beings, domestic animals or pets, this material may reduce the clotting ability of the blood and cause bleeding. In such cases, intravenous and oral administration of vitamin K, combined with blood transfusions, is indicated as in the case of hemorrhage caused by overdoses of bis hydroxy coumarin (Dicumarol).

IN ALL CASES OF HUMAN INGESTION IMMEDIATELY NOTIFY A PHYSICIAN.

IMPORTANT

For best results, keep this product in a closed container free from odors which may contaminate the bait and reduce acceptability. Rodents may feed several times before the effects are noticed. Several days may be required for death to occur.

CONTAINER DISPOSAL

Do not reuse empty container. Destroy when empty.

DIRECTIONS FOR USE

This product can be used in wet or damp locations such as river banks, railroad tracks, loading areas, in or around rat holes, under granaries, along fences, garbage dumps, etc.

This product is equally effective in dry areas such as the inside of buildings and other protected areas.

Treated baits should be placed in locations not accessible to children, pets, wildlife and domestic animals, or in tamperproof bait boxes. Place baits along walls, in corners, in concealed locations, next to burrows or in runways where rats and mice feed, water and travel. For Norway and Roof Rats, place one to four bait packs per placement. Placements should be made at 15 foot intervals.

For House Mice open the bait pack and place 1/4 to 1/2 ounce of bait at each placement. Placements should be made at 6 to 10 foot intervals.

Maintain bait supply for at least 15 days. Continue baiting until all signs of feeding have stopped. Bait placements should be checked daily and replaced consumed, contaminated or spoiled baits. The baits being replaced should immediately be disposed of in such a manner to prevent ingestion by children, pets, wildlife and domestic animals. Bait placement should be kept permanently to prevent new infestation.

NOTICE: Because Velsicol Chemical Corporation has no control over storage, handling and conditions of use which are of critical importance, Velsicol Chemical Corporation makes no representation or warranty, either express or implied for results due to misuse, improper handling or storage of this material. Nor does Velsicol Chemical Corporation assume any responsibility for injury to persons, crops, animals, soil or property arising out of misuse, improper handling or storage of this material.

ACCEIVED
 24 SEP 1974

VELSICOL CHEMICAL CORPORATION
 16309-106AAB 341 East Ohio Street • Chicago, Illinois 60611