

CAUTION

Keep out of the reach of children, pets, wildlife and domestic animals.

Treated baits should be placed in locations not accessible to children, pets, wildlife and domestic animals, or in tamperproof bait boxes. Do not contaminate water by disposal of wastes. Apply this product only as specified on this label.

If swallowed by human beings, domestic animals or pets, this material may reduce the clotting ability of the blood and cause bleeding. In such cases, intravenous and oral administration of vitamin K, combined with blood transfusions, is indicated as in the case of hemorrhage caused by overdoses of bis-hydroxycoumarin (Dicumarol).

IN ALL CASES OF HUMAN INGESTION IMMEDIATELY NOTIFY A PHYSICIAN.

IMPORTANT

For best results, keep this product in a closed container, free from odors which may contaminate the bait and reduce acceptability.

Rodents may feed several times before the effects are noticed. Several days may be required for death to occur.

CONTAINER DISPOSAL

Do not reuse empty container. Destroy by perforating or crushing. Bury or discard in a safe place.

NOTICE: Because Velsicol Chemical Corporation has no control over storage, handling and conditions of use, which are of critical importance, Velsicol Chemical Corporation makes no representation or warranty, either express or implied for results due to misuse, improper handling or storage of this material. Nor does Velsicol Chemical Corporation assume any responsibility for injury to persons, crops, animals, soil or property arising out of misuse, improper handling or storage of material.



GOLD CREST

PROMAR

Bait Packs

RODENTICIDE FOR CONTROL OF COMMENSAL MICE AND RATS

RODENTICIDE FOR USE ONLY BY PROFESSIONAL APPLICATORS

CAUTION
KEEP OUT OF THE REACH OF CHILDREN
SEE LEFT PANEL FOR ADDITIONAL CAUTIONS

ACTIVE INGREDIENT	
Diphacinone	
(2 Diphenylacetyl 1	
3 Indandione)	0.005%
INERT INGREDIENTS	99.995%
TOTAL	100.000%

E.P.A. Reg. No. 876-211-AA

ACCEPTED

770-211

OCT 16 1974

FEDERAL PESTICIDE CONTROL ACT

REGISTERED

TECHNICAL SERVICE

Net Contents:
25 lbs.

VELSICOL CHEMICAL CORPORATION

341 East Ohio Street • Chicago, Illinois 60611

DIRECTIONS FOR USE

This product can be used in wet or damp locations such as river banks, railroad tracks, loading areas, in or around rat holes, under granaries, along fences, garbage dumps, etc.

This product is equally effective in dry areas such as the insides of buildings and other protected areas.

Treated baits should be placed in locations not accessible to children, pets, wildlife and domestic animals, or in tamperproof bait boxes.

Place baits along walls, in corners, in concealed locations, next to burrows or in runways where rats and mice feed, water and travel.

For Norway and Roof Rats, place one to four bait packs per placement. Placements should be made at 15-foot intervals.

For House Mice open the bait pack and place 1/4 to 1/2 ounce of bait at each placement. Placements should be made at 6- to 10-foot intervals.

Maintain bait supply for at least 15 days. Continue baiting until all signs of feeding have stopped. Bait placements should be checked daily and replace consumed, contaminated or spoiled baits. The baits being replaced should immediately be disposed of in such a manner to prevent ingestion by children, pets, wildlife and domestic animals.

Bait placements should be kept permanently to prevent new infestation.

CAUTION

Keep out of the reach of children, pets, wildlife and domestic animals.

Treated baits should be placed in locations not accessible to children, pets, wildlife and domestic animals, or in tamperproof bait boxes. Do not contaminate water by disposal of wastes. Apply this product only as specified on this label.

If swallowed by human beings, domestic animals or pets, this material may reduce the clotting ability of the blood and cause bleeding. In such cases, intravenous and oral administration of vitamin K, combined with blood transfusions, is indicated as in the case of hemorrhage caused by overdoses of bis-hydroxycoumarin (Dicumarol).

IN ALL CASES OF HUMAN INGESTION IMMEDIATELY NOTIFY A PHYSICIAN.

IMPORTANT

For best results, keep this product in a closed container, free from odors which may contaminate the bait and reduce acceptability.

Rodents may feed several times before the effects are noticed. Several days may be required for death to occur.

CONTAINER DISPOSAL

Do not reuse empty container. Destroy by perforating or crushing. Bury or discard in a safe place.

NOTICE: Because Velsicol Chemical Corporation has no control over storage, handling and conditions of use, which are of critical importance, Velsicol Chemical Corporation makes no representation or warranty, either express or implied for results due to misuse, improper handling or storage of this material. Nor does Velsicol Chemical Corporation assume any responsibility for injury to persons, crops, animals, soil or property resulting out of misuse, improper handling or storage of material.



GOLD CREST[®]

PROMAR[™]

Bait Packs

RODENTICIDE FOR CONTROL OF COMMENSAL MICE AND RATS

RODENTICIDE FOR USE ONLY BY PROFESSIONAL APPLICATORS

CAUTION

KEEP OUT OF THE REACH OF CHILDREN


SEE LEFT PANEL FOR ADDITIONAL CAUTIONS

ACTIVE INGREDIENT

Diphacinone
(2 Diphenylacetyl-1,3 Indandione) 0.005%

INERT INGREDIENTS: 99.995%
TOTAL 100.000%

E.P.A. Reg. No. 876-211-AA



ACCEPTED

876-211
OCT 16 1974

Net Contents:
25 lbs.

FEDERAL PESTICIDE
REGULATORY ACT
ECONOMIC PERSON REGISTER
UNDER NO.

VELSICOL CHEMICAL CORPORATION

341 East Ohio Street • Chicago, Illinois 60611

DIRECTIONS FOR USE

This product can be used in wet or damp locations such as river banks, railroad tracks, loading areas, in or around rat holes, under granaries, along fences, garbage dumps, etc.

This product is equally effective in dry areas such as the insides of buildings and other protected areas.

Treated baits should be placed in locations not accessible to children, pets, wildlife and domestic animals, or in tamperproof bait boxes.

Place baits along walls, in corners, in concealed locations, next to burrows or in runways where rats and mice feed, water and travel.

For Norway and Roof Rats, place one to four bait packs per placement. Placements should be made at 15-foot intervals.

For House Mice open the bait pack and place 1/4 to 1/2 ounce of bait at each placement. Placements should be made at 6- to 10-foot intervals.

Maintain bait supply for at least 15 days. Continue baiting until all signs of feeding have stopped. Bait placements should be checked daily and replace consumed, contaminated or spoiled baits. The baits being replaced should immediately be disposed of in such a manner to prevent ingestion by children, pets, wildlife and domestic animals.

Bait placements should be kept permanently to prevent new infestation.



GOLD CREST PROMAR Bait Packs

RODENTICIDE FOR CONTROL OF
COMMENSAL MICE AND RATS

RODENTICIDE FOR USE ONLY BY PROFESSIONAL APPLICATORS

CAUTION	ACTIVE INGREDIENT
KEEP OUT OF THE REACH OF CHILDREN	Diphacinone
See back panel for additional cautions.	(2 Diphenylacetyl 1 3 Indandione) 0.005%
E.P.A. Reg. No. 876-211-AA	INERT INGREDIENTS 99.995%
	TOTAL 100.000%



Net Contents:
4 ounces

VELSICOL CHEMICAL CORPORATION
16575 300 AAF • 341 East Ohio Street • Chicago, Illinois 60611

CAUTION

Keep out of the reach of children, pets, wildlife and domestic animals. Treated baits should be placed in locations not accessible to children, pets, wildlife and domestic animals, or in tamperproof bait boxes. Do not contaminate water by disposal of wastes. Apply this product only as specified on this label.

If swallowed by human beings, domestic animals or pets, this material may reduce the clotting ability of the blood and cause bleeding. In such cases, intravenous and oral administration of vitamin K₁ is indicated, with blood transfusions, as indicated, in the case of persons who have been treated by overdoses of blood-thinning drugs.

IN ALL CASES OF HUMAN INGESTION IMMEDIATELY NOTIFY A PHYSICIAN.

IMPORTANT

For best results, keep this product in a covered container. Avoid spillage, which may contaminate the bait and reduce its effectiveness. Rodents may feed several times before the effects of this material may be required for death to occur.

CONTAINER DISPOSAL

Do not reuse empty container, destroy when empty.

DIRECTIONS FOR USE

This product can be used in bait or dump bait stations as directed on the back panel of the bait box. Avoid bait boxes in areas where children, pets, domestic animals, or wildlife are present.

This product is a highly effective rodenticide such as the one used in the bait boxes. It should be placed in bait boxes only.



GOLD CREST[®]

PROMAR[™]

Bait Packs

RODENTICIDE FOR CONTROL OF
COMMENSAL MICE AND RATS

RODENTICIDE FOR USE ONLY BY PROFESSIONAL APPLICATORS		
CAUTION KEEP OUT OF THE REACH OF CHILDREN See back panel for additional cautions.	ACTIVE INGREDIENT	
	Diphacinone (2-Diphenylacetyl-1, 3-Indandione)	0.005%
	INERT INGREDIENTS	99.995%
	TOTAL	100.000%
E.P.A. Reg. No. 876-211-AA		
		Net Contents: 4 ounces

VELBICOL CHEMICAL CORPORATION
16375-300-AAF 341 East Ohio Street • Chicago, Illinois 60611

CAUTION

Keep out of the reach of children, pets, wildlife and domestic animals. Treated baits should be placed in locations not accessible to children, pets, wildlife and domestic animals, or in tamperproof bait boxes. Do not contaminate water by disposal of wastes. Apply this product only as specified on this label.

If swallowed by human beings, domestic animals or pets, this material may reduce the clotting ability of the blood and cause bleeding. In such cases, intravenous and oral administration of vitamin K, combined with blood transfusions, is indicated as in the case of hemorrhage caused by overdoses of bis-hydroxycoumarin (Dicumarol).

IN ALL CASES OF HUMAN INGESTION IMMEDIATELY NOTIFY A PHYSICIAN

IMPORTANT

For best results, keep this product in a closed container free from odors which may contaminate the bait and reduce acceptability. Rodents may feed several times before the effects are noticed. Several days may be required for death to occur.

CONTAINER DISPOSAL

Do not reuse empty container. Destroy when empty.

DIRECTIONS FOR USE

This product can be used in wet or damp locations, such as river banks, railroad tracks, loading areas, in or around rat holes, under granaries, along fences, garbage dumps, etc.

This product is equally effective in dry areas such as the inside of buildings and other protected areas.

Treated baits should be placed in locations not accessible to children,

RODENTICIDE FOR USE ONLY BY PROFESSIONAL APPLICATORS

<p>CAUTION</p> <p>KEEP OUT OF THE REACH OF CHILDREN</p> <p>See back panel for additional cautions.</p>	ACTIVE INGREDIENT	
	Diphacinone	
	(2 Diphenylacetyl 1, 3 Indandione)	0.005%
	INERT INGREDIENTS	99.995%
	TOTAL	100.000%

E.P.A. Reg. No. 876-211-AA



Net Contents:
4 ounces

VELSICOL CHEMICAL CORPORATION
16375-300-AAF 341 East Ohio Street • Chicago, Illinois 60611

CAUTION

Keep out of the reach of children, pets, wildlife and domestic animals. Treated baits should be placed in locations not accessible to children, pets, wildlife and domestic animals, or in tamperproof bait boxes. Do not contaminate water by disposal of wastes. Apply this product only as specified on this label.

If swallowed by human beings, domestic animals or pets, this material may reduce the clotting ability of the blood and cause bleeding. In such cases, intravenous and oral administration of vitamin K, combined with blood transfusions, is indicated as in the case of hemorrhage caused by overdoses of bis hydroxycoumarin (Dicumarol).

IN ALL CASES OF HUMAN INGESTION IMMEDIATELY NOTIFY A PHYSICIAN

IMPORTANT

For best results, keep this product in a closed container free from odors which may contaminate the bait and reduce acceptability. Rodents may feed several times before the effects are noticed. Several days may be required for death to occur.

CONTAINER DISPOSAL

Do not reuse empty container. Destroy when empty

DIRECTIONS FOR USE

This product can be used in wet or damp locations such as river banks, railroad tracks, loading areas, in or around rat holes, under granaries, along fences, garbage dumps, etc.

This product is equally effective in dry areas such as the inside of buildings and other protected areas.

Treated baits should be placed in locations not accessible to children, pets, wildlife and domestic animals, or in tamperproof bait boxes. Place baits along walls, in corners, in concealed locations, next to burrows or in runways where rats and mice feed, water and travel.

For Norway and Roof Rats, place one to four bait packs per placement. Placements should be made at 15 foot intervals.

For House Mice open the bait pack and place 1/4 to 1/2 ounce of bait at each placement. Placements should be made at 6 to 10 foot intervals.

Maintain bait supply for at least 15 days. Continue baiting until all signs of feeding have stopped. Bait placements should be checked daily and replace consumed, contaminated or spoiled baits. The baits being replaced should immediately be disposed of in a manner to prevent ingestion by children, pets, wildlife and domestic animals.

The unused bait should be kept permanently to prevent new infestation.

NOTICE: This is a registered trademark of Velsicol Chemical Corporation. All other trademarks are the property of their respective owners. Velsicol Chemical Corporation is not responsible for the results obtained from the use of this product. The user assumes all liability for the use of this product. For more information, contact Velsicol Chemical Corporation, 341 East Ohio Street, Chicago, Illinois 60611.

VELSICOL CHEMICAL CORPORATION