



IMPORTANT

Before using this Agricultural Insecticide read and follow the precautions appearing on the label.
Refer to the label for proper storage and disposal procedure.

MIXING DIRECTIONS

Mix with water by agitating the mixture through spray pump or tank in the tank. A proper water mixture will have the appearance of a thick emulsion with no free oil on the surface. Apply before or after the rain. Do not apply in heavy rain. Do not apply in cold weather. Wash hands with agitate until redissolved before using.



**FOR USE ON COTTON IN AREAS WEST OF INTERSTATE
HIGHWAY #35 ONLY**

Application Restrictions

- Do not apply this product to the vicinity of human habitation.
- Do not apply this product by air with the use of any ground application equipment or stream. Application may be made and stored in use in the vicinity of the user. Such application may result in excessive contamination and drift.
- Do not apply when rain is imminent.
- Apply only when wind velocity is between 1 and 10 mph.

Prehyacinth Use

Unnecessary use of this product can lead to the development of resistance and subsequent ineffectiveness.

Equipment

Ground Application

For use with 100 nozzle ground equipment. Apply at rates of 1.0 to 1.5 gallons per acre with water and chemical per acre. Do not use nozzle liquid pressure at greater than 40 psi per square inch. Do not use nozzle size greater than 1/4 inch diameter. Do not use nozzle pressure greater than 40 psi. Do not use nozzle size greater than 1/4 inch diameter. Do not use nozzle pressure greater than 40 psi. Do not use nozzle size greater than 1/4 inch diameter. Do not use nozzle pressure greater than 40 psi.

Aerial Application

Do not apply at rates greater than 1.0 to 1.5 gallons per acre with water and chemical per acre. Do not use nozzle liquid pressure at greater than 40 psi per square inch. Do not use nozzle size greater than 1/4 inch diameter. Do not use nozzle pressure greater than 40 psi. Do not use nozzle size greater than 1/4 inch diameter. Do not use nozzle pressure greater than 40 psi. Do not use nozzle size greater than 1/4 inch diameter. Do not use nozzle pressure greater than 40 psi.



FOR USE ON COTTON IN AREAS WEST OF INTERSTATE HIGHWAY #35 ONLY
(Cont.)

CROP	INSECT	DOSAGE ACRE ENDRIN 2.4 E C	APPLICATION DIRECTIONS AND LIMITATIONS
COTTON	Bullfinch Weevil	Early Season 0.6 ppm Late Season 0.6 ppm	When entering fields with 10 days after application, the insecticide should be applied to under-leaf petioles and shoot and soil.
	Field Corn Weevil	Early Season 0.6 ppm Mid-Season 0.6 ppm Late Season 0.6 ppm	Do not use this material on fields with freshly applied insecticide.
	Field Corn Weevil	0.6 ppm	Application should be made in early season. When entering fields with 10 days after application, the insecticide should be applied to under-leaf petioles and shoot and soil. Do not use this material on fields with freshly applied insecticide.




**THIS LABELING MUST BE IN THE
POSSESSION OF THE USER AT THE
TIME OF PESTICIDE APPLICATION**

**NOTICE: Read "LIMITED
WARRANTY AND LIABILITY" on the
container before buying or using.
If terms are not acceptable,
return at once unopened.**

PR **READ THE LABEL**
BEFORE YOU USE
READ AS INSTRUCTIONS



VELSICOL CHEMICAL CORPORATION
341 East Ohio Street, Chicago, Illinois 60611



PRECAUTIONARY STATEMENTS Hazards to Humans and Domestic Animals

DANGER



POISON

POISONOUS if swallowed, inhaled, or absorbed through skin. Do not breathe spray/mist. Do not get in eyes, on skin, or on clothing.

STATEMENT OF PRACTICAL TREATMENT

If on skin: Remove by washing with soap and water. Get medical attention.

If in eyes: Flush the eyes with clean water for 10 minutes. Get medical attention.

If inhaled: Remove victim to fresh air. Transport immediately to emergency treatment facility.

If swallowed and victim is conscious and not convulsing: Call a physician immediately. Give a glass or two of water and induce vomiting by touching back of throat with finger. It is preferable to induce vomiting under medical supervision or to use gastric lavage with a cuffed endotracheal tube because of aspiration hazard. Remove victim immediately to emergency treatment facilities.

If swallowed and victim is unconscious: Clear the upper airway and if victim is not breathing, administer mouth-to-mouth resuscitation. If heart beat is absent, administer cardiac resuscitation. Do not give anything by mouth. If convulsing, hold head back with jaw forward to keep upper airway clear. Transport immediately to emergency treatment facility, maintaining clear airway and administering artificial respiration.

INFORMATION FOR PHYSICIANS

Endrin is a CNS depressant and hepatotoxin. Toxic dosage causes convulsions, respiratory depression, and liver damage. Impaired respiration must be supported by oxygen given by mechanical ventilation. Diazepam is useful in controlling convulsions. Intravenous glucose and B vitamins help to protect the liver. There is no specific antidote. Do not give vegetable oil or milk, which increase GI absorption. Large amounts of activated charcoal and saline laxatives help to limit GI absorption. Do not give adrenergic agents (myocardial irritability). Excretion of endrin from the body may require days or weeks.

WORK SAFETY RULES

Wear heavy synthetic gloves and a mask or a pesticide respirator jointly approved by the Mining Enforcement and Safety Administration (formerly the U.S. Bureau of Mines) and by the National Institute for Occupational Safety and Health under the provisions of 30 CFR Part 11. Wash thoroughly with soap and water after handling and before eating or smoking. Wear clean clothing daily.

Required Clothing For Female Workers

Female ground applicators, mixers and loaders, and applicators must wear long sleeved shirts and long pants made of a closely woven fabric, and wide brimmed hats. Mixers and loaders must also wear rubber or synthetic boots and aprons.

Warning to Female Workers.

The United States Environmental Protection Agency has determined that endrin causes birth defects in laboratory animals. Exposure to endrin during pregnancy should be avoided. Female workers must be sure to wear all protective clothing and use all protective equipment specified on this label. In case of accidental spill or other unusual exposure, cease work immediately and follow directions for contact with endrin.

17

RESTRICTED USE PESTICIDE
FOR RETAIL SALE TO AND USE ONLY BY CERTIFIED APPLICATORS OR PERSONS UNDER THEIR DIRECT SUPERVISION AND ONLY FOR THOSE USES COVERED BY THE CERTIFIED APPLICATOR'S CERTIFICATION.


VELSICOL ENDRIN 2.4 EC

AGRICULTURAL INSECTICIDE

CONTAINS 2.4 POUNDS ENDRIN PER GALLON

Active Ingredients:	
*Endrin	28.01%
Petroleum Distillate	65.20%
Inert Ingredients	6.79%
TOTAL	100.00%

*Hexachlorocyclohexahydroendo[1,2,3-cd]piperidine

KEEP OUT OF THE REACH OF CHILDREN!
DANGER

POISON
SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

EPA Reg. No. 876-212
EPA Est. No.

NET CONTENTS:

VELSICOL CHEMICAL CORPORATION 341 East Ohio Street, Chicago, Illinois 60611

51



ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and wildlife. Birds and other wildlife in treated areas may be killed. Keep out of lakes, ponds, and streams. Do not contaminate water by cleaning of equipment or disposal of wastes. This pesticide is toxic to bees exposed to direct application. Application should be timed to coincide with periods of minimum bee activity, usually between late evening and early morning.

Procedures to Follow if Fish Kills Occur or if Ponds Are Contaminated

In case of fish kills, fish must be collected promptly and disposed of by burial. Ponds in which fish kills have occurred, and user-owned ponds exposed to erosion by application at distances closer than otherwise prohibited, must be posted with signs stating "Contaminated, No Fishing." Signs must remain for one year after a fish kill has occurred or for six months after lesser contamination, unless laboratory analysis shows erosion residues in the edible portion of fish to be less than 0.3 parts per million (ppm).

PHYSICAL OR CHEMICAL HAZARDS

Do Not Use: Pour, Spit, or Smoke Near Heat or Open Flame

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Refer to the attached DIRECTIONS FOR USE Booklet for proper use directions and additional precautionary statements.

STORAGE AND DISPOSAL

PROHIBITIONS

Do not contaminate water, food, or feed by storage, disposal, or the cleaning of equipment. Open dumping is prohibited.

STORAGE

Do not store this product at temperatures below 40 degrees Fahrenheit.

PESTICIDE DISPOSAL

Pesticide spray mixture or residue that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticides or buried in a safe place away from water supplies.

CONTAINER DISPOSAL

For less than 30 gallons: Triple rinse and offer for recycling, reconditioning, or disposal in approved landfill, or bury in a safe place.

For 30 gallons or larger: Reuse container and offer for reconditioning or triple rinse and offer for recycling, reconditioning, or disposal in an approved landfill, or bury in a safe place.

GENERAL

Consult Federal, State or local disposal authorities for approved alternative procedures.

LIMITED WARRANTY AND LIABILITY

NOTICE: Read the Limited Warranty and Liability before buying or using this product. If the terms are not acceptable, return it at once, unopened.

This product is to be used and treated only as specified on the label. The laws of a State may make some or all of this product non-refundable or may give you rights in addition to those set forth hereunder. Except to the extent prohibited by the applicable law, the exclusive remedy of the user or buyer and the entire liability of this Company or any other seller for any and all losses, personal injuries or damages resulting from the use of this product shall be the purchase price paid by the user or buyer for the quantity of product involved. Except to the extent prohibited by State law, there is no warranty, and this Company and other sellers disclaim liability for insect, pest or other damage, including, from any use of this product in a manner or for a purpose not recommended. Inability to obtain or follow directions or from mixing this product with any substance except as recommended by the manufacturer, including from handling or storage of containers, or from use of this product in a manner or for a purpose not recommended, shall not constitute the Company within one year of delivery, and shall arise from product not used within the one year period after the one year period of purchase whichever first occurs. THERE ARE NO IMPLIED WARRANTIES AND NO WARRANTIES OF MERCHANTABILITY OR FITNESS.