

PRECAUTIONARY STATEMENTS
Hazards to Humans and Domestic Animals

DANGER



POISON

Extremely toxic if swallowed, inhaled, or absorbed through skin. Do not breathe spray or mist. Do not get in eyes, on skin, or on clothing.

STATEMENT OF PRACTICAL TREATMENT

If on skin: Remove by washing with soap and water. Get medical attention.
If in eyes: Flush the eyes with clean water for 10 minutes. Get medical attention.
If inhaled: Remove victim to fresh air. Transport immediately to emergency treatment facility.
If swallowed and victim is conscious and not convulsing: Call a physician immediately. Give a glass of water and induce vomiting by striking back of throat with finger. It is preferable to induce vomiting under medical supervision or to use gastric lavage with a cuffed endotracheal tube because of aspiration hazard. Remove victim immediately to emergency treatment facilities.
If swallowed and victim is unconscious: Clear the upper airway and if victim is not breathing, administer mouth to mouth resuscitation. If heart beat is absent, administer cardiac resuscitation. Do not give anything by mouth. If convulsing, hold head back with jaw forward to keep upper airway clear. Transport immediately to emergency treatment facility, maintaining clear airway and administering artificial respiration.

INFORMATION FOR PHYSICIANS

Endrin is a CNS depressant and hepatoin. Toxic dosage causes convulsions, respiratory depression, and liver damage. Impaired respiration must be supported by oxygen given by mechanical ventilation. Diazepam is useful in controlling convulsions. Intravenous glucose and B vitamins help to protect the liver. There is no specific antidote. Do not give vegetable oils or milk (which increase GI absorption). Large amounts of activated charcoal and saline laxatives help to limit GI absorption. Do not give adrenergic agents (myocardial irritability). Extensive removal of endrin from the body may require days or weeks.

WORK SAFETY RULES

Wear clean synthetic gloves and a mask or a pesticide respirator jointly approved by the Mining, Health and Safety Administration (formerly the U.S. Bureau of Mines) and by the National Institute for Occupational Safety and Health under the provisions of 30 CFR Part 11. Wash thoroughly with soap and water after handling and before eating or smoking. Wear clean clothing daily.

Required Clothing For Female Workers

Female ground applicators, mixers and loaders, and applicators must wear long sleeves, long pants, closed-toe shoes, rubber gloves, and wide-brimmed hats. Mixers and loaders must also wear rubber or synthetic boots and aprons.

Warning to Female Workers

The United States Environmental Protection Agency has determined that endrin causes birth defects in laboratory animals. Exposure to endrin during pregnancy should be avoided. Female workers should wear all protective clothing and use all protective equipment specified in this label. Use of protective clothing other than usual exposure, unless worn immediately and before directions for contact with endrin.

RESTRICTED USE PESTICIDE

FOR RETAIL SALE TO AND USE ONLY BY CERTIFIED APPLICATORS OR PERSONS UNDER THEIR DIRECT SUPERVISION AND ONLY FOR THOSE USES COVERED BY THE CERTIFIED APPLICATOR'S CERTIFICATION.

VELSICOL
ENDRIN 2.4 EC
AGRICULTURAL INSECTICIDE

CONTAINS 2.4 POUNDS ENDRIN PER GALLON

KEEP OUT OF THE REACH OF CHILDREN

DANGER



POISON

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

EPA Reg. No. 876-212
EPA Est. No.

NET CONTENTS:

VELSICOL CHEMICAL CORPORATION 341 East Ohio Street, Chicago, Illinois 60601

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and wildlife. Birds and other wildlife in treated areas may be killed. Keep out of lakes, ponds, and streams. Do not contaminate water by cleaning of equipment or disposal of wastes.

This pesticide is toxic to bees exposed to direct application. Application should be timed to coincide with periods of minimum bee activity, usually between late evening and early morning.

Procedures to Follow If Fish Kills Occur or If Ponds Are Contaminated

In case of fish kills, fish must be collected promptly and disposed of by burial. Ponds in which fish kills have occurred, and user-owned ponds exposed to endrin by application at intervals as close as otherwise prohibited, must be posted with signs stating "Contaminated. No fishing." Signs must remain for one year after a fish kill has occurred or for six months after lesser contamination unless laboratory analysis shows endrin residues in the edible portion of fish to be less than 0.1 parts per million (ppm).

PHYSICAL OR CHEMICAL HAZARDS

Do Not Use, Pour, Spill, or Store Near Heat or Open Flame

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Refer to the attached DIRECTIONS FOR USE Booklet for proper use directions and additional precautionary statements.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE DISPOSAL

Pesticide, spray mixture or rinsate that cannot be used according to label instructions must be disposed of according to Federal, State or local procedures under the Resource Conservation and Recovery Act.

CONTAINER DISPOSAL

Metal

Triple rinse (or equivalent) and offer for recycling or reconditioning, or dispose of in a sanitary landfill, or by other approved State and local procedures.

Plastic

Triple rinse (or equivalent) and offer for recycling or reconditioning, or dispose of in a sanitary landfill, or by incineration if permitted by State and local authorities.

LIMITED WARRANTY AND LIABILITY

NOTICE: Read this Limited Warranty and Liability before buying or using this product. If the terms are not acceptable, return it for a full refund.


It is critical that the product be used and mixed only as specified in the label. The user of this product may make some minor adjustments in the application of the product, but any such adjustments must be made in accordance with the label instructions. The user of this product warrants that the product will be free from defects in material and workmanship under normal use and conditions for the period of time specified in the label. This warranty does not cover personal injury or damages resulting from the use of the product, shall be void if the user does not follow the label instructions, or if the user does not use the product in accordance with the label instructions. The user of this product warrants that the product will be free from defects in material and workmanship under normal use and conditions for the period of time specified in the label. This warranty does not cover personal injury or damages resulting from the use of the product, shall be void if the user does not follow the label instructions, or if the user does not use the product in accordance with the label instructions. The user of this product warrants that the product will be free from defects in material and workmanship under normal use and conditions for the period of time specified in the label. This warranty does not cover personal injury or damages resulting from the use of the product, shall be void if the user does not follow the label instructions, or if the user does not use the product in accordance with the label instructions.



Insecticide, liquid, N.O.S.

RESTRICTED USE PESTICIDE
FOR RETAIL SALE TO AND USE ONLY BY
CERTIFIED APPLICATORS OR PERSONS
UNDER THEIR DIRECT SUPERVISION AND
ONLY FOR THOSE USES COVERED BY THE
CERTIFIED APPLICATOR'S CERTIFICATION.

VELSICOL
ENDRIN 2.4EC
AGRICULTURAL INSECTICIDE



DIRECTIONS FOR USE
IT IS A VIOLATION OF FEDERAL LAW TO
USE THIS PRODUCT IN A MANNER INCON-
SISTENT WITH ITS LABELING

E.P.A. Reg. No. 876-212 AA

THE LABEL MUST BE IN THE POSSESSION OF THE USER AT
THE TIME OF PESTICIDE APPLICATION

Refer to pages 8, 9, 10 and 11 of this book for
24(c) Special Local-Need Labeling.

IMPORTANT

Before using Endosulfan Agricultural Insecticide read and follow the precautions appearing on the container.
Refer to the container for proper storage and disposal procedure.

MIXING DIRECTIONS

Mix with water by agitation or by circulating the mixture through spray pump or back siphon. A proper water mixture will have the appearance of a milky emulsion with a thin film on the surface. Again before use until a uniform milky emulsion is obtained.
In pre-plant deposits in cold weather, warm gently with agitation until redissolved before use.

**FOR USE ON COTTON IN AREAS WEST OF INTERSTATE
HIGHWAY #38 ONLY**

Application Restrictions

Do not apply this product within a mile of human habitation.
Do not apply this product by air within a mile or by ground within a mile of lakes, ponds,
or streams. Application may be made at distances closer to ponds owned by the user, but
such application may result in excessive contamination of fish and
do not apply when rainfall is imminent.
Apply only when wind velocity is between 2 and 10 mph.

Prephytotoxic Use

For necessary use of this product on lead, resistance in pest populations and subsequent
insecticide.

Equipment

Ground Application

For use with boom nozzle ground equipment. Apply at not less than 5 gallons total mixture
water and chemical per acre. Do not use nozzle fluid pressure at greater than 40 psi
per square inch psi. Do not use nozzle size smaller than one capable of delivering
0.16 gallons per minute (gpm) at 40 psi such as type 65 or TA 10, or any other atomizer
or nozzle giving similar drop size.

Aerial Application

Do not apply at less than 2 gallons total mixture water and chemical per acre. Do not
operate nozzle fluid pressure over 40 psi with any fan nozzle smaller than one capable of
delivering 1.4 gpm at an angle greater than 45 degrees such as type 65 or TA 10. Do not use a
cone type nozzle smaller than one available delivering 1.4 gpm with a fan nozzle
the width of the fan nozzle. Do not use a fan nozzle smaller than one capable of
delivering 1.4 gpm at a 45 degree angle with the fan nozzle.

FOR USE ON COTTON IN AREAS WEST OF INTERSTATE HIGHWAY #34 ONLY
(Cont.)

CROP	INSECT	DOSE/ACRE ENDRIN 24 E C	APPLICATION DIRECTIONS AND LIMITATIONS
COTTON	Fire weevil Borers	Early Season 0.67 ppm Late Season 0.67-3.0 ppm	Workers entering treated fields within 5 days after application should be protected by wearing a full coverall type garment and shoes and socks. Do not graze dairy animals or animals being bred for slaughter on treated fields.
	Field Nettle Thrips	Early Season 0.24 ppm Mid-Season 0.5 ppm Late Season 0.67 ppm	
	Blowfly Reservoir	0.67-3.3 ppm	Apply when insects are present in crops as necessary. Workers entering treated fields within 5 days after application should be protected by wearing a full coverall type garment and shoes and socks. Do not graze dairy animals or animals being bred for slaughter on treated fields.

THIS LABELING MUST BE IN THE
POSSESSION OF THE USER AT THE
TIME OF PESTICIDE APPLICATION

NOTICE: Read "LIMITED
WARRANTY AND LIABILITY" on the
container before buying or using.
If terms are not acceptable
return at once unopened.

PROPER PESTICIDE USE
BY THE USER IS REQUIRED.
READ AND FOLLOW LABEL
DIRECTIONS



VELSICOL CHEMICAL CORPORATION
341 East Ohio Street, Chicago, Illinois 60611