



### CAUTION

Harmful if swallowed. Avoid inhaling spray mist. This product may cause skin irritation. Avoid contact with skin, eyes and clothing. In case of contact with skin flush with plenty of water; for eyes flush with plenty of water for at least 15 minutes and get medical attention. Keep out of reach of children.

Do not apply (except as recommended) on or near desirable plants or in locations where the chemical may be washed or moved into contact with their roots. Excessive amounts of this product in the soil may temporarily inhibit seed germination and all plant growth.

Prevent drift of product to desirable plants, particularly beans, clover, cotton, flowers, fruit trees, grapes, ornamentals, peas, potatoes, soybeans, sunflowers, tomatoes and other broadleaf crops during both the growing and dormant periods. Use coarse sprays which are less likely to drift.

Do not contaminate irrigation ditches or water used for domestic purposes.

Do not contaminate water by cleaning of equipment, or disposal of wastes.

Apply this product only as specified on this label.

To avoid injury to desirable plants, equipment used for 2,4-D Amine Herbicide should be thoroughly cleaned before reuse to handle or apply other agricultural chemicals.

Do not store near fertilizers, seeds, insecticides or fungicides. Do not contaminate feed or foodstuffs. Do not mix with liquid fertilizers.

If stored below freezing, it may be necessary to warm to 40°F. and agitate before using. This does not affect the efficiency of this product.

### CONTAINER DISPOSAL

Do not reuse empty container. Empty containers should be rinsed with water at least three times before disposal and rinse water should be added to the spray tank. Discard container in a safe place. Do not burn.

14220-202AC



ACCEPTED  
NOV 12 1974  
UNDER THE FEDERAL INSECTICIDE  
FUNGICIDE AND RODENTICIDE ACT  
FOR ECONOMIC POISON REGISTERED  
ED UNDER NO. 16-215 SUBJECT  
TO ATTACHED COMMENTS.

# VELSICOL

## HERBICIDE

For Use Only by Professional Applicators

Contains 4 lbs. of 2,4-D Acid Equivalent Per Gallon

### ACTIVE INGREDIENT:

Dimethylamine Salt of 2,4-Dichlorophenoxyacetic Acid 49.5%

### INERT INGREDIENTS:

50.5%

TOTAL 100.0%

Net to 41 lbs. of 2,4-Dichlorophenoxyacetic Acid

## CAUTION

KEEP OUT OF THE REACH OF CHILDREN

See Left Panel for Additional Cautions

EPA Reg. No. 816-21-507

VELSICOL CHEMICAL CORPORATION

2,4-D /  
noxiou


Arrowhea  
Artichoke  
Bindweed  
and E  
Bitter wi  
Box elder  
Buckhorn  
Bull thistle  
Bulrush  
Burdock  
Bur ragw  
Buttercu  
Canada t  
Catnip  
Chickwee

Mix th  
to obt  
OIL.

Best r  
are yo

Lawn,  
(tures)  
aprons  
rough,

NOTICE: B  
of use, w  
warranty,  
established  
material,  
crops, and



# VELSICOL

## HERBICIDE

For Use Only by Professional Applicators

Contains 4 lbs. of 2,4-D Acid Equivalent Per Gallon

### ACTIVE INGREDIENT

Dimethylamine Salt of 2,4-Dichlorophenoxyacetic Acid 49.5

### INERT INGREDIENTS

50.5

TOTAL 100.0

Net Content: 4 lbs. of 2,4-D Acid Equivalent

## CAUTION

KEEP OUT OF THE REACH OF CHILDREN

See Left Panel for Additional Cautions

EPA REG. NO. 227-100-01

VELSICOL CHEMICAL CORPORATION

2,4-D Amine will kill or control the following as well as many other noxious plants susceptible to 2,4-D.

- |  |                       |                        |                         |
|--|-----------------------|------------------------|-------------------------|
| <u>Arrowhead</u>                             | <u>Chicory</u>        | <u>Locoweed</u>        | <u>Sagebrush</u>        |
| <u>Artichoke</u>                             | <u>Cocklebur</u>      | <u>Mexican weed</u>    | <u>Smartweed</u>        |
| <u>Binoweed (hedge, field, and European)</u> | <u>Coffee bean</u>    | <u>Morning-glory</u>   | <u>Sow thistle</u>      |
| <u>Bitter winter cress</u>                   | <u>Creeping Jenny</u> | <u>Mustard</u>         | <u>Stinkweed</u>        |
| <u>Box elder</u>                             | <u>Curly Indigo</u>   | <u>Nutgrass</u>        | <u>Sumac</u>            |
| <u>Buckhorn</u>                              | <u>Elderberry</u>     | <u>Pennywort</u>       | <u>Sunflower</u>        |
| <u>Bull thistle</u>                          | <u>Goldenrod</u>      | <u>Pigweed</u>         | <u>Virginia Creeper</u> |
| <u>Bulrush</u>                               | <u>Ground Ivy</u>     | <u>Plantain</u>        | <u>Wild Garlic</u>      |
| <u>Burdock</u>                               | <u>Hemp</u>           | <u>Poison Ivy</u>      | <u>Wild lettuce</u>     |
| <u>Bur ragweed</u>                           | <u>Hoary cress</u>    | <u>Pokeweed</u>        | <u>Wild onion</u>       |
| <u>Buttercup</u>                             | <u>Honeysuckle</u>    | <u>Povertyweed</u>     | <u>Wild radish</u>      |
| <u>Canada thistle</u>                        | <u>Indigo</u>         | <u>Puncture vine</u>   | <u>Willow</u>           |
| <u>Catnip</u>                                | <u>Ironweed</u>       | <u>Purslane</u>        | <u>Witchweed</u>        |
| <u>Chickweed</u>                             | <u>Jimson weed</u>    | <u>Rush</u>            |                         |
|  | <u>Lambsquarters</u>  | <u>Russian thistle</u> |                         |

### DIRECTIONS FOR USE

Mix the recommended amount of 2,4-D Amine with sufficient water to obtain good spray coverage. DO NOT MIX THIS PRODUCT WITH OIL.

Best results are obtained when spraying is done while the weeds are young and actively growing.

USE	RATE OF 2,4-D AMINE PER ACRE	APPLICATION DIRECTIONS AND LIMITATIONS
Lawn, turf (not pastures), fairways, aprons, tees, and rough.	1 to 2 quarts (1 to 2 lbs. acid equivalent) in sufficient water to obtain good coverage.	To be used on established stands of perennial grasses.  DO NOT use on Dichondra and/or creeping grasses such as bent except for spot spraying.  Newly seeded turf should not be treated until after the second mowing and the lower dosage rate should be used.

NOTICE: Because Velsicol Chemical Corporation has no control over storage, handling, and conditions of use, which are of critical importance, Velsicol Chemical Corporation makes no representation or warranty, either express or implied, for results or residues greater than any tolerance which may be established by appropriate governmental agencies, due to misuse, improper handling or storage of this material. Nor does Velsicol Chemical Corporation assume any responsibility for injury to persons, crops, animals, soil or property arising out of misuse, improper handling or storage of this material.

