

VELSICOL
TECHNICAL
E PN

For Formulation of Insecticides Only

EPA Reg. No. 876-235-AA
EPA Est. No. 876-TX-1

ACTIVE INGREDIENT:	
O-Ethyl O-p-nitrophenyl	30.0%
phenylphosphonothioate	11.1%
Xylene Range Aromatic Solvent	8.9%
INERT INGREDIENTS	Total
	100.0%

STOP—READ LABEL BEFORE USING

POISON DANGER



KEEP OUT OF
REACH OF CHILDREN

See Side Labels for Antidote

NET CONTENTS: 55 GALLONS

100% OLEUM PHOSPHORIC ACID


PRECAUTIONARY STATEMENT
Hazards to Humans and Domestic Animals

DANGER  **POISON**



DO NOT SWALLOW

POISONOUS IF SWALLOWED
This product can kill you if swallowed even in small amounts. Spray mist or dust may be fatal if swallowed.



DO NOT TOUCH

POISONOUS BY SKIN CONTACT
Poisonous if touched by hands or spewed or splashed on skin, eyes or on clothing. You can get through clothes.



POISONOUS IF INHALED

Breath in vapors or smoke can be fatal.

Extremely poisonous by skin contact, inhalation or swallowing. Highly absorbed through the skin. Repeated exposure may, without symptoms, cause permanent hazardous

Do not get on skin, in eyes or on clothing. Do not breathe vapor.

PROTECTIVE CLOTHING AND EQUIPMENT

Wear clean protective clothing. If possible, wear a respirator. If handling, or when decontaminating, wear protective clothing. Following protective clothing, use a respirator. Natural materials are best. Synthetic materials should be washed often. Do not wash with other laundry. Do not use fabric softener. Do not use chlorine bleach. Do not use detergents containing ammonia. Do not use detergents containing phosphate. Do not use detergents containing chlorine. Do not use detergents containing alkalis. Do not use detergents containing acids. Do not use detergents containing solvents. Do not use detergents containing organic solvents. Do not use detergents containing organic solvents.

ATRIBUTABLE DEATHS
Subacute and chronic effects

EMERGENCY AND MEDICAL INFORMATION

INTERNAL If you feel sick, do not vomit. Call your doctor or hospital. Do not repeat until you are told to do so. Do not drink alcohol.

EXTERNAL If you get drug residue on your clothes, remove contaminated clothing and wash skin thoroughly with soap and water.

NOTE TO ATTENDING PHYSICIAN Repeated therapeutic doses of atropine may be effective. 2-PAM is also antidotal and may be administered in conjunction with atropine. Do not use morphine.

WORK SAFETY RULES

Do not eat, drink, smoke or chew gum if you feel sick in any way. STOP WORK and get help immediately. Call your doctor (physician), clinic or hospital immediately. If you feel sick, do not repeat. If you have been exposed to EPN and describe his condition. After treatment, go home. If you feel sick and a doctor cannot come, take victim to nearest hospital.

IMPORTANT Perform smoking gloves. Wash them with soap and water. Always wash hands, face and hands with soap and water before smoking, eating or drinking. Wash shoes and boots with soap and water. Shower using soap and water when you are finished performing the job. Do not wear contaminated clothing or protective equipment. Wash protective equipment with soap and water.

ENVIRONMENTAL HAZARDS

Do not pour and otherwise dispose. Do not apply directly to water supplies. Do not pollute surface waters. Proper disposal of wastes.

HAZARDOUS CHEMICAL HAZARDS

Do not mix with acids, bases, organic solvents, organic acids, organic acids.

DISPOSAL

Do not pollute surface waters. Proper disposal of wastes.

'PILATE

1. The first step in the process of socialization is the family. The family is the primary socializing agent. It is the place where a child learns basic values, attitudes, and behaviors. The family provides a safe environment for a child to explore and learn about the world around them. It is also the place where a child learns how to interact with others and develop social skills.

SUMMARY