Cross-infection is of major housekeeping concern not only in hospitals, but in schools, institutions, and industry. Brisk Germicide is formulated for this problem area. It both cleans and disinfects effectively and is virucidal when used as directed. Its hard surface disinfecting action will reduce the hazard of cross-infection.

Brick Germicide is an extremely effective one-step sanitizer. It cleans and sanitizes in waters up to 800 ppm hardness. This hard water tolerance is in excess of most potable waters and will insure complete sanitizing action when used as directed.

Two ounces of Brisk Germicide per gallon of water will deodorize bathrooms, garbage storage areas, and other areas where bacterial growth can cause malodors.

WARNING

Keep out of reach of children. May cause severe eye irritation or eye damage. Causes skin irritation. Do not get in eyes, on skin, or on clothing. Harmful if swallowed. Avoid contamination of food.

flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash all contaminated clothing before reuse. If swallowed, drink promptly a large quantity of water. Avoid alcohol. Call a physician immediately.

CONTAINER DISPOSAL

Do not reuse empty container. Rinse empty container with water before discarding. Discard in a safe place.

NOTICE

Velsicol Chemical Corporation assumes no responsibility for injury to persons or property arising out of the misuse or improper handling of this material.

VELSICOL

BRISK

GERMICIDE

AOAC Phenol Coefficients

Staph. aureus (ATCC No. 6538)	100
Salmonella typhosa (ATCC No. 6539)	

Active Ingredients

Didecyl dimethyl ammonium chloride Tetrasodium ethylenediamine	4.5%
tetraacetate	2.0% 1.0% 0.5%
Inert Ingredients	

EPA Registration No. 876-237-AA

Net Contents:

WARNING KEEP OUT OF REACH OF CHILDREN

See First Aid and Other Precautions on Left Panel

VELSICOL CHEMICAL CORPORATION
341 East Ohio Street, Chicago, Illinois 60611

DIRECTIONS FOR USE

Apply BRISK Germicide to walls, floors and other hard surfaces such as tables, chairs and bed frames with a cloth or mop. For heavily soiled areas, a preliminary cleaning may be required.

FOR HOSPITALS AND NURSING HOMES

- -Add two ounces of BRiSK Germicide per gallon of water for effective germicidal action against:

BACTERIA

Brevibacterium ammoniagenes
Enterobacter aerogenes
Escherichia coli
Klebsiella pneumonia
Proteus mirabilis
Pseudomonas aeruginosa
Salmonella choleraesuis
Salmonella schottmuelleri
Shigella dysenteriae
Staphylococcus aureus
Streptococcus faecalis
Streptococcus pyogenes

PATHOGENIC FUNGI

11/8

Trichophyton interdigitale

VIRUSES

Adenovirus type 5 (a causitive virus in respiratory diseases)
Herpes Simplex
Influenza A, (as represented by the strains called Hong Kong Fluand London Flu)

FOR SCHOOLS, INSTITUTIONAL AND INDUSTRIAL USES — Add one ounce of BRISK Germicide per gallon of water for effective germicidal control against:

Escherichia coli
Salmonella choleraesuis
Staphlococcus aureus
Trichophyton interdigitale (athlete's foot fungus)

FOR SANITIZING—Add ½ ounce of BRISK Germicide per gallon of water for the sanitizing and cleaning of utensils, equipment and other hard su faces. When sanitizing food processing equipment and utensils and food centact, rinse thoroughly with potable water before reuse