

CAUTION

Keep out of the reach of children, pets, wildlife and domestic animals. Treated baits should be placed in locations not accessible to children, pets, wildlife and domestic animals, or in tamperproof bait boxes. Do not contaminate water by disposal of wastes. Apply this product only as specified on this label.

If swallowed by human beings, domestic animals or pets, this material may reduce the clotting ability of the blood and cause bleeding. In such cases, intravenous and oral administration of vitamin K, combined with blood transfusions, is indicated as in the case of hemorrhage caused by overdoses of bis hydroxycoumarin (Dicumarol).

IN ALL CASES OF HUMAN INGESTION IMMEDIATELY NOTIFY A PHYSICIAN.

IMPORTANT

For best results, keep this product in a closed container free from odors which may contaminate the bait and reduce acceptability. Rodents may feed several times before the effects are noticed. Several days may be required for death to occur.

CONTAINER DISPOSAL

Do not reuse empty container. Destroy when empty.

DIRECTIONS FOR USE

This product can be used in wet or damp locations such as river banks, railroad tracks, loading areas, in or around rat holes, under granaries, along fences, garbage dumps, etc.

This product is equally effective in dry areas such as the inside of buildings and other protected areas.

Treated baits should be placed in locations not accessible to children, pets, wildlife and domestic animals, or in tamper-proof bait boxes.

Place baits along walls, in corners, in concealed locations, next to burrows or in runways where rats and mice feed, water and travel.

For Norway and Roof Rats, place one to four bait packs per placement. Placements should be made at 15-foot intervals.

For House Mice open the bait pack and place 1/4 to 1/2 ounce of bait at each placement. Placements should be made at 6- to 10-foot intervals.

Maintain bait supply for at least 15 days. Continue baiting until all signs of feeding have stopped. Bait placements should be checked daily and replace consumed, contaminated or spoiled baits. The baits being replaced should immediately be disposed of in such a manner to prevent ingestion by children, pets, wildlife and domestic animals.

Bait placement should be kept permanently to prevent new infestation.

NOTICE: Because Velsicol Chemical Corporation has no control over storage, handling, and conditions of use, which are of critical importance, Velsicol Chemical Corporation makes no representation or warranty, either express or implied for results due to misuse, improper handling or storage of this material. Nor does Velsicol Chemical Corporation assume any responsibility for injury to persons, crops, animals, soil or property arising out of misuse, improper handling or storage of this material.

VELSICOL CHEMICAL CORPORATION

16373 330AB B 341 East Ohio Street • Chicago, Illinois 60611



GOLD CREST

PROMAR

Bait Packs

CONTAINING APPLE FLAVORED BAIT PELLETS

Weather-Resistant Rodenticide for Control of
Commensal Mice and Rats Indoors and Outdoors

RODENTICIDE FOR USE ONLY BY PROFESSIONAL APPLICATORS

CAUTION

**KEEP OUT OF THE
REACH OF CHILDREN**

See back panel for
additional cautions.


ACTIVE INGREDIENT

Diphacinone
(2 Diphenylacetyl-1,
3 Indandione) 0.005%

INERT INGREDIENTS. 99.995%

TOTAL 100.000%

E.P.A. Reg. No. 876-248-AA



Net Contents:
4 ounces

ACCEPTED

16373-330AB

MAY 13 1975

Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under
EPA Reg. No. 876-248-AA

VELSICOL CHEMICAL CORPORATION

341 East Ohio Street • Chicago, Illinois 60611

CAUTION

Keep out of the reach of children, pets, wildlife and domestic animals. Treated baits should be placed in locations not accessible to children, pets, wildlife and domestic animals, or in tamperproof bait boxes. Do not contaminate water by disposal of wastes. Apply this product only as specified on this label.

If swallowed by human beings, domestic animals or pets, this material may reduce the clotting ability of the blood and cause bleeding. In such cases, intravenous and oral administration of vitamin K, combined with blood transfusions, is indicated as in the case of hemorrhage caused by overdoses of bis-hydroxycoumarin (Dicumarol).

IN ALL CASES OF HUMAN INGESTION IMMEDIATELY NOTIFY A PHYSICIAN.

IMPORTANT

For best results, keep this product in a closed container free from odors which may contaminate the bait and reduce acceptability. Rodents may feed several times before the effects are noticed. Several days may be required for death to occur.

CONTAINER DISPOSAL

Do not reuse empty container. Destroy when empty.

DIRECTIONS FOR USE

This product can be used in wet or damp locations such as river banks, railroad tracks, loading areas, in or around rat holes, under granaries, along fences, garbage dumps, etc.

This product is equally effective in dry areas such as the inside of buildings and other protected areas.

Treated baits should be placed in locations not accessible to children, pets, wildlife and domestic animals, or in tamper-proof bait boxes.

Place baits along walls, in corners, in concealed locations, next to burrows or in runways where rats and mice feed, water and travel.

For Norway and Roof Rats, place one to four bait packs per placement. Placements should be made at 15-foot intervals.

For House Mice open the bait pack and place 1/4 to 1/2 ounce of bait at each placement. Placements should be made at 6- to 10-foot intervals.

Maintain bait supply for at least 15 days. Continue baiting until all signs of feeding have stopped. Bait placements should be checked daily and replace consumed, contaminated or spoiled baits. The baits being replaced should immediately be disposed of in such a manner to prevent ingestion by children, pets, wildlife and domestic animals.

Bait placement should be kept permanently to prevent new infestation.

NOTICE: Because Velsicol Chemical Corporation has no control over storage, handling, and conditions of use, which are of critical importance, Velsicol Chemical Corporation makes no representation or warranty, either express or implied for results due to misuse, improper handling or storage of this material. Nor does Velsicol Chemical Corporation assume any responsibility for injury to persons, crops, animals, soil or property arising out of misuse, improper handling or storage of this material.

VELSICOL CHEMICAL CORPORATION

16373-330AB-B 341 East Ohio Street • Chicago, Illinois 60611



GOLD CREST

PROMAR

Bait Packs

CONTAINING APPLE FLAVORED BAIT PELLETS

Weather-Resistant Rodenticide for Control of Commensal Mice and Rats Indoors and Outdoors

RODENTICIDE FOR USE ONLY BY PROFESSIONAL APPLICATORS

CAUTION

KEEP OUT OF THE REACH OF CHILDREN
See back panel for additional cautions.

ACTIVE INGREDIENT.

Diphacinone	
(2-Diphenylacetyl-1,3-Indandione)	0.005%
INERT INGREDIENTS:	99.995%
TOTAL	100.000%

E.P.A. Reg. No. 876-248-AA



Per 1000 baits: 1 ounce

ACCEPTED
MAY 13 1975
Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 876-248

VELSICOL CHEMICAL CORPORATION

16373-330AB- 341 East Ohio Street • Chicago, Illinois 60611

CAUTION

Keep out of the reach of children, pets, wildlife and domestic animals.

Treated baits should be placed in locations not accessible to children, pets, wildlife and domestic animals, or in tamperproof bait boxes. Do not contaminate water by disposal of wastes. Apply this product only as specified on this label.

If swallowed by human beings, domestic animals or pets, this material may reduce the clotting ability of the blood and cause bleeding. In such cases, intravenous and oral administration of vitamin K, combined with blood transfusions, is indicated as in the case of hemorrhage caused by overdoses of bis-hydroxycoumarin (Dicumarol).

IN ALL CASES OF HUMAN INGESTION IMMEDIATELY NOTIFY A PHYSICIAN.

IMPORTANT

For best results, keep this product in a closed container, free from odors which may contaminate the bait and reduce acceptability.

Rodents may feed several times before the effects are noticed. Several days may be required for death to occur.

CONTAINER DISPOSAL

Do not reuse empty container. Destroy by perforating or crushing. Bury or discard in a safe place.

NOTICE: Because Velsicol Chemical Corporation has no control over storage, handling and conditions of use, which are of critical importance, Velsicol Chemical Corporation makes no representation or warranty, either express or implied for results due to misuse, improper handling or storage of this material. Nor does Velsicol Chemical Corporation assume any responsibility for injury to persons, crops, animals, soil or property arising out of misuse, improper handling or storage of this material.



GOLD CREST

PROMAR

Bait Packs

CONTAINING APPLE FLAVORED BAIT PELLETS

Weather-Resistant Rodenticide for Control of Commensal Mice and Rats Indoors and Outdoors

RODENTICIDE FOR USE ONLY BY PROFESSIONAL APPLICATORS

CAUTION


KEEP OUT OF THE REACH OF CHILDREN

SEE LEFT PANEL FOR ADDITIONAL CAUTIONS

ACTIVE INGREDIENT:

Diphacinone (2-Diphenylacetyl-1, 3-Indandione)	0.005%
INERT INGREDIENTS:	99.995%
TOTAL	100.000%

E.P.A. Reg. No. 876-248-AA



Net Contents:
25 lbs.

VELSICOL CHEMICAL CORPORATION

341 East Ohio Street • Chicago, Illinois 60611

DIRECTIONS FOR USE

This product can be used in wet or damp locations such as river banks, railroad tracks, loading areas, in or around rat holes, under granaries, along fences, garbage dumps, etc.

This product is equally effective in dry areas such as the insides of buildings and other protected areas.

Treated baits should be placed in locations not accessible to children, pets, wildlife and domestic animals, or in tamperproof bait boxes.

Place baits along walls, in corners, in concealed locations, next to burrows or in runways where rats and mice feed, water and travel.

For Norway and Roof Rats, place one to four bait packs per placement. Placements should be made at 15-foot intervals.

For House Mice open the bait pack and place 1/4 to 1/2 ounce of bait at each placement. Placements should be made at 6- to 10-foot intervals.

Maintain bait supply for at least 15 days. Continue baiting until all signs of feeding have stopped. Bait placements should be checked daily and replace consumed, contaminated or spoiled baits. The baits being replaced should immediately be disposed of in such a manner to prevent ingestion by children, pets, wildlife and domestic animals.

Bait placements should be kept permanently to prevent new infestation.

CAUTION

Keep out of the reach of children, pets, wildlife and domestic animals.

Treated baits should be placed in locations not accessible to children, pets, wildlife and domestic animals, or in tamperproof bait boxes. Do not contaminate water by disposal of wastes. Apply this product only as specified on this label.

If swallowed by human beings, domestic animals or pets, this material may reduce the clotting ability of the blood and cause bleeding. In such cases, intravenous and oral administration of vitamin K, combined with blood transfusions, is indicated as in the case of hemorrhage caused by overdoses of bis-hydroxycoumarin (Dicumarol).

IN ALL CASES OF HUMAN INGESTION IMMEDIATELY NOTIFY A PHYSICIAN.

IMPORTANT

For best results, keep this product in a closed container, free from odors which may contaminate the bait and reduce acceptability.

Animals may feed several times before the effects are noticed. Several days may be required for death to occur.

CONTAINER DISPOSAL

Do not reuse empty container. Destroy by perforation or crushing. Bury or discard in a safe place.

NOTICE: This product is a registered trademark of Velsicol Chemical Corporation. It is sold under the name of Gold Crest Promar Bait Packs. The name of the manufacturer is not to be used in any advertisement or other promotional material without the written consent of Velsicol Chemical Corporation. The name of the manufacturer is not to be used in any advertisement or other promotional material without the written consent of Velsicol Chemical Corporation.



GOLD CREST

PROMAR Bait Packs


CONTAINING APPLE FLAVORED BAIT PELLETS

**Weather-Resistant Rodenticide for Control of
Commensal Mice and Rats Indoors and Outdoors**

RODENTICIDE FOR USE ONLY BY PROFESSIONAL APPLICATORS

CAUTION	ACTIVE INGREDIENT
KEEP OUT OF THE REACH OF CHILDREN	Diphacinone
SEE LEFT PANEL FOR ADDITIONAL CAUTIONS	(2 Diphenylacetyl 1, 3 Indandione) 0.005%
	INERT INGREDIENTS 99.995%
	TOTAL 100.000%

E.P.A. Reg. No. 876-248-AA



Net Contents:
25 lbs

VELSICOL CHEMICAL CORPORATION

DIRECTIONS FOR USE

This product can be used in wet or damp locations such as river banks, railroad tracks, loading areas, in or around rat holes, under granaries, along fences, garbage dumps, etc.

This product is equally effective in dry areas such as the insides of buildings and other protected areas.

Treated baits should be placed in locations not accessible to children, pets, wildlife and domestic animals, or in tamperproof bait boxes.

Place baits along walls, in corners, in concealed locations, next to burrows or in runways where rats and mice feed, water and travel.

For Norway and Roof Rats, place one to four bait packs per placement. Placements should be made at 15-foot intervals.

For House Mice open the bait pack and place 1/4 to 1/2 ounce of bait at each placement. Placements should be made at 6- to 10-foot intervals.

Maintain bait supply for at least 15 days. Continue baiting until all signs of feeding have stopped. Bait placements should be checked daily and replace consumed, contaminated or spoiled baits. The baits being replaced should immediately be discarded in such a manner to prevent ingestion by children, pets, wildlife and domestic animals.

Bait placements should be kept permanently to prevent new infestation.