

CAUTION

Keep away from human beings, domestic animals, wildlife and pets, this material may reduce the clotting ability of the blood and cause bleeding. In such cases, the intravenous and oral administration of vitamin K combined with blood transfusions are indicated, as in the case of hemorrhage caused by overdoses of bis-hydroxycoumarin.

IN ALL CASES OF HUMAN INGESTION, IMMEDIATELY NOTIFY A PHYSICIAN.

CONTAINER DISPOSAL

Do not reuse empty container. Containers should be disposed of by punching holes in them and burying with wastes or by burning (keep out of smoke).

NOTICE

Because Velsicol Chemical Corporation has no control over storage, handling and conditions of use, which are of critical importance, Velsicol Chemical Corporation makes no representation or warranty, either express or implied, for results due to misuse, improper handling or storage of this material. Nor does Velsicol Chemical Corporation assume any responsibility for injury to persons, crops, animals, soil or property arising out of misuse, improper handling or storage of this material.

VELSICOL[®] DIPHACIN[®] 110 S

CONCENTRATE RODENTICIDE FOR REFORMULATION USE ONLY

ACTIVE INGREDIENT:

Diphacinone*	0.1%
INERT INGREDIENTS	99.9%
TOTAL	100.0%

*2-Diphenylacetyl-1,3-indandione

E.P.A. Reg. No. 876-250-AA

E.P.A. Est. No. 876-AZ-1

NET WEIGHT: 100 Pounds

CAUTION

Keep Out of Reach of Children
See Left Panel For Additional Cautions

Manufactured By

VELSICOL CHEMICAL CORPORATION

341 EAST OHIO STREET, CHICAGO, ILLINOIS 60611


IMPORTANT

Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes.

DIRECTIONS FOR USE

Directions for manufacturing of baits and specimen use directions may be found in Velsicol Bulletin No. 549-1.

NOTE: Additional data may be required to support the registration of your product if your bait is different from that in the technical bulletin or if your labeling text or graphics are altered from the specimen label, where hazards or efficacy are affected by such alteration.






DIPHACIN 110S
VELSICOL BULLETIN NO. 549-1

Rodenticide Concentrate for Reformulation Use Only

BAIT PREPARATION

A typical meal bait may be prepared by mixing the following ingredients:

<u>Component</u>	<u>% by Weight</u>
Diphacin 110 S	5.0
Ground Corn (#2 yellow)	50.0
Rolled Oat Groats (Steamed)	25.0
Corn Germ Meal	10.0
Corn Oil (Food Grade)	5.0
Fish Meal	4.5
Salt (Table Grade)	0.5
	<u>100.0</u>



SPECIMEN USE DIRECTIONS

IMPORTANT

Place baits in locations which are not accessible to children, pets, wildlife and domestic animals or in tamper proof bait boxes. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

DIRECTIONS

Place bait in locations where rats and mice feed, water or travel.

Bait placements should be made along walls, in corners and in concealed locations where rats and mice feed.

FOR NORWAY AND ROOF RAT CONTROL

Place 4 to 16 ounces of bait at each bait location.

Maintain an uninterrupted supply of bait in the stations for at least 15 days.

FOR HOUSE MOUSE CONTROL:

Place one tablespoonful of bait at 8 to 10 foot intervals.

Maintain an uninterrupted supply of bait for at least 15 days.

NOTE: If bait molds, decomposes or becomes sour, replace with fresh bait.