



☠ DANGER - POISON - PRECAUTIONS ☠



DO NOT SWALLOW

CAN KILL YOU IF SWALLOWED

This product can kill you if swallowed even in small amounts, spray mist or dust may be fatal if swallowed.



DO NOT TOUCH

CAN KILL YOU BY SKIN CONTACT

This product can kill you if touched by hands or spilled or splashed on skin, in eyes, or on clothing (liquid goes through clothes).



DO NOT BREATHE

CAN KILL YOU IF BREATHED

This product can kill you if vapors, spray mist or dust are breathed.

ENVIRONMENTAL HAZARDS

This product is toxic to fish and wildlife. Birds and other wildlife in treated areas may be killed. Keep out of any body of water. Do not apply when weather conditions favor drift from areas treated. Do not apply when runoff is likely to occur.

This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area. Protective information may be obtained from your Cooperative Agricultural Extension Service.

Do not contaminate water by cleaning of equipment or disposal of wastes.

CAUTION: DO NOT USE, POUR, SPILL, OR STORE NEAR HEAT OR OPEN FLAME. IMPORTANT

Read "LIMIT OF WARRANTY AND LIABILITY" before buying or using. If terms are not acceptable, return at once unopened.

DIRECTIONS FOR USE

Application can be made by aircraft or ground power equipment by trained personnel only using approved protective equipment. Do not apply with hand equipment. Pour specified amount of this product into nearly filled spray tank. Add balance of water to fill tank. Keep agitator running during filling and spraying operations. Do not combine with wettable powders unless previous use of the mixture has proven physically compatible and safe to plants. Always thoroughly emulsify this product with at least half of total water before adding wettable powder. Do not hand pick or harvest within 3 days of application. Do not apply this product when weather conditions favor drift from treated areas. Do not apply to blooming cotton if bees are visiting the treatment area.

AIRCRAFT AND GROUND EQUIPMENT WATER RATES PER ACRE.

If applied by aircraft, the minimum amount of water per acre should be approximately 3 to 10 gallons, consistent with crop growth and good coverage. If applied with ground equipment, this rate should be approximately 5 to 10 gallons per acre.

For aerial applications, flagging must be by fully automated mechanical means or by humans working in totally enclosed vehicles.

RECOMMENDED APPLICATIONS ON COTTON

INSECTS	PINTS PER ACRE
Thrips, yellow striped armyworm, cotton leafworm.....	¾ - 1
Boll Weevil.....	1 - 1½
Bollworm.....	1½

Do not apply to blooming cotton if bees are visiting the treatment area.

STO
MI



**CAN KILL YOU
POISON**
See side panels
for antidote
and precautions

DANGER
Keep out of reach
of children

ACCEPTED
with COMMENTS
in EPA Letter Dated:

JUL 25 1984

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, this pesticide
registered under Reg. No.

E.P.
E.P.
NC
Dist

876-32

doctor cannot come, take victim to clinic or hospital.

IMPORTANT! Before removing gloves, wash them with soap and water. Always wash hands, face and arms with soap and water before smoking, eating or drinking.

AFTER WORK, take off all work clothes and shoes. Shower, using soap and water. Wear only clean clothes when leaving job. Do not wear contaminated clothing. Wash protective clothing and protective equipment with soap and water after each use. Respirator should be cleaned and filter replaced according to instructions included with respirator.

POISON SIGNS (Symptoms)

EPN is a very dangerous poison. It rapidly enters the body on contact with all skin surfaces and eyes. Clothing wet with this material must be removed immediately. Exposed persons must receive prompt medical treatment or they may die.

Some of the signs and symptoms of poisoning are: Headache, nausea, vomiting, cramps, weakness, blurred vision, pinpoint pupils, tightness in chest, labored breathing, nervousness, sweating, watering of eyes, drooling or frothing of mouth and nose, muscle spasms and coma.

FIRST AID TREATMENT

Call a doctor (physician), clinic or hospital immediately. Explain that the victim has been exposed to EPN and describe his condition. If breathing has stopped, start artificial respiration immediately and maintain until doctor sees victim. If swallowed and victim is awake (conscious) make him vomit quickly. Induce vomiting by sticking a finger into the throat or by giving a soapy or strong salty water to drink. Repeat until vomit is clear. Never give anything by mouth to an unconscious person. Have victim lie down and keep quiet. See doctor immediately.

In case of contact, immediately flush eyes or skin with plenty of water for 15 minutes while removing contaminated clothing and shoes. See doctor immediately.

NOTE TO PHYSICIAN: TREAT SYMPTOMATICALLY

Antidote—administer atropine sulfate in large doses, TWO to FOUR mg. intravenously or intramuscularly as soon as cyanosis is overcome. Repeat at 5 to 10 minute intervals until signs of atropinization appear. 2-PAM chloride is also antidotal and may be administered in conjunction with atropine. **DO NOT GIVE MORPHINE OR TRANQUILIZERS.** EPN is a strong cholinesterase inhibitor affecting the central and peripheral nervous systems and producing cardiac and respiratory depression. At first sign of pulmonary edema, the patient should be given supplemental oxygen and treated symptomatically. Continued absorption of the poison may occur and fatal relapses have been reported after initial improvement: **VERY CLOSE SUPERVISION OF THE PATIENT IS INDICATED FOR AT LEAST 48 HOURS.**

POST TREATED AREA

Consult your State Agricultural Extension Service or Experiment Station regarding posting treated areas.

DESTROY EMPTY CONTAINER: NEVER RE-USE

Completely empty contents and bury unused chemical 18 inches deep in an isolated location away from water supplies.

GLASS CONTAINER: Break container and bury 18 inches deep.

METAL CONTAINER: 1-Gal. Can—Pour 1 qt. of water into empty can. Add 1 tablespoon of household detergent. Rotate can carefully until all inner surfaces are wet. Bury rinse solution 18 inches deep. Punch holes in top and bottom of container, crush and bury. **5-Gal. Drum—**Pour 2 qts. of water into empty container. Slowly add ½ cup caustic soda (lye) and 2 tablespoons household detergent. Then proceed as for 1-gal. container. **30-Gal. Drum—**Same as for 5-gal. drum except use 3 gal. water, 1 lb. lye, and ½ cup detergent for rinsing. **55-Gal. Drum—**Same as for 5-gal. drum except use 5 gal. water, 2 lbs. lye and 1 cup detergent for rinsing.

Do not get rinse solution on hands, clothing, or in eye. In case of contact, immediately wash with soap and water.

LIMIT OF WARRANTY AND LIABILITY

Because Tex-Ag Company has no control over storage, handling and conditions of use, which are of critical importance, Tex-Ag Company makes no representation or warranty, either express or implied, for results or residues greater than any tolerance which may be established by appropriate governmental agencies, due to misuse, improper handling or storage of this material. Nor does Tex-Ag Company assume any responsibilities for injury to persons, crops, animals, soil or property arising out of misuse, improper handling or storage of this material.