STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE DISPOSAL

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, apray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL

Metal

Triple rinse (or equivalent) and offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

Plastic

Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

BEST, DOCUMENT AVAILABLE

LIMITED WARRANTY AND LIABILITY

MOTICE. Read this Limited Warranty and Liability before buying or using this product. If the terms are not ecceptable return it at once unopened. It is cruce that this product be used and mixed only as specified on the laber. The least of a State may make some or all of this paragraph inapplicable or may give you rights in addition to your rights hereunder. Except to the extent prohoted by applicable less the exclusive remay; of the user of buyer and the lamit of labelity of this Company of any Uniter Selection any and at loss as personal injuries or demages resulting from the user of this product, shall be the purchase price peak of the quantity of product misorised Except to the extent prohoted by State law there is no warranty, and this Company and other Selects declaim all labelity for losses personal multy or damages. (I) analing from any use of this croduct in a manner or for a purpose not recommended in its label directions or from missing this product before use with any auditorial exceptable to the product before use with any auditorial exceptable. (II) analing from handling or storage in violation of label instructions. (III) for all indirect, special or consequents: damages. (IV) when not reponded to this Company within one year of discovery and (I) aming from product not used within the label-designated shell like or four years from date of purchase, whichever first occurs. THERE ARE NO IMPLIED WARRANTIES AND NO WARRANTIES OF MERCHANTABILITY OR FITNESS.

DEC 1933

Mr. John M. Bergman Velsicol Chemical Corporation 341 2. Ohio Street Chicago, IL 60611

Dear Mr. Bergman:

Subject: Velsicol EM Emulsifiche Interticide No. 23 EPA Registration No. 676-379 Your Application Dates Cotober 13, 1963

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable. A stamped copy is enclosed for your records.

Sincerely yours,

Jay S. Ellenberger Product Manager (12) Insecticide-Rodenticide Dranch Registration Division (TS-767)

Enclosure

 $\mathbf{k}_{n} \sim \mathbf{j}$

PD:JSELLENBERGEL:DCR-28441:WANG-1272C:CBP:Raven:409-2013:11/25/63

CONCUMNINCES									
\$1M80L									
*URMANE									
DATE >									
MA Form 1320-1 (4 81) OFFICIAL FILE COPY									

RESTRICTED USE PESTICIDE

FOR RETAIL SALE TO AND USE ONLY BY CERTIFIED APPLICATORS OR PERSONS UNDER THEIR DIRECT SUPERVISION AND ONLY FOR THOSE USES COVERED BY THE CERTIFIED APPLICATOR'S CERTIFICATION.

STOP READ THE LABEL

VELSICOL

•

EPN

EMULSIFIABLE INSECTICIDE NO. 23

Keep out of reach of children DANGER

Contains:

5 lbs. E.P.N. per gallon

CAN KILL YOU

POISON

See side panels for precautionary and first aid statements **ACTIVE INGREDIENTS:**

EPA REG NO 876-379 EPA EST No

NOT FOR HOME USE

NET CONTENTS:

BEST DUCUMENT AVAILABLE

VELSICOL CHEMICAL CORPORATION
341 East Ohio Street, Chicago, Illinois 60611

ACCEPTED With a second of the second of the

400 1 403

371 379



DANGER-POISON-PRECAUTIONS







CAN KILL YOU IF SWALLOWED This product can kill you if swallowed even in small amounts, spray mist or dust may be fatal if swal-



CONTACT This product can fall you if southed by hands or applied or aplashed on sign, in eyes or on clothing

(bauid goes through ciothes)



CAN KILL YOU IF BREATHED This product can fall you if vapors, apray mist or dust are breathed.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER



BEST DOCUMENT AVAILABLE

Poisonous by Skin Contact, Inhalation, or Swallowing, Rapidly absorbed through skin. Do not get in eyes, on skin or on clothing. Do not breathe spray mist

PROTECTIVE CLOTHING AND BOULPHENT REQUIRED

Wear clean protective clothing, goggles, and respirator approved by MIOSH or the American Mational Standards Institute when applying or handling, or when reentering fields within 26 hours of treatment. The following protective clothing must be worn; lightweight, unlined, natural tubber gloves at least midforearm in length; s wide brimmed waterproof hat or waterproof hood; a protective suit or coveralls of a nonperseable, hon-cloth material covering the body from ankles to wrists; lightweight, unlined, natural rubber boots at least mid-calf in length; full-face respirators are recommended; half-face respirators and godales are required. Aerial applicators in positive pressure cockpits and other applicators in comparable ground equipment with appropriate filters at all air intakes need not comply with these protective clothing requirements.

WORF EAPETY RULES

Reer all unprotected persons and children away from treated area or where there is danger of drift. For serial application, flagging Bust be by fully automated mechanical means, or, if by humans, by persons working in totally enclosed wehirles.

Do not rub eyes or mouth with hands. If you fee! sick in any way, STOP work and get help right away. Call a doctor (physician), ckinic or hospita — immediately. Explain that the victim has been exposed to EPN and describe his condition. After first aid is given (see Statement of Practical Treatment, and if a doctor cannot come, take victim to clinic or hospital

IMPORTANT! Before removing gloves, washithem with soap and water. Always wash hands, face and arms with soap and water before smoking, eating or drinking.

AFTER WORK take off at work clothes and shoes. Shower, using soap and water. Wear only clean clothes when leaving inh. Do not wear contaminated clothing. Wash protective clothing and protective equipment with soap and water after each use. Respirator should be cleaned and filter replaced according to instructions included with respirator

POISON SIGNS (Symptoms)

EPN is a very dangerous poison. It rapidly enters the body on contact with all skin surfaces and eyes. Clothing wet with this material must be removed immediately. Exposed persons must receive prompt medical treatment or they may die

Some of the signs and symptoms of poisoning are. Headache, nausea, vomiting, cramps, weakness, blurred vision, picipolist pupils, tightness in chest labored breathing, nervousness, sweating, watering of eyes, drooking or frothing of mouth and nose, muscle spasms and coma-

STATEMENT OF PRACTICAL TREATMENT

Call a doctor (physician), clinic or hospital immediately. Explain that the victim has been exposed to EPN and describe his condition. IF BREATHING HAS STOPPED, start artificial respiration immediately and maintain until doctor sees victim

IF SWALLOWED, drink 1 or 2 glasses of water and induce vornibing by touching back of throat with finger or blunt object. Do not induce vomiting or give anything by mouth to an unconscious person. Get medical attention

IF ON SKIN, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Get medical attention

IF IN EYES, immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention

NOTE TO PHYSICIAN: TREAT SYMPTOMATICALLY

And dote — administer groups sufface in large doses. TWO to FOUR mg. etcayenously or minimuscularly as from as cyanosis to ensure. Repeat at 5 to 10 yearus etent as until signs of accompanion age. 2 PAM chande is after an and pendent as determined in conjunction age. Stroping to NOT GIVE MORPHINE OR TRANCULIZERS EPN is a strong choinesterage inhation affecting the central and properly determined and provided stroping to be an additionable in an additionable stroping to the additionable and pendent and provided at a strong choinest and respiration and provided symptometically Confirmed absorption of the policy should be confirmed and provided as a strong confirmed and provided as a strong choine as a strong choine and provided as a strong choine and provided as a strong choine and provided as a strong choine as a strong choine and provided as a strong choine and provided as a strong choine as a strong choine and provided as a strong choine and a strong choine and a strong choine as a strong choine as a strong choine and a strong choine and a strong choine and a strong choine and a strong choine as a strong choine as a strong choine and a strong choine and a strong choine and a strong choine and a strong choine as a strong choine as a strong choine and a strong choine and a strong choine as a strong choine and a strong choine as a strong have took reported any level improvement. VERY IN OSE SUPERVISION OF THE PATIENT IS INDICATED FOR AT LEAST 48 HOURS



POST TREATED AREA

Consult your State Agricultural Extension Service or Experiment Station regarding posting treated areas.

ENVIRONMENTAL HAZARDS

This product is toxic to fish and wildlife. Birds and other wildlife feeding on treated areas may be killed. Keep out of any body of water, Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas trepted.

This product is highly toxic to bees exposed to direct treatment or residue on blooming crops and weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area. Applications should be smed to provide the

maximum possible interval between treatment and the next period of bee activity

PHYSICAL OR CHEMICAL HAZARDS DO NOT USE, POUR, SPILL, OR STORE NEAR HEAT OR OPEN FLAME.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its tabeling

Reentry Statements

Do not treat areas where unprotected humans or domestic animals are present Do not allow entry into treated fields within 24 hours after treatment, unless full protective clothing is worn. Consult appropriate State regulatory officials for State reentry restrictions which take precedence when more restrictive than those stated on this labe!

Application Instructions

Do not apply this product when weather conditions favor drift from treated area. Do not apply to blooming cotton if bees are visiting the treatment area.

Application can be made by aircraft or ground power equipment by trained personner only using approved protective equipment. Do not apply with hand equipment Pour's led fed amount of this product into nearly fixed spray tank. Add balance of water to filt tank. Reep agitator running during filling and spray ing operations. Do not combille with wereable powders unless previous use of the mixture has proven physically compatible and safe to plants. Atways thoroughly emulsify this product with at least half of total water before adding wertable powder. Do not hand book or harvest within 3 days of application. Do not feed treated forage or girl trash to kivestock.

AIRCRAFT AND GROUND EQUIPMENT WATER RATES PER ACRE

Happlied by a miral the minimum amount of water per acre should be approximately 1 to 10 gallons, consistent with crop growth and good coverage. If applied with groundleduloment, this rate should be approximately 5 to 10 gallons per acre.

FOR USE ON COTTON

INSECTS	PINTS PER ACRE		
Thinps, ye'low striped armyworm, cotton leafworm. Cotton fleahopper, red spider mites.			
Bo' Ween'	1.117		
Bottworm tobacco budworm pink boltworm	117		

TANK MIXTURES

This product may be tank mixed with Galecton 4Et or Fundat 4ECt. When using these products in a tank mix observe all limitations and interactions which appeal on the table's. Use the rate recommendations and application timings for the insect pest that is to be controlled as stated on these fabers.

Galection 4E is a trademark of the Ciba Geigy Corp.
 Funda 4EC is a trademark of Schelling A. E. Berlin Beigkamen and distributed by NOR AM Agricultural Products. Inc.

BEST. DOCUMENT AVAILABLE