


DO NOT USE FOR THE PURPOSES OF
CONTROLLED SUBSTANCES ACT ONLY BY LICENSED PERSONS
WHO ARE QUALIFIED TO HANDLE AND DISPOSE OF
Hazardous Waste. THE IDENTIFICATION CODE IS 100-000-0000



WELSH CHEMICAL COMPANY
1000 W. 10th St., Suite 100
Bismarck, ND 58102

★ DANGER POISON PRECAUTIONS ★

 DO NOT SWALLOW POISONOUS IF SWALLOWED. The product is extremely toxic. Avoid contact with food, drink, and clothing. Wash thoroughly with soap and water if swallowed.	 DO NOT TOUCH POISONOUS BY SKIN CONTACT. Avoid contact with skin. If contact occurs, wash thoroughly with soap and water. Remove contaminated clothing.	 DO NOT BREATHE POISONOUS IF BREATHED. Avoid breathing vapors, mists, or dusts. If inhaled, move to fresh air and seek medical attention.
---	--	---

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS **DANGER**



POISON

POISON SIGNS (Symptoms):
 WARNING: SYMPTOMS OF POISONING: Irritation, burning, redness, swelling, pain, and itching. If swallowed, nausea, vomiting, and diarrhea may occur. If inhaled, coughing, wheezing, and shortness of breath may occur. If contact with skin, redness, itching, and swelling may occur. If contact with eyes, redness, itching, and swelling may occur. If contact with clothing, discoloration and damage may occur.

First Aid: If swallowed, do not induce vomiting. Drink water or milk. If inhaled, move to fresh air. If contact with skin, wash thoroughly with soap and water. If contact with eyes, wash thoroughly with water. If contact with clothing, remove contaminated clothing.

Precautions: Avoid contact with skin, eyes, and clothing. Avoid breathing vapors, mists, or dusts. Keep away from food, drink, and clothing. Store in a cool, dry place. Do not use near open flames or heat. Do not use in confined spaces. Do not use in the presence of children or pets. Do not use in the presence of pregnant women or nursing infants. Do not use in the presence of people with respiratory conditions. Do not use in the presence of people with skin conditions. Do not use in the presence of people with allergies. Do not use in the presence of people with asthma. Do not use in the presence of people with heart disease. Do not use in the presence of people with high blood pressure. Do not use in the presence of people with diabetes. Do not use in the presence of people with kidney disease. Do not use in the presence of people with liver disease. Do not use in the presence of people with thyroid disease. Do not use in the presence of people with autoimmune diseases. Do not use in the presence of people with chronic diseases. Do not use in the presence of people with acute diseases. Do not use in the presence of people with any disease.

(Hazards to Humans and Domestic Animals Continued)

[illegible]

1. Wear protective clothing, including gloves and boots, and use a respirator. 2. Use the American National Standards Institute (ANSI) Z87.1-1989 standard for eye protection. 3. Use a respirator with a minimum of 40% of treatment. The following are recommended: a. Respirator must be worn, lightweight, unlined, and must have gloves at least midforearm in length. b. Waterproof, waterproof hat or waterproof hood. c. Protective suit or coveralls of a nonpermeable, non-cloth material. d. Goggles, the body from ankles to wrists. e. Boots, unlined, natural rubber boots at least mid-calf length. f. Full-face respirators are recommended. g. Face respirators and goggles are recommended. h. Airline applicators in positive pressure. i. Airline applicators in negative pressure. j. Equipment with appropriate filters on all air inlets. k. Equipment with these protective clothing.

W R F S A F S R

very, all unprotected persons and children away from
treated area or where there is danger of drift. For
an oral application, flooding must be thoroughly saturated
with water. All persons, i.e., of humans, by persons working
in the area and vehicles.

Do not rub eyes or mouth with hands. If you feel sick in any way, STOP work and get help right away. Call a doctor, physician, clinic or hospital—immediately. Explain that the victim has been exposed to a Methyl Parathion-EPN combination and describe his condition. After first aid is given, see Statement of Practice Treatment and a doctor cannot come, take victim to clinic or hospital.

IMPORTANT: Before removing gloves, wash them with soap and water. Always wash hands, face and arms with soap and water before smoking, eating or drinking.

AFTER WORK: Take off all work clothes and shoes. Shower using soap and water. Wash all dirty clothes after leaving job. Do not wear contaminated clothing. Wash and decontaminate all protective equipment with soap and water. After each use, the mask must be decontaminated and after-regulated according to manufacturer's instructions.

ENVIRONMENTAL HAZARDS POISONOUS TO FISH AND WILDLIFE

1. The first of these is the fact that the United States has a large and growing population of people who are not citizens of the United States. This is a result of the large number of people who have immigrated to the United States in recent years, and the fact that many of these people are not naturalized citizens.

11. *Chrysomelidae* (10 spp.)

• 1992 •

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not apply this product when weather conditions favor drift from treated area.

Do not apply to blooming cotton if bees are visiting the treatment area.

Do not apply to corn during the pollen-shed period if bees are visiting the treatment area.

Re-entry Statement

Workers entering treated fields within 48 hours of application should wear protective clothing.

Where a dosage range is given, use the lower rate on small, young plants or where insect infestation is light; use the higher rates on large or mature plants or where insect infestation is heavy. BARRICADE may be applied by ground or aerial application. When making ground application, apply the recommended dosage in at least 3 gallons of water per acre, using sufficient water to give good coverage of the foliage. For aerial application use 3 to 10 gallons of water per acre.

To make spray mixture, fill half of the spray tank with water, agitate, add the proper amount of BARRICADE, then fill the spray tank with water while still agitating. Continue to agitate while using.

POST TREATED AREA

Consult your State Agricultural Extension Service or Experiment Station regarding posting of treated areas.

CROP	INSECT	RATE OF BARRICADE PER ACRE	APPLICATION DIRECTIONS AND LIMITATIONS	CROP	INSECT	RATE OF BARRICADE PER ACRE	APPLICATION DIRECTIONS AND LIMITATIONS
Cotton	Aphids Belt Weevil Cotton Leafhopper Cotton Leafworm Fall Armyworm Hempworm Garden Webworm Grasshopper Lycids (and other larvae) Red Spider Mites Thrips	1/2 to 1-1/2 pints	Make application at 5 to 7 day intervals until control is obtained. Do not apply within 7 days of hand-picking or harvest. Do not feed treated forage or grain to livestock.	Corn	Chlorine Caterpillars Corn Leaf Aphids Corn Rootworm (adult) Fall Armyworm Sawflies	1/2 pint	Repeat application as necessary. Do not apply within 14 days of harvest.
	Darkling Ground Beetle Mexican Bean Beetle Pink Bollworm Plant Bug (Rugose, Tarnished) Rust Mite Scavenger Leafminer Southern Armyworm Sugarcane Borer Tobacco Budworm	2-1/2 pints			Armyworm (up to third instar) European Corn Borer (small larvae)	2/3 pint	Make first application when 25% of the plants show evidence of leaf feeding and continue at 5 day intervals as long as leaf feeding is evident. From 1 to 2 treatments may be required. For control of second brood borers apply when eggs begin to hatch. Do not apply within 14 days of harvest.
	Beet Armyworm Bollworm Cabbage Looper Cotton Leaf Perforator Sawfly Tobacco Budworm Yellow Striped Armyworm	2-2/3 pints			European Corn Borer (late instars)	2/3 pint	Make application 10 days after eggs first hatch or when 75% of the plants show evidence of feeding in leaf whorls. Repeat 7 to 10 days later if new evidence of leaf feeding is observed. For control of second brood borers apply when eggs begin to hatch. Do not apply within 14 days of harvest.
					Southwestern Corn Borer (second to third instars) (late corn)	2-1/2 pints	Apply when 10% of the plants show evidence of egg masses. Repeat at 5 to 10 day intervals as needed. Do not apply within 14 days of harvest.

REPRINT AVAILABLE

BEST DOCUMENT AVAILABLE

CROP	INSECT	RATE OF BARRICADE PER ACRE	APPLICATION DIRECTIONS AND LIMITATIONS
Beans (Dry green beans)	Aphids Armyworms (up to third instar) Flax Beetles Leafhoppers Lygus Bugs Mites	1-1 1/2 pints	Do not apply within 21 days of harvest
Beans (Dry green)	Darting Ground Sooty Mexican Bean Beetle Russet Mite Soybean Leafminer Soybean Weevil Thrips Tomato Fruitworm Two-spotted Mite	1-1 1/2 pints	
Soybeans	Chewing Caterpillars	3/4 pint	Use restricted to the southeast Do not apply more than 2 applications during the growing season Do not harvest or grade or feed forage from treated fields to livestock within 21 days after the last application
	Shieldbugs Vermilion Caterpillar	1 pt	
	Aphids Black Bean Beetle Cotton Bollworm Garden Weevil Mexican Bean Beetle Three Corned Adults Weevil Two-spotted Spider Mites	1-3/4 pints	
	Cabbage Looper Cott. Earworm Green Cloverworm	2 pints	
	Fall Armyworms (up to third instar)	1-2 1/3 pints	
Tomatoes	Pinkie Aged Soybean Leafminer Southern Armyworm Tomato Fruitworm	1-1/2 to 1 1/2 pints	Do not apply within 21 days of harvest
	Mites Phytophthora Russet Mite Soybean Armyworm Thrips Two-spotted Mite Yellow Striped Armyworm	1-2 1/3 pints	
	Flax Beetle Cabbage Looper	2 2/3 pints	

THESE RESULTS ARE INTERESTING

This product may be used mixed with Gatorade 60° Fender 60°C Fender 45°F (average) between 1° and -1° or lower 80°. When using these products in a hot mix concrete at installation and patching areas which appear on the label. Use the rate recommendations and application settings for the exact part that it is to be controlling as stated on those labels.

* Cases Nos. 41 & 42 (Indemnity) of the Case Study Course

* Funds A and Funds B are trademarks of Scanning & [Redacted] Inc. distributed by LDC and Associated Products, Inc.

1. *Journal of the American Medical Association*, 1997; 277: 1033-1037.

* (Larrop and Larrop: 1974) and (Larrop: 1975) are the only two papers in the literature that have examined the effect of the size of the sample on the results of the tests.

* Models 1-3 and Model 40 are trademarks of Sull Chemical Company

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE DISPOSAL

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL

Metal

Triple rinse (or equivalent) and offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

Plastic

Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

PESTICIDE DISPOSAL

LIMITED WARRANTY AND LIABILITY

NOTICE: Read this Limited Warranty and Liability before buying or using this product. If the terms are not acceptable, return it at once, unopened. It is crucial that this product be used and handled in the manner specified on the label. The user or a State may make some or all of this paragraph inapplicable or may give you rights in addition to your rights hereunder. Except to the extent prohibited by applicable law, the exclusive remedy of the user or buyer and the limit of liability of this Company or other Seller for any and all losses, personal injury or damages resulting from the use of this product shall be the purchase price paid by the user or buyer for the quantity of product involved. Except to the extent prohibited by State law, there is no warranty, and this Company and other Sellers disclaim all liability for losses, personal injury or damages resulting from any use of this product in a manner or for a purpose not recommended in its label directions, or from mixing this product before use with any substance except as recommended by the product's label, or from handling or storage in violation of label instructions. (a) For all indirect, special or consequential damages, if, when not reported to this Company, within one year of discovery, and if, arising from product not used within the label designated shelf life or four years from date of purchase, whichever first occurs. THERE ARE NO IMPLIED WARRANTIES AND NO WARRANTY OF MERCHANTABILITY OR FITNESS.