


**RESTRICTED USE PESTICIDE**  
**FOR RETAIL SALE TO AND USE ONLY BY CERTIFIED APPLICATORS**  
**OR PERSONS UNDER THEIR DIRECT SUPERVISION AND ONLY FOR**  
**THOSE USES COVERED BY THE CERTIFIED APPLICATOR'S CERTIFI-**  
**CATION.**



**VELSICOL**  
**BARRICADE**  
**EMULSIFIABLE CONCENTRATE INSECTICIDE**  
 no. 7

**STOP—READ LABEL**  
**BEFORE USING!**

<b>ACTIVE INGREDIENTS:</b>	
O, O-Dimethyl O-p-nitrophenyl phosphorothioate*	29.83%
Related compounds	1.57%
O-Ethyl O-(p-nitrophenyl) phenyl phosphonothioate**	31.42%
Xylene Range Aromatic Solvent	26.14%
<b>INERT INGREDIENTS</b>	<b>11.06%</b>
	<b>TOTAL 100.00%</b>

\*Methyl Parathion  
 \*\*EPA  
 Contains 2.88 lbs. 1-gal. Methyl Parathion by weight (100% active) net wt. 4.40 lbs. (1.00 gal.)

**KEEP OUT OF THE REACH OF CHILDREN!**



**STATEMENT OF PRACTICAL TREATMENT**

IF SWALLOWED: Give first aid as directed on label and induce vomiting. If vomiting does not occur, give 1-2 glasses of water. If unconscious, give artificial respiration. If inhaled: Get away from contaminated air. If in eyes: Flush eyes with clean water for 15 minutes. If on skin: Wash skin thoroughly with soap and water. If on clothes: Wash clothes thoroughly with soap and water. If on hands: Wash hands thoroughly with soap and water. SEE SIDE PANELS FOR ADDITIONAL INFORMATION.

**NOT FOR HOME USE**

**VELSICOL CHEMICAL COMPANY**



**PRECAUTIONARY STATEMENTS**  
(Hazards To Humans and Domestic Animals Continue)

**PERSONAL PROTECTIVE EQUIPMENT**  
Wear protective gloves, boots, goggles, and respirator. Apply only to the American National Standards Institute with assistance of handbooks when testing. Avoid contact with eyes of treatment. The following protective clothing must be worn: lightweight, unlined, long-sleeved shirt or jacket at least midforearm in length; wide-cuffed waterproof hat or waterproof hood; a pair of heavy rubber boots or coveralls of a nonpermeable, non-absorbent material covering the body from ankles to wrists; lightweight, unlined, natural rubber boots at least midcalf in length; full-face respirators are recommended. Half-face respirators and goggles are required. Aerial applicators in positive pressure outfits and other applicators in complete ground equipment with appropriate filters at all air intakes need to comply with these protective clothing requirements.

**WAVE SAFETY RULES**

Keep all unprotected persons and children away from treated area or where there is danger of drift. Do not allow applicators to load or discharge fully automatic aerial application equipment if by humans, by persons within 100 feet of loaded vehicles.

Do not rub eyes or mouth with hands. If you feel sick in any way STOP work and get help right away. Call a doctor (physician, clinic or hospital)—Immediately. Explain that the victim has been exposed to a Methyl Parathion-EPN combination and describe his condition. After first aid is given (see Statement of Practice Treatment) and if a doctor cannot come, take victim to clinic or hospital.

**IMPORTANT:** Before removing gloves, wash them with soap and water. Always wash hands, face and arms with soap and water before smoking, eating or drinking.

**AFTER WORK:** Take off all work clothes and shoes. Shower using soap and water. Wash and clean clothes when leaving job. Do not wear contaminated clothing, work protective clothing and protective equipment with soap and water after each use. Respirators should be cleaned and filter replaced according to instructions you have with them.

**ENVIRONMENTAL HAZARDS**  
**POISONOUS TO FISH AND WILDLIFE**

Do not apply to ponds, fish and wildlife. Birds and other wildlife in treated areas may be poisoned. Keep out of any body of water. Do not apply when weather conditions favor drift or a rain storm. Do not apply where birds are likely to roost. Do not apply to water, equipment or disposal of wastes. APPLY TO THE TREATMENT AREA ONLY. READ THIS LABEL.

**PHYSICAL OR CHEMICAL HAZARDS**

HEAT JUST BELOW OR BELOW FREEZE POINT. HEAT UNLIFTED. WAVE

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

- Do not apply this product when weather conditions favor a fast flow treated area.
- Do not apply to blowing cotton if bees are visiting the treatment area.
- Do not apply to corn during the pollen-shed period if bees are visiting the treatment area.

**Re-entry Statement**

Workers entering treated fields within 48 hours of application should wear protective clothing.

Where a dosage range is given, use the lower rate on small, young plants or where insect infestation is light; use the higher rate on large or mature plants or where insect infestation is heavy. BARRICADE may be applied by ground or aerial application. When making ground application, apply the recommended dosage in at least 3 gallons of water per acre, using sufficient water to give good coverage of the foliage. For aerial application, use 3 to 10 gallons of water per acre.

To make spray mixture, fill half of the spray tank with water, agitate, add the proper amount of BARRICADE, then fill the spray tank with water while still agitating. Continue to agitate while using.

**POST TREATED AREA**

Consult your State Agricultural Extension Service or Experiment Station regarding posting of treated areas.

CROP	INSECT	RATE OF BARRICADE PER ACRE	APPLICATION DIRECTIONS AND LIMITATIONS
Cotton	Aphids Belt Weevil Cotton Leafhopper Cotton Leafworm Fall Armyworm Furcifer Gardner Webworm Greenshopper Lygus Bug (and other Miridae) Red Spined Mirid Thrips	3/2 to 1-1/2 pints	Make applications at 5 to 7 day intervals until control is obtained. Do not apply within 7 days of hand picking or harvest. Do not treat stored cotton or ginned cotton.
	Orange Ground Sucker Mexican Bean Beetle Pink Bollworm Plant Bug - Rapid Tarnished Pest Weevil Sawfly - Cotton Cotton Leafworm Cotton Leaf Webworm Cotton Leaf Miner New Spined Mirid	2 1/2 pints	
	Beet Armyworm Borer Cabbage Loop Cotton Leaf Perforator Saltmarsh Caterpillar Tobacco Bollworm Yellow Striped Armyworm	2 1/2 pints	
Corn	Leafhopper Cotton Leafhopper Cotton Leafworm Fall Armyworm Furcifer Gardner Webworm Greenshopper Lygus Bug (and other Miridae) Red Spined Mirid Thrips	1/2 pint	Repeat application as necessary. Do not apply within 14 days of harvest.
	Armyworm (up to 3rd instar)	2/3 pint	Make first application when 75% of the plants show evidence of leaf feeding and continue at 5 day intervals as long as leaf feeding is evident. From 1 to 3 treatments may be required. For control of second brood larvae, apply when eggs begin to hatch. Do not apply within 14 days of harvest.
	European Corn Borer (small caterpillar)	2/3 to 3/4 pint	
	European Corn Borer (large caterpillar)	1 pint	Make application 10 days after eggs first hatch or when 75% of the plants show evidence of feeding in leaf whorls. Repeat 7 to 10 days later if new evidence of leaf feeding is observed. For control of second brood larvae, apply when eggs begin to hatch. Do not apply within 14 days of harvest.

CODE	SUBJECT	RATE or DILUTION PER ACRE	APPLICATION INSTRUCTIONS AND LIMITATIONS
Beans (Dry phase Beans)	Aphids Armyworms (up to 1000 insects) Red Beetles Cutworms Lygus Bugs Mites	1-1/2 pints	Do not apply within 21 days of harvest
Beans (Dry phase)	During Growth Stage Mexican Bean Beetle Rust Soybean Leafminer Soybean Podborer Soybean Weevil Thrips Tenebrionid Beetles Two-Spotted Mite	1-1/2 pints	
Soybeans	During Growth	2-4 pints	Use restricted to the southeast Do not make more than 2 applications during the growing season Do not harvest or grade or feed forage from treated fields to livestock within 21 days after the last application
	Stinkbugs	1 pint	
	Motivation Caterpillar	1 pint	
	Aphids Bean Beetle Cotton Rootworm Cotton Weevil Mexican Bean Beetle Three-Cornered Alfalfa Hopper Two-Spotted Spider Mite	1-1/2 pints	
	Cabbage Looper Corn Earworm Green Cloverworm	2 pints	
Red Armyworm (up to 1000 insects)	2-2.5 pints		
Tweeds	Phacelia Aphid Soybean Leafminer Southern Armyworm Tenebrionid Beetles	1-1/2 to 1.2 pints	Do not apply within 21 days of harvest
	Mites Peanut Mite Rust Mite Soybean Root-Knot Thrips Two-Spotted Mite Yellow Weevil Armyworm	1-2.2 pints	
	Red Beetles Cabbage Looper	1-2.2 pints	
		1-2.2 pints	

**Shell Chemicals PMA CERTIFICATES**

For product names and use directions, see the labels of the products listed on the back of this certificate. When using Shell products in a farm or home, observe all instructions and precautions which appear on the labels. Use the full recommended rates and application methods for the most effective control. Shell is not responsible for the results of the use of these products.

Shell Chemicals is a trademark of the Shell-Gulf Corp.  
 The use of the name "PMA" and "PMA" are trademarks of Science & Industry Division and the name "PMA" is a trademark of the Shell Chemicals Co.  
 The name "PMA" is a trademark of the Shell Chemicals Co.  
 The name "PMA" is a trademark of the Shell Chemicals Co.

#### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

#### PESTICIDE DISPOSAL

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinseate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

#### CONTAINER DISPOSAL

##### Metal

Triple rinse (or equivalent) and offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

##### Plastic

Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

#### LIMITED WARRANTY AND LIABILITY

NOTICE: Read this limited warranty and liability before buying or using this product. If the terms are not acceptable, return it at once unopened. This product is to be used and mixed only as specified on the label. The law of a State may make some or all of this paragraph inoperative. It may give you rights in addition to your rights hereunder. Except to the extent prohibited by applicable law, the exclusive remedy of the user or buyer and the limit of liability of this Company or any other Seller for any and all losses, personal injuries or damages resulting from the use of this product shall be the purchase price paid by the user or buyer for the quantity of product involved. Except to the extent prohibited by State law, there is no warranty, and this Company and other Sellers disclaim all liability for losses, personal injury or damages resulting from any use of this product in a manner or for a purpose not recommended in its label directions, or from mixing this product before use with any substance except as recommended by the product's label, or arising from handling or storage in violation of label instructions. (a) For all indirect, special or consequential damages, when not reported to this Company within one year of discovery, and (b) arising from product not used within the label designated shelf life or four years from date of purchase, whichever is shorter. THERE ARE NO IMPLIED WARRANTIES AND NO WARRANTIES OF MERCHANTABILITY OR FITNESS.