

RESTRICTED USE PESTICIDE
FOR RETAIL SALE TO AND USE ONLY BY CERTIFIED APPLICATORS
OR PERSONS UNDER THEIR DIRECT SUPERVISION AND ONLY FOR
THOSE USES COVERED BY THE CERTIFIED APPLICATOR'S CERTIFI-
CATION

VELSICOL[®]

BARRICADE

EMULSIFIABLE CONCENTRATE INSECTICIDE

STOP—READ LABEL
BEFORE USING!

ACTIVE INGREDIENTS

O, O-Dimethyl O-p-nitrophenyl phosphorothioate*	29.83%
Related compounds	1.57%
O-Ethyl O-(p-nitrophenyl) phenyl phosphorothioate**	31.40%
Xylene Range Aromatic Solvent	26.14%
INERT INGREDIENTS	11.06%

KEEP OUT OF THE REACH OF CHILDREN

[Faint, mostly illegible text, likely containing usage instructions and safety warnings.]

☠ DANGER-POISON-PRECAUTIONS ☠



POISONOUS IF SWALLOWED—This product can be fatal if swallowed even in small amounts. Spray mist or dust may be fatal if inhaled.

POISONOUS BY SKIN CONTACT—Poisonous if touched by hands or applied or splashed on skin, in eyes or on clothing (liquid passes through clothes).

POISONOUS IF BREATHED—Breathing vapors, spray, mist or dust may be fatal.

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

DANGER



POISON

CALL A PHYSICIAN IMMEDIATELY IN ALL CASES OF SUSPECTED POISONING

POISON SIGNS (Symptoms)

WARNING SYMPTOMS include weakness, headache, lightness in the chest, labored respiration, blurred vision, nausea, abdominal cramps, diarrhea, sweating, vomiting, salivation and nonreactive pinpoint pupils.

Poisonous if swallowed, inhaled, or absorbed through the skin. Rapidly absorbed through the skin or eyes.

Do not get in the eyes, on skin or on clothing. Do not breathe the spray, mist, or vapor. Relief from inhalation or skin contact may, without symptoms, progressively increase susceptibility to poisoning.

Anything wet with this material must be removed immediately.

Exposed persons must receive prompt medical attention (see page 4).

INFORMATION FOR PHYSICIAN

Give 1 mg of atropine (0.5 to 1.0 mg of atropine immediately, preferably by mouth, if oral, and repeat at 5 to 10 minute intervals until signs of atropine are present). This will result in dilated pupils, rapid pulse. Maintain for atropinization. Do not give large dosage. Prochlorperazine (SPAM) intravenously, slowly, to relieve vomiting. For convulsions use diazepam. **DO NOT GIVE MORPHINE OR THORAZINE.** Meperidine, Paralamin, and EPR are strong cholinesterase inhibitors affecting the central nervous system and producing cardiac and respiratory depression. In the presence of pulmonary edema the patient should be given furosemide (Lasix) and treated symptomatically. Continued absorption of the drug may occur. All cases have been reported after intramuscular injection.

See page 4 for first aid instructions. **THE PATIENT'S NAME, ADDRESS AND PHONE NUMBER SHOULD BE OBTAINED.**

Cholinesterase inhibitors may be given without waiting, except in the case of severe disease of the cholinesterase system. Administer further doses if necessary. Further information may be obtained by referring to the literature.

PRECAUTIONARY STATEMENTS
(Hazards To Humans and Domestic Animals Continued)

PROTECTIVE CLOTHING AND EQUIPMENT REQUIRED

Wear clean protective clothing, goggles, and respirator approved by NIOSH or the American National Standards Institute when applying or handling, or when reentering the site within 48 hours of treatment. The following protective clothing must be worn: lightweight, unlined, natural rubber gloves at least midforearm in length; wide brimmed waterproof hat or waterproof hood; a protective suit or coveralls of a nonpermeable, nominal material covering the body from ankles to wrists; lightweight, unlined, natural rubber boots at least mid-calf in length; full-face respirators are recommended, half-face respirators and goggles are required. Aerial applicators in positive pressure outfits and other applicators in comparable ground equipment with appropriate filters at all air intakes need not comply with these protective clothing requirements.

WORK SAFETY RULES

Keep all unprotected persons and children away from treated area or where there is danger of drift. For aerial application, flagging must be by fully automatic mechanical means, or, if by humans, by persons working in totally enclosed vehicles.

Do not rub eyes or mouth with hands. If you feel sick in any way STOP work and get help right away. Call a doctor (physician) clinic or hospital—immediately. Explain that the victim has been exposed to a Methyl Parathion-EPN combination and describe his condition. After first aid is given (see Statement of Practical Treatment) and if a doctor cannot come, take victim to clinic or hospital.

IMPORTANT: Before removing gloves wash them with soap and water. Always wash hands, face and arms with soap and water before smoking, eating or drinking.

AFTER WORK: take off all work clothes and shoes. Shower using soap and water. Wear only clean clothes when leaving job. Do not wear contaminated clothing. Wash protective clothing and protective equipment with soap and water after each use. Respirator should be cleaned and filter replaced according to instructions included with respirator.

ENVIRONMENTAL HAZARDS
POISONOUS TO FISH AND WILDLIFE

Extremely toxic to fish and wildlife. Birds and other wildlife in treated areas should be kept out of any body of water. Do not apply when weather conditions favor a rain shower. Do not apply where runoff is likely to occur. Do not apply to water. Do not use equipment or dispose of wastes. APPLY TO THE EXTENT INDICATED ON THIS LABEL.

PHYSICAL OR CHEMICAL HAZARDS

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

- Do not apply this product when weather conditions favor drift from treated area.
- Do not apply to blooming cotton if bees are visiting the treatment area.
- Do not apply to corn during the pollen-shed period if bees are visiting the treatment area.

No-entry Statement

Workers entering treated fields within 48 hours of application should wear protective clothing.

Where a dosage range is given, use the lower rate on small, young plants or where insect infestation is light; use the higher rates on large or mature plants or where insect infestation is heavy. BARRICADE may be applied by ground or aerial application. When making ground application, apply the recommended dosage in at least 3 gallons of water per acre, using sufficient water to give good coverage of the foliage. For aerial application, use 3 to 10 gallons of water per acre.

To make spray mixtures, fill half of the spray tank with water. Add the proper amount of BARRICADE, then fill the spray tank with water while still agitating. Continue to agitate while using.

POST TREATED AREA

Consult your State Agricultural Extension Service or Experiment Station regarding posting of treated areas.

CROP	INSECT	RATE OF BARRICADE PER ACRE	APPLICATION DIRECTIONS AND COMMENTS
Cotton	Aphids Belt Weevil Cotton Leafhopper Cotton Leafworm Fall Armyworm Flea Beetles Greenhoppers Cotton Webworm Cottonworm Lycophotus (and other species) Red Spotted White Thrips	3/2 to 1-1/2 pints	Make application at 5 to 7 day intervals until control is obtained. Do not apply within 7 days of hand-picking or harvest. Do not use treated bolls or gins bolls to harvest.
	Darkling Ground Beetle Mexican Bean Beetle Peanut Anthonomus Plant Bug (Rapid) Tarnished Rustling Weevil Soybean Leafminer Soybean Armyworm Soybean Webworm Two Spotted Mite	2-1/2 pints	
	Beet Armyworms Borers Cabbage Looper Cotton Leaf Perforator Sawfly Caterpillar Tobacco Budworm Yellow Striped Armyworm	1 2/3 pints	

CROP	INSECT	RATE OF BARRICADE PER ACRE	APPLICATION DIRECTIONS AND COMMENTS
Corn	Chinch Bug Cotton Rootworm Cotton Rootworm (larva) Fall Armyworm Sawfly	1/2 pint	Repeat application as necessary. Do not apply within 14 days of harvest.
	Armyworm (up to third instar)	2/3 pint	Make first application when 25% of the plants show evidence of leaf feeding and evidence of 5 day intervals at least on leaf feeding is evident. From 1 to 3 treatments may be required.
	European Corn Borer (most corn)	2/3 to 3/4 pints	For control of second brood borers apply when eggs begin to hatch. Do not apply within 14 days of harvest.
	European Corn Borer (hard corn)	2/3 pint	Make application 10 days after egg hatch or when 75% of the plants show evidence of feeding in leaf whorls. Repeat 7 to 10 days later if new evidence of leaf feeding is observed. For control of second brood borers apply when eggs begin to hatch. Do not apply within 14 days of harvest.
	Southwestern Corn Borer (hard corn)	2 1/2	Apply when 10% of the plant population have egg masses. Repeat at 5 to 10 day intervals as needed. Do not apply within 14 days of harvest.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE DISPOSAL

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL

Metal

Triple rinse (or equivalent) and offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

Plastic

Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

LIMITED WARRANTY AND LIABILITY

NOTICE: Read this statement carefully before buying or using this product. If the terms are not acceptable, return it at once, for a refund. This product is sold as is. The user assumes all responsibility for its use. The laws of a State may make some or all of this paragraph inapplicable or may give you other rights. See the label for details. Except to the extent prohibited by applicable law, the exclusive remedy of the user or buyer and the limit of liability of this Company or any other Seller for any and all losses, personal injuries or damages, resulting from the use of this product shall be the purchase price paid by the user or buyer for the quantity of product involved. Except to the extent prohibited by State law, there is no warranty and this Company and other Sellers disclaim all liability for death, personal injury or damage resulting from any use of this product for a purpose not recommended in its label directions, or from mixing this product before use with any substance other than that specified on the product label, or arising from handling or storage in violation of label instructions, or for all indirect, special or consequential damages, or whether foreseeable or not, occurring within one year of discovery and arising from product not used within the label designated shelf life or four years from date of manufacture, whichever is shorter. THIS IS THE ENTIRE WARRANTY AND NO WARRANTY OF MERCHANTABILITY OR FITNESS.