

RESTRICTED USE PESTICIDE
FOR OUTDOOR USE ONLY AND USE ONLY BY CERTIFIED APPLICATORS
OR UNDER THEIR DIRECT SUPERVISION. USE ONLY FOR
THOSE USES COVERED BY THE CERTIFIED APPLICATOR'S CERTIFI-
CATION.



ALL INFORMATION CONTAINED
HEREIN IS UNCLASSIFIED
DATE 10/10/2013 BY 60322/UC/STP/STP

DANGER POISON PRECAUTIONS



DO NOT SWALLOW

POISONOUS BY INGESTION
 The product is highly toxic if swallowed. It may cause severe damage to the internal organs. Do not swallow.



DO NOT TOUCH

POISONOUS BY SKIN CONTACT
 The product is highly toxic if it comes in contact with the skin. It may cause severe damage to the skin. Do not touch.



DO NOT BREATHE

POISONOUS BY INHALATION
 The product is highly toxic if inhaled. It may cause severe damage to the respiratory system. Do not breathe.

**PRECAUTIONARY STATEMENTS
 HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

DANGER



POISON

For first aid, see label. In all cases, of suspected poisoning.

POISON SIGNS (Symptoms)

WARNING SYMPTOMS include weakness, headache, dizziness, blurred vision, nausea, vomiting, diarrhea, and loss of consciousness.

First Aid - Swallowing: Do not induce vomiting. Drink water. Seek medical attention immediately.

First Aid - Skin Contact: Wash with soap and water for at least 15 minutes. Seek medical attention immediately.

First Aid - Inhalation: Move to fresh air. Seek medical attention immediately.

INFORMATION FOR FIRST AID

Eye Contact: Flush with water for at least 15 minutes. Seek medical attention immediately.

Respiratory Distress: Move to fresh air. Seek medical attention immediately.

Cardiac Arrest: Stop all activities. Seek medical attention immediately.

Seizures: Do not restrain. Seek medical attention immediately.

Unconsciousness: Do not give anything by mouth. Seek medical attention immediately.

PRECAUTIONARY STATEMENTS (Hazards To Humans and Domestic Animals Continued)

KEEP OUT OF REACH OF CHILDREN.
 May be hazardous if swallowed. Causes irritation.
 Avoid contact with eyes. Wash thoroughly with water if contact occurs.
 Do not breathe dusts or vapors. Use proper ventilation.
 Do not use in confined spaces. Avoid contact with skin.
 Avoid contact with clothing.
 Do not use near open flames or heat. Do not use in areas where smoking is prohibited.
 Do not use in areas where food is prepared or eaten.
 Do not use in areas where children play.
 Do not use in areas where animals are kept.

WORK SAFETY:
 Avoid contact with eyes. Wash thoroughly with water if contact occurs.
 Do not breathe dusts or vapors. Use proper ventilation.
 Do not use in confined spaces.

Avoid contact with hands. If you feel sick in any way, STOP work and get medical attention immediately. Call your doctor if you feel ill. Do not use if you are pregnant or nursing. Do not use if you are allergic to any of the ingredients. Do not use if you are taking any medication. Do not use if you are a child or an elderly person. Do not use if you have a history of asthma or other respiratory conditions. Do not use if you have a history of heart disease or other cardiovascular conditions. Do not use if you have a history of kidney or liver disease. Do not use if you have a history of seizures or other neurological conditions. Do not use if you have a history of mental health conditions. Do not use if you have a history of substance abuse. Do not use if you have a history of alcohol consumption. Do not use if you have a history of drug use. Do not use if you have a history of illegal drug use. Do not use if you have a history of illegal drug use.

ENVIRONMENTAL PRECAUTIONS:
 Avoid contact with water. Do not use in areas where water is consumed. Do not use in areas where water is used for drinking. Do not use in areas where water is used for irrigation. Do not use in areas where water is used for watering lawns or gardens. Do not use in areas where water is used for watering plants. Do not use in areas where water is used for watering trees. Do not use in areas where water is used for watering shrubs. Do not use in areas where water is used for watering flowers. Do not use in areas where water is used for watering lawns.

DIRECTIONS FOR USE

Read the label of this product to use the product in a manner consistent with its labeling.
 Do not apply to plants or animals within 100 feet of a body of water.
 Do not apply to corn using the pollinating part of the tassel.

Re-entry Statement

Workers entering treated fields within 48 hours of application should wear protective clothing.
 Where a dosage range is given, use the lower rate on small, young plants or where insect infestation is light; use the higher rate on large or mature plants or where insect infestation is heavy.
BARRICADE may be applied by ground or aerial application. When making ground application, apply the recommended dosage in at least 3 gallons of water per acre, using sufficient water to give ground coverage of the foliage. For aerial application, use 3 to 10 gallons of water per acre.
 To avoid spray drifts, fill half of the spray tank with water, agitate, add the proper amount of **BARRICADE**, then fill the spray tank with water while still agitating. Continue to agitate while using.

POST-TREATED AREA

Consult your State Agricultural Extension Service or Experiment Station regarding posting of treated areas.

CRIP	INSECT	RATE OF BARRICADE PER ACRE	APPLICATION DIRECTIONS AND RESTRICTIONS	CRIP	INSECT	RATE OF BARRICADE PER ACRE	APPLICATION DIRECTIONS AND RESTRICTIONS
Cotton	Aphids Belt Weevil Cotton Leafroller Cotton Leafworm Fall Armyworm Fleahopper Garden Weevil Grasshopper Lycid Bug (and other) Moth New Spider Mite Thrips	2.1 to 11.0 pints	Make application at 5 to 7 day intervals until control is obtained. Do not apply within 7 days of hand picking of cotton. Do not use treated storage or gin trash.	Corn	Colorado Cornworm Corn Leaf Aphid Corn Rootworm (adult) Ear Armyworm Stinkbug	1.7 pint	Repeat application as necessary. Do not apply within 14 days of harvest.
	Dormant Ground Sower Mexican Bean Beetle Pink Bollworm Pine Sawfly Tentative Tobacco Beetle Serpentine Weevil Soybean Anthrenid Soybean Weevil Soybean Beetle	1.11 pint			Armyworm (up to 2nd instar) European Corn Borer (larval instars)	2.0 pint 2.1 to 3.4 pints	Make first application when 75% of the plants show evidence of pest feeding and continue at 5 day intervals until all or most feeding is under control. From 1 to 2 applications may be required. In case of a second brood, make a second application when eggs begin to hatch. Do not apply within 14 days of harvest.

GROUP	NAME	RATE BY BERGASO PER ACR	APPLICATION DIRECTIONS AND RESTRICTIONS
Aspen Tree Lvs	Aspen Aspen Beech Hickory Lycium Sage Mint	1.5 gals	Apply within 21 days of harvest
Aspen Tree Grass	Docking Ground Beetle Mexican Bean Beetle Rust Mite Serpentine Cutworm Tomato Pinworm Two Spotted Mite	1.5 gals	
Overhead	Cambridge	1 gal	Not restricted to be combined
	Shield Mite Control	1 gal	Do not make more than 2 applications during the growing season
	Aspen Beech Hickory Lycium Sage Mint Tomato Pinworm Two Spotted Mite	1.5 gals	Do not harvest or grade or load for up to 7 days after the last application
	Aspen Beech Hickory Lycium Sage Mint Tomato Pinworm Two Spotted Mite	1.5 gals	

AN

HAZARDOUS WASTE

Pesticide wastes are a highly hazardous material. Disposal of excess pesticide, spray, mixture, or rinseate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINERS

Metal

Triple rinse or equivalent and store for reuse or recycling, or procedures approved by state and local authorities.

Glass

Triple rinse for equipment. Store glass containers in a secure location. Do not reuse for food or beverage. Do not use for other purposes.

Small quantities of pesticide residue may be disposed of in household trash. Do not use for food or beverage. Do not use for other purposes.