

GENERAL DIRECTIONS

All surfaces to be treated should be thoroughly cleaned before using BONCHEM BON-SAN 353 sanitizing solutions. For all sanitizing applications use 1 ounce BON-SAN 353 to 3 gallons of water. After sanitizing, store equipment to allow it to drain. Discard sanitizer solution when BON-SAN Test Kit shows concentration at 1 ounce per 6 gallons of water (8 drops on Test Kit).

This product when used as directed fulfills the criteria of Appendix F of the Grade 'A' Pasteurized Milk Ordinance 1965 Recommendations of the U.S. Public Health Service.

NOTE: Always follow State and local Health Department cleaning and sanitizing requirements.

Rinse empty container thoroughly with water and discard it.

EPA Reg. No. 887-35

EPA Est. 887-1A-1



BON-SAN 353 Anionic Acid Sanitizer

ACTIVE INGREDIENTS:

Phosphoric Acid	45.00%
Sodium Linear Alkyl (C ₉ -C ₁₃) Benzene Sulfonate	8.10%
Sodium Dodecylphenoxybenzene Disulfonate	1.80%

INERT INGREDIENTS: * 45.10%


* Includes Nonionic Detergent and
Alpha-hydroxypropionic Acid

100.00%

DANGER: Keep Out Of Reach Of Children. See Side Panel
For First Aid And Additional Precautions.
CONTENTS: ONE U.S. GALLON

BONEWITZ CHEMICALS, INC.

BURLINGTON, IOWA



TURLOCK, CALIF.

Cameraman's Note.

Poor Copy

SAL

For san
equipm

Spraying
ounce c
3 gallon
tact tim
ment to

Immers
ounce c
3 gallon
tact tim
to drain

DANGER:
mucous
on skin
hands v
harmful
tion of

FIRST AID:
ately fl
water f
call a p
taminat
If swal
quantit
tion or
large qu
Call a p

NOTE:
al dama
gastric
tory sh
convuls