



ACCEPTED  
10-17-72  
887-36

# BON-A-CHLOR 100

## BACTERICIDE SANITIZER

ACTIVE INGREDIENT:	
Sodium Dichloro-s-Triazinetrione	22.25%
(Available Chlorine 14%)	
INERT INGREDIENTS:	77.75%
	TOTAL 100.00%

**WARNING:** Keep out of reach of children. See back panel for additional precautions.

NET WEIGHT      LBS.

### BONEWITZ CHEMICALS, INC.

BURLINGTON, IOWA



MANTECA, CALIF.

BONCH

Use clean clear water for preparing s  
should be thoroughly cleaned before  
100 parts per million chlorine solutio  
faces. Test solution to make certain  
oz. per 30 gallons of water). Allow 5

BONCHEM BON-A-CHLOR is recom  
EQUIPMENT and FOOD PROCESSI

Rinse empty container thoroughly w

**WARNING:** Keep Out of Reach of C  
skin and lungs. Do not get in eyes,  
get medical attention. For eyes, get  
of spray or fogging mist.

**ANTIDOTE:** If swallowed, drink m  
(tablespoon of mustard in glass of w

RECOMMENDE

In immersion or Flowing methods: Use  
of water). Minimum contact time 2 m

Always follow local Health Dept. re

ACCEPTED  
10-17-72  
887-36

## BONCHEM BON-A-CHLOR 100

### GENERAL DIRECTIONS

Use clean clear water for preparing solutions to get full strength of contents. All surfaces to be treated should be thoroughly cleaned before using BONCHEM BON-A-CHLOR 100 Sanitizing Solutions. Use 100 parts per million chlorine solutions (1 oz. per 10 gallons of water) for rinsing metal and glass surfaces. Test solution to make certain concentration does not fall below 50 parts per million chlorine (1 oz. per 30 gallons of water). Allow 5 minute contact.

BONCHEM BON-A-CHLOR is recommended for the chlorine sanitizing of FARM and MILK PLANT EQUIPMENT and FOOD PROCESSING PLANTS.

Rinse empty container thoroughly with water and discard it.

**WARNING:** Keep Out of Reach of Children. Strong oxidant. Harmful if swallowed. Irritating to eyes, skin and lungs. Do not get in eyes, immediately flush with plenty of water. If skin irritation persists, get medical attention. For eyes, get prompt medical attention. Avoid breathing dust. Avoid inhalation of spray or fogging mist.

**ANTIDOTE:** If swallowed, drink mucilage, raw egg white, milk or rice gruel. Follow with emetic (tablespoon of mustard in glass of warm water). CALL A PHYSICIAN.

### RECOMMENDED INSTRUCTIONS FOR SANITIZING

Immersion or Flowing methods: Use a solution of 100 parts per million chlorine. (1 oz. per 10 gallons of water). Minimum contact time 2 minutes. Allow equipment to drain.

Always follow local Health Dept. regulations regarding sanitizing of Dairy Equipment and Utensils.

EPA Reg. No. 887-36

00

22.25%

77.75%

100.00%

panel for

INC.

CALIF.



ACCEPTED  
10-17-72  
887-36

# BON-A-CHLOR 100

BACTERICIDE SANITIZER

ACTIVE INGREDIENT:	
Sodium Dichloro-s-Triazinetrione	22.25
(Available Chlorine 14%)	
INERT INGREDIENTS:	77.75%
TOTAL	100.00%

**WARNING:** Keep out of reach of children. See back panel for additional precautions.

NET WEIGHT LBS.

BONEWITZ CHEMICALS, INC.

BURLINGTON, IOWA



MANTECA, CALIF.

Use clean clear water  
should be thoroughly  
100 parts per million  
faces. Test solution to  
oz. per 30 gallons of w

BONCHEM BON-A-CHLOR  
EQUIPMENT and FO

Rinse empty containe

**WARNING:** Keep out of  
skin and lungs. Do not  
get medical attention  
of spray or fogging a

**ANTIDOTE:** If swal  
(tablespoon of musta

RE  
Inversion or Flowing  
of water). Minimum c  
Always follow local

E 5

ACCEPTED  
10-17-72  
887-36  
FEDERAL BUREAU OF INVESTIGATION  
U.S. DEPARTMENT OF JUSTICE  
WASHINGTON, D.C. 20535

## BONCHEM BON-A-CHLOR 100

### GENERAL DIRECTIONS

Use clean clear water for preparing solutions to get full strength of contents. All surfaces to be treated should be thoroughly cleaned before using BONCHEM BON-A-CHLOR 100 Sanitizing Solutions. Use 100 parts per million chlorine solutions (1 oz. per 10 gallons of water) for rinsing metal and glass surfaces. Test solution to make certain concentration does not fall below 50 parts per million chlorine (1 oz. per 30 gallons of water). Allow 5 minute contact.

BONCHEM BON-A-CHLOR is recommended for the chlorine sanitizing of FARM and MILK PLANT EQUIPMENT and FOOD PROCESSING PLANTS.

Rinse empty container thoroughly with water and discard it.

**WARNING:** Keep Out of Reach of Children. Strong oxidant. Harmful if swallowed. Irritating to eyes, skin and lungs. Do not get in eyes. Immediately flush with plenty of water. If skin irritation occurs, get medical attention. For eyes, get prompt medical attention. Avoid breathing dust. Avoid inhalation of spray or fogging mist.

**ANTIDOTE:** If swallowed, drink molasses, raw egg white, milk or rice gruel. Follow with emetic (tablespoon of mustard in glass of warm water). CALL A PHYSICIAN.

### RECOMMENDED INSTRUCTIONS FOR SANITIZING

Immersion or Flowing methods. Use a solution of 100 parts per million chlorine (1 oz. per 10 gallon of water). Minimum contact time 2 minutes. Allow equipment to drain.

Always follow local Health Dept. regulations regarding sanitizing of Dairy Equipment and Utensils.

EPA Reg. No. 887-36

6 E