



HERCULES

TOXAPHENE SOLUTION

AN INSECTICIDAL TOXICANT

ACTIVE INGREDIENTS	PERCENT BY WEIGHT
TOXAPHENE (Technical Chlorinated Camphene Containing 67-69% Chlorine)	99
INERT INGREDIENT	1
	TOTAL 100

FOR MANUFACTURING USE ONLY

POISON

GIFT

VELENO VENENO

FIRST AID - ANTIDOTE

INTERNAL: Give sodium chloride 15 g. (one tablespoonful of table salt) in glass of warm water and repeat until vomit is clear.

EXTERNAL: Wash with soap and water.

CALL A PHYSICIAN IMMEDIATELY

WARNING

KEEP OUT OF REACH OF CHILDREN

May be fatal if taken internally.

Do not breathe vapors.

Do not get on skin or in eyes.

Can be absorbed through skin in dry form or in solution.

Keep clothing free from residue.

Avoid contamination of food and foodstuffs.

Toxic to fish, wildlife, and birds. Keep out of any body of water.

PHYSICIAN'S NOTE: Toxaphene produces central nervous system excitation which responds to barbituric acid derivatives. Prevent or control convulsions with barbiturates, preferably administered intravenously. If the barbiturate can be given before convulsions start, sodium pentobarbital is the drug of choice. Since toxaphene has a fairly long duration of action, a long-acting barbiturate such as phenobarbital may be used after initial control of convulsions. Refer to "Clinical Handbook on Economic Poisons," which was prepared by the U. S. Department of Health, Education, and Welfare, Public Health Service, Communicable Disease Center, Atlanta, Georgia.

**IN CASE OF FIRE, LEAK, OR OTHER EMERGENCY - REPORT AT ONCE BY TELEPHONE, COLLECT, TO:
Hercules Incorporated, Wilmington, Delaware (Area Code 302) 654-8900 for Emergency Assistance.**

BECAUSE OF THE POSSIBILITY OF POISONOUS MATERIAL ADHERING TO THE CONTAINER, IT MUST BE THOROUGHLY CLEANED BEFORE USE FOR MATERIALS OTHER THAN POISONS.

HER. 21703 4-73 500 56647H

EPA REG. NO. 891-10

PRINTED IN U.S.A.

SYNTHETICS DEPARTMENT - HERCULES INCORPORATED

ACCEPTED
891-10
4-10-73
UNDER THE FEDERAL
INSECTICIDE AND
ECONOMIC PESTICIDE
ACT