



HERCULES

TOXAPHENE

15% GRANULAR INSECTICIDE

AN INSECTICIDE CONCENTRATE ESPECIALLY PREPARED FOR
EUROPEAN CORN BORER CONTROL.

ACTIVE INGREDIENT:

Toxaphene (technical chlorinated
camphene containing 67-69% chlorine)

INERT INGREDIENTS:

Percent by Weight

	15
	85
TOTAL	100

WARNING: KEEP OUT OF REACH OF CHILDREN.

Read side panel for additional handling precautions.

EPA Registration No. 891-165

HERCULES INCORPORATED
WILMINGTON, DELAWARE, U.S.A.

CAUTION

May be fatal if swallowed. Do not get on skin, in eyes, or on clothing. Can be absorbed through skin. Wash thoroughly after using. Do not breathe dust. Avoid contamination of feed or foodstuffs. Do not use around dairy barns. Do not use on cucurbits.

This product is toxic to fish and wildlife. Birds feeding on treated area may be killed. Keep out of lakes, streams, and ponds. Do not contaminate water by cleaning of equipment or disposal of wastes. This product is toxic to bees and should not be applied when bees are actively visiting the area. Apply only as specified on the label. Dispose of wastes by burying on noncrop lands away from water supplies. Dispose of containers by burning. Keep out of smoke.

ANTIDOTE

Internal — Give sodium chloride 15 g. (one table spoonful of table salt) in glass of warm water and repeat until vomit is clear. Call a doctor immediately.

External — Wash with soap and water.

DIRECTIONS FOR USE ON CORN

European Corn Borer Control — Apply 13 pounds per acre by either ground equipment or by airplane. A second application may be required 7 to 10 days later. A third application may be required for control of second-brood borers. Consult State Extension Service specialists for most effective application dates.

Do not feed ensilage made from treated corn plants to dairy animals or animals being finished for slaughter. Do not graze dairy animals on treated stover. Do not graze meat animals on treated stover within 4 weeks of slaughter.

NONWARRANTY Hercules warrants that this insecticide conforms to the chemical description on its label. When used in accordance with label directions under normal conditions, this insecticide is reasonably fit for its intended purpose. Since timing, method of application, weather, plant and soil conditions, mixture with other chemicals, and other factors affecting the use of this product are beyond our control, no warranty is given concerning the use of this product contrary to label directions or under conditions which are abnormal or not reasonably foreseeable. The user assumes all risks of any such use.

NET WEIGHT