

WARRANTY

Hercules warrants that this product conforms to the chemical description on its label. When used in accordance with label directions under normal conditions, this product is reasonably fit for its intended purpose. Since timing, method of application, mixture with other chemicals, and other factors affecting the use of this product are beyond our control, no warranty is given concerning the use of this product contrary to label directions or under conditions which are abnormal or not reasonably foreseeable. The user assumes all risks of any such use.

**ENVIRONMENTAL
SERVICES DIVISION**

**HERCULES
INCORPORATED**

R. 21156 2-72 IM 50133

PRINTED IN U.S.A.

MICROBIOCIDAL COMPOUND MB 101

CAUTION: KEEP OUT OF REACH OF CHILDREN.
READ SIDE PANEL FOR ADDITIONAL PRECAUTIONS.

COMPOSITION		Percent by weight
Active Ingredient:		15.0%
	Poly [oxyethylene (dimethyliminio)- ethylene (dimethyliminio)- ethylene dichloride]	15.0%
Inert Ingredient:		85.0%
	TOTAL	100.0%
Weight per gallon		8.58 pounds
Weight of active ingredient per gallon		1.29 pounds

EPA Registration No. 891-167



HERCULES

MICROBIOCIDAL COMPOUND
MB 101

CAUTION: KEEP OUT OF REACH OF CHILDREN.
READ SIDE PANEL FOR ADDITIONAL PRECAUTIONS.

COMPOSITION		<u>Percent by weight</u>
Active Ingredient:		15.0%
	Poly [oxyethylene (dimethyliminio)- ethylene (dimethyliminio)- ethylene dichloride]	15.0%
Inert Ingredient:		85.0%
	TOTAL	100.0%
Weight per gallon		8.58 pounds
Weight of active ingredient per gallon		1.29 pounds

EPA Registration No. 891-167

910 MARKET STREET
WILMINGTON, DELAWARE 19899
U. S. A.

ICIDAL COMPOUND B 101

KEEP OUT OF REACH OF CHILDREN.
FOR ADDITIONAL PRECAUTIONS.

COMPOSITION

	Percent by weight
(dimethyliminio)- yliminio)- de]	15.0%
	85.0%
TOTAL	100.0%
Ingredient per gallon	8.58 pounds 1.29 pounds

Registration No. 891-167

APPLICATION

Hercules® MB 101 is used to control algae, bacteria, and fungi in recirculating commercial and industrial water-cooling towers. Prior to its use, systems must be cleaned to remove algal growth, microbiological slime, and other deposits. An initial slug addition of 3.9 to 9.75 fluid ounces of MB 101 per 1,000 gallons of water to provide a concentration of 32 to 80 parts per million of MB 101 based on the total weight of water in the system is recommended. Subsequent slug additions of 1.0 to 9.75 fluid ounces of MB 101 per 1,000 gallons of water (8 to 80 parts per million of MB 101) should be employed every 2 to 5 days or as needed. The frequency of addition depends upon the relative amount of bleedoff and the severity of the microbiological problem. Slug additions should be made in the sump of water-cooling towers.

CAUTION: Keep Out of Reach of Children. Harmful if swallowed. Avoid contact with skin and eyes. In case of contact flush with plenty of water for at least 15 minutes. If eye irritation persists get medical attention. Avoid contamination of food and feedstuffs.

This product is toxic to fish. Do not discharge effluent into lakes, streams, or ponds. Do not contaminate water by cleaning of equipment or disposal of waste. Use only as directed on label. Do not reuse container. Destroy when empty.

GROSS WEIGHT
NET WEIGHT
GALLONS

891-167

24.4
14.4