

HERCULES

MICROBIOCIDAL COMPOUND


MB 120

DANGER: KEEP OUT OF REACH OF CHILDREN.
READ SIDE PANEL FOR ADDITIONAL PRECAUTIONS.

Active Ingredients:		12.5%
Didcyl Dimethyl Ammonium Chloride	12.5%	
Inert Ingredients:		87.5%
Isopropyl Alcohol	5.0%	
Water	82.5%	
TOTAL		100.0%

EPA Registration No. 891-170

910 MARKET STREET
WILMINGTON, DELAWARE 19899
U. S. A.



HERCULES

891-170

MICROBIOCIDAL COMPOUND MB 120

DANGER: KEEP OUT OF REACH OF CHILDREN.
READ SIDE PANEL FOR ADDITIONAL PRECAUTIONS.

Active Ingredients:		12.5%
Didecyl Dimethyl Ammonium Chloride	12.5%	
Inert Ingredients:		87.5%
Isopropyl Alcohol	5.0%	
Water	82.5%	
TOTAL		100.0%

EPA Registration No. 891-170

DIRECTIONS FOR USE

Hercules® MB 120 is for use in industrial water-cooling towers for the control of most algae and bacterial slime. Initial Dose: When the system is noticeably fouled, apply 24 to 36 fluid ounces of Hercules MB 120 per 1,000 gallons of contained water (20 to 30 ppm active quaternary) as a shock dosage at the sump. Repeat until control is achieved. Subsequent Dose: When microbial control is evident, add 8 to 12 fluid ounces of MB 120 per 1,000 gallons of water in the system every 7 days (weekly), or as needed to maintain control. Should slime develop again, go back to initial dosage. Badly fouled systems must be cleaned before treatment is begun.

DANGER: Keep Out of Reach of Children. Corrosive. Causes severe eye and skin damage. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed. Avoid contamination of food.

FIRST AID: In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution; or, if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression, and convulsions may be needed.

This product is toxic to fish. Treated effluent should not be discharged where it will drain into lakes, streams, ponds, or public water.

Do not reuse empty drum. Return to drum reconditioner or rinse well with soap solution and discard. Do not contaminate water by disposal of waste.

GROSS WEIGHT

NET WEIGHT

GALLONS

