

WILMINGTON, DELAWARE, U.S.A.

EMERGENCY
REMOVE PATIENT FROM TORAK EXPOSURE
IF SWALLOWED, SEE "TREATMENT BY PHYSICIAN"
NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON
IF ON THE SKIN REMOVE CONTAMINATED CLOTHING AND IMMEDIATELY WASH THE SKIN WITH SOAP AND WATER
CALL A PHYSICIAN IMMEDIATELY IN ALL CASES OF SUSPECTED POISONING

If symptoms and signs of poisoning develop, i.e., headache, nervousness, blurred vision, nausea, cramps, pain in chest, sweating, constricted pupils, tearing, salivation, cyanosis, and muscle twitching, give 2 atropine tablets (1.04 mg each). Have the patient lie down and keep quiet.

If swallowed, use gastric lavage. Give 2 to 4 mg (1.30 to 1.15 mg) atropine sulfate orally, rapidly. Repeat 5 to 10 minute intervals until signs of atropinization appear (dry, flushed skin and tachycardia). If excessive secretions occur, keep patient fully atropinized by 1.0 mg atropine every hour up to 25 to 50 mg in one day. If patient fails to respond satisfactorily, treat intravenously with 2 PAM intravenously.

Artificial respiration and oxygen administration may be necessary. Decontaminate skin, stomach, and eyes as indicated. A mild degree of atropinization should be maintained for 24-48 hours, and the patient should be observed continuously for 48 hours and treated symptomatically.

Grapes (California variety). For control of Pacific spider mite and grape leafhoppers, apply at a rate of 1 to 1.5 lb per acre (0.5 to 0.75 lb per acre of dustable concentrate per acre) in 1 to 2 quarts of water by conventional spraying equipment. 1 to 1.5 gal by conventional sprays. Make several applications when grape leafhoppers are present, and repeat treatments. An additional application at a later date may be required for control of the mite and the second generation of leafhoppers. Do not make more than one application after the last third stage.

Do not apply to plants which are under stress or to plants which are in flower.

Do not apply to plants which are under stress or to plants which are in flower.

Do not apply to plants which are under stress or to plants which are in flower.

Keep out of tidal marshes, salt marshes, and other areas where birds may be killed.

This product is toxic to bees and should not be applied when bees are actively visiting the crop.

Observe the preharvest interval. Do not harvest sooner than 35 days after the last spray. Workers should bathe or shower after each work day and should wash hands before eating. Workers should wear clothing that will minimize contact with foliage or other treated surfaces. Clean clothing should be worn each day.

Keep out of sprayed areas until spraying is finished.

Do not apply to areas where children or pets may be present. Do not apply to areas where children or pets may be present.

Do not apply to areas where children or pets may be present.

Do not apply to areas where children or pets may be present.

Do not apply to areas where children or pets may be present.

Do not apply to areas where children or pets may be present.

Do not apply to areas where children or pets may be present.

Do not apply to areas where children or pets may be present.

Do not apply to areas where children or pets may be present.