TUBERCULOCIDAL FUNGICIDAL BACTERICIDAL

Pioneer

Germicidal Cleaner

1ER

ide,

trol-

syn-

sist-

lilu-

ium

ons

ork,

etc.

irea

ess.

.0%

..0%

1.5%

).1%).1%

.3%

1.0%

onic

THE

U.S.D.A. Registration No. 892-23

CAUTION:

HARMFUL IF SWALLOWED. AVOID CONTACT WITH SKIN AND EYES.
KEEP OUT OF CHILDREN'S REACH


Phenol Coefficient A.O.A.C. Method

5.9 Staphylococcus aureus

6.9 Salmonella typhosa

net contents one gallon





Dilution Table:

solution	cc/qt	tsp/qt	oz/gal
1:50 (2%)	20	4	23/4
1:40 (2½%)	25	5	31/4
1:20 (5%)	50	10	61/2

for Heavy Duty Cleaning:

use a 5% solution

for Light Cleaning and Disinfecting: use a 2½% solution

for Washing and Disinfecting:

bed pans, urinals, wash basins, etc.

use a 2% solution

Emerse articles and allow to remain emersed for ten minutes or longer.

bed linens, towels, etc.

use a 2% solution

A diluted solution of Pioneer Germicidal Cleaner will not harm plastic, rubber, metal or any other inanimate article not harmed by soap or water.

A chlorinated phenolic base disinfectant, cleaner and deodorizer formulated for use on floors, walls, and similar hard surfaces not harmed by water.

Designed for commercial and industrial use to clean and deodorize walls, floors, ceilings, furniture, furnishings and fixtures.

Dilutes to a white, stable emulsion with a highly effective mint-wintergreen deodorizing action.

Active against a wide range of gram negative and gram positive organisms.

Phenol coefficient: 5.5 A.O.A.C. (S. typhosa)

Active ingredients: 27.33%

DIRECTIONS

For use as a disinfectant, dilute 1¼ ounces of concentrate in a gallon of water. Wash contaminated surface keeping area wetted for 10 minutes. Rinse and wipe dry.

For cleaning and deodorizing only, dilute 2 to 3 ounces to a $2\frac{1}{2}$ to 3 gallon pail of water. Wash surface with mop, sponge or cloth, dampened with solution.

To clean, disinfect and deodorize rest-

MINTOZENE DISINFECTANT/CLEANER/DEODORIZER ACCEPTED

Phenol Coefficient: 5.5 A.O.A.C. (S. typhosa)

OCT 101973

ACTIVE INGREDIENTS 27.33% sopropanol, 13.30%; Soap, 8.00%; O-benzl-P-chlorophenol; 5.00%; Essential oils, 1.03%.

72.67%

UNDER THE FEDERAL INSECTICIDE ACT INGREDIENTS
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTER. Contains sodium nitrite
ED UNDER NO. 70 0 70 F D A E

E.P.A. REG. NO. 900-107

WARNING: Keep Out Of Reach Of Children

HARMFUL IF SWALLOWED


SEE FIRST AID AND OTHER PRECAUTIONS ON SIDE PANEL

NET CONTENTS 5 U.S. GALLONS

Manufactured By:

CHEMICAL SERVICE
Division of Imoco-Gateway Corporation

Baltimore, Maryland 21230



ndustrial s, floors, and fix-

ion with reen de-


of gram anisms.

I.C. (S.

ute 11/4 allon of ce keeps. Rinse

y, dilute lon pail , sponge n.

ze rest-



MINTOZENE

DISINFECTANT/CLEANER/DEODORIZER ACCEPTED

Phenol Coefficient: 5.5 A.O.A.C. (S. typhosa)

OCT 101973

ED UNDER NO.

ACTIVE INGREDIENTS

27.33% sopropanol, 13.30%; Soap, 8.00%; O-benzi-P-chlorophenol; 5.00%; Essential oils, 1.03%.

UNDER THE FEDERAL INSECTICIDE RT INGREDIENTS FUNGICIDE AND RODENTICIDE ACTUENTS FOR ECONOMIC POISON REGISTER. Contains sodium nitrite

72.67%

E.P.A. REG. NO. 900-107

WARNING: Keep Out Of Reach Of Children

HARMFUL IF SWALLOWED

SEE FIRST AID AND OTHER PRECAUTIONS ON SIDE PANEL

NET CONTENTS 5 U.S. GALLONS

Manufactured By:

CHEMICAL SERVICE

Division of Imoco-Gateway Corporation Baltimore, Maryland 21230

room: clean daily with a solution of 11/4 ounces of concentrate per gallon of water. Pour leftover solution down urinal drain to deodorize.

WARNING

KEEP OUT OF REACH OF CHILDREN. Causes eye or skin irritation. Do not get in eyes, on skin or on clothing. Harmful if swallowed. Avoid contamination of food.

FIRST AID

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician.

Do not use, pour spill or store near heat or open flame.

Rinse empty container thoroughly with water and discard it.