



INSECT REPELLENT

6840-656-1630

TYPE II

Solution A

Contents 2 fluid ounces

ACTIVE INGREDIENTS:

N, N-Diethyl-metoluamide 71.25%

Other diethyl toluamides 3.75%

INERT INGREDIENTS:

25.00%

100.00%

CAUTION: KEEP OUT OF REACH OF CHILDREN.

See other cautions on back panel.

FOR EXTERNAL USE ONLY

Harmful if swallowed. Avoid contact with eyes and lips. This material affects laquer, paint, certain plastic articles, and some synthetic fabrics. Avoid smearing on goggles, watch crystals, painted helmets, etc. Do not use, pour or spill near heat or open flame.

OS-008-17449

EPA Reg No. 901-75

DIRECTIONS FOR USE

Shig applications for mosquitoes, biting flies, gnats, and flies — Shake about 12 drops into one hand, rub hands together, and apply thoroughly in a thin layer to all areas of exposed skin, much as in washing. Sufficient repellent should be applied to give a uniform film. **APPLY WITH CAUTION AROUND EYES AND MOUTH.**

Clothing treatments against biting insects, chiggers (mites), fleas, and ticks — When clothing cannot be impregnated with bulk repellent, apply by pouring a dozen drops into one hand, rub the hands together, and then rub lightly on the socks and other clothing. Make liberal applications along all openings of the clothing, such as inside the neck band, and the fly and bottom of trousers, and where clothing fits tightly as across the shoulders, elbows, hips, and knees. Repeat smearing process several times until about two ounces of repellent have been used. One treatment of clothing is effective for several days if repellent is not washed away. Clothing may be treated the day before wearing. If irritation develops, discontinue wearing treated clothing.

AIROSOL COMPANY, INC.
NEODESHA, KANSAS

ACCEPTED
APR 20 1973
UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTERED
UNDER NO 901-75 SUBJECT
TO ATTACHED COMMENTS.