

APHICIDE and SPREADER-STICKER: DX INSECT SPRAY may be used in combination with Methoxychlor, Carbaryl or Carbamate fungicides as an aphicide and a spreader sticker. Rank mix 1 tablespoonful (1/2 oz.) of DX per gallon of water with the normal concentrations of the pesticide.

AGITATE WHILE USING

CAUTION: Harmful if swallowed. Avoid repeated or prolonged contact with skin. Keep container closed and away from heat or open flame. Keep out of reach of children. Fish may be killed if exposed to this product. Do not contaminate public water or ponds which drain into public waterways.

NOTICE: Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

ACTIVE INGREDIENTS	By Weight
Pyrethrins	0.28%
Rotenone	0.75%
Other Cube Root	1.50%
Technical Piperonyl Butoxide	2.00%
Pine Oil	20.00%
Soya Bean Oil	15.00%
Aromatic Petroleum Derivative	17.50%
INERT INGREDIENTS	52.97%
	TOTAL 100.00%

This product contains butyraldehyde, a known irritant and a related compound.

EPA Registration No. 101-111

B. G. PRATT CO. • INSECTICIDES • PATERSON, N. J. 07509
© 1970 B.G.P.C.



**A BOTANICAL INSECTICIDE CONCENTRATE
IN A VEGETABLE OIL AND AROMATIC
PETROLEUM DERIVATIVE BASE**

See side panel for complete caution statement

NET CONTENTS: 1 PINT

Has a pleasant pine scent

DIRECTIONS

FOLIAR SPRAY: Mix 1 tablespoonful (1/2 INSECT SPRAY in each gallon of water for a spray on FLOWERS, SHADE TREES, and around Homes, Estates, Parks and Institutions. When insects appear, direct spray to hit as many as to thoroughly cover all plant surfaces, undersides of leaves. Repeat as weekly necessary.

LIST OF INSECTS CONTROLLED

Aphids, leafhoppers, exposed Thrips, adult J and Mites such as European Red Mite, Two Mites, and Clover Mite on FLOWERS, SHADE ORNAMENTALS.

Mealy Bug and Whitefly on potted and green Rose Chafer, Midge, and Slug on Roses.

PATIO SPRAY: To reduce the annoyance and gnats on PATIOS around the home and other recreational areas, apply a solution of spoonfuls (three fluid ounces) of DX INSECT each gallon of water. Use a fine mist to penetrate and resting places such as grass, shrubs, trees. Treat as large an area as possible surrounding patio or grounds to be kept mosquito and gnat application as necessary. Apply at the rate of 1 pint of DX INSECT SPRAY per acre. Do not spray on surfaces.

APHICIDE and SPREADER-STICKER: DX INSECT SPRAY may be used in combination with Methoxychlor, Carbaryl or Carbamate Fungicides as an aphicide and a spreader-sticker. Tank mix 1 tablespoonful (1/2 oz.) of DX per gallon of water with the normal concentrations of the pesticides.

AGITATE WHILE USING

CAUTION: Harmful If Swallowed. Avoid repeated or prolonged contact with skin. Keep container closed and away from heat or open flame. Keep out of reach of children. Fish may be killed if exposed to this product. Do not contaminate public water or ponds which drain into public water.

NOTICE: Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

ACTIVE INGREDIENTS:	By Weight
Pyrethrins	0.28%
Rotenone	0.75%
Other Cube Resins	1.50%
Technical Piperonyl Butoxide*	2.00%
Pine Oil	20.00%
Soya Bean Oil	40.00%
Aromatic Petroleum Derivative	30.47%
INERT INGREDIENTS	5.00%
TOTAL	100.00%

*Equivalent to 1.60% (Butyl Carbaryl) (6-propyl piperonyl) ether and 0.40% related compounds.

U.S.D.A. Registration No. 904-21


B. G. PRATT CO. • INSECTICIDES • PATERSON, N.J. 07509
©1970 B.G.P. Co.



CAUTION: KEEP OUT OF REACH OF CHILDREN

See side panel for complete caution statement.

NET CONTENTS: 1 PINT



Has a pleasant pine scent

DIRECTIONS

FOLIAR SPRAY: Mix 1 tablespoonful (1/2 INSECT SPRAY in each gallon of water for spray on FLOWERS, SHADE TREES, and around Homes, Estates, Parks and Institutional grounds. If insects appear, direct spray to hit as many to thoroughly cover all plant surfaces, undersides of leaves. Repeat at weekly necessary.

LIST OF INSECTS CONTROLLED

Aphids, leafhoppers, exposed Thrips, adult and Mites such as European Red Mite, Two Spotted Mites, and Clover Mite on FLOWERS, SHADE TREES, and ORNAMENTALS.

Mealy Bug and Whitefly on potted and ground plants. Rose Chafer, Midge, and Slug on Roses.

PATIO SPRAY: To reduce the annoyance of mosquitoes and gnats on PATIOS around the home and other recreational areas, apply a solution of 3 spoonfuls (three fluid ounces) of DX INSECT SPRAY in each gallon of water. Use a fine mist to pat down and resting places such as grass, shrubs, and trees. Treat as large an area as possible around the patio or grounds to be kept mosquito and gnat free. Repeat application as necessary. Apply at 1 pint of DX INSECT SPRAY per acre. Do not spray on hard surfaces.

CAUTION: DX INSECT SPRAY may contain Methoxychlor, Carbaryl or Malathion, an aphicide and a spreader-sticker. (1 1/2 oz.) of DX per gallon of water. Concentrations of the pesticides.

WHILE USING

Keep container closed and away from children. Keep out of reach of children. Do not consume this product. Do not consume foods which drain into public

risks of use, storage or handling. Use in strict accordance with directions.

	By Weight
	0.28%
	0.75%
	1.50%
Butoxide*	2.00%
	20.00%
	40.00%
Derivative	30.47%
	5.00%
TOTAL	100.00%

(6-propyl piperonyl) ether and

Patent No. 904-21

MADE IN PATERSON, N.J. 07509


©1970 B.G.P. Co.



CAUTION: KEEP OUT OF REACH OF CHILDREN

See side panel for complete caution statement.

NET CONTENTS: 1 PINT



Has a pleasant pine scent.

DIRECTIONS


FOLIAR SPRAY: Mix 1 tablespoonful (1 1/2 fl. oz.) of DX INSECT SPRAY in each gallon of water for a general insect spray on FLOWERS, SHADE TREES, and ORNAMENTALS around Homes, Estates, Parks and Institutions. When insects appear, direct spray to hit as many as possible and to thoroughly cover all plant surfaces, particularly the undersides of leaves. Repeat at weekly intervals or as necessary.

LIST OF INSECTS CONTROLLED

Aphids, leafhoppers, exposed Thrips, adult Japanese Beetle, and Mites such as European Red Mite, Two-spotted Spider Mites, and Clover Mite on FLOWERS, SHADE TREES, and ORNAMENTALS.

Mealy Bug and Whitefly on potted and greenhouse plants. Rose Chafer, Midge, and Slug on Roses.

PATIO SPRAY: To reduce the annoyance of Mosquitoes and gnats on PATIOS around the home grounds and in other recreational areas, apply a solution of six tablespoonfuls (three fluid ounces) of DX INSECT SPRAY in each gallon of water. Use a fine mist to penetrate hiding and resting places such as grass, shrubs, and ornamentals. Treat as large an area as possible surrounding the patio or grounds to be kept mosquito and gnat free. Repeat application as necessary. Apply at the rate of two pints of DX INSECT SPRAY per acre. Do not spray patio surfaces.



B. G. PRATT COMPANY

204 Twenty-First Avenue, Paterson, New Jersey 07509

201 684 4797

P.O. Box 2138

APHICIDE and SPREADER-STICKER: DX INSECT SPRAY may be used in combination with Methoxychlor, Carbaryl or Carbamate Fungicides as an aphicide and a spreader-sticker. Tank mix 1 tablespoonful (½ oz.) of DX per gallon of water with the normal concentrations of the pesticides.

AGITATE WHILE USING

CAUTION: Harmful if Swallowed. Avoid repeated or prolonged contact with skin. Keep container closed and away from heat or open flame. Keep out of reach of children. Fish may be killed if exposed to this product. Do not contaminate public water or ponds which drain into public water.

NOTICE: Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

ACTIVE INGREDIENTS:	By Weight
Pyrethrins	0.28%
Rotenone	0.75%
Other Cube Resins	1.50%
Technical Piperonyl Butoxide*	2.00%
Pine Oil	20.00%
Soya Bean Oil	40.00%
Aromatic Petroleum Derivative	30.47%
INERT INGREDIENTS	5.00%
TOTAL	100.00%

*Equivalent to 1.60% Butyl Carbitol (4-propyl piperonyl ether and 0.40% related compounds)

U.S.D.A. Registration No. 90421

B. G. PRATT CO. • INSECTICIDES • PATERSON, N. J. 07509
©1970 B.G.P. Co.



CAUTION: KEEP OUT OF REACH OF CHILDREN
See side panel for complete caution statement
NET CONTENTS: 1 PINT

Has a pleasant pine scent.

DIRECTIONS

FOLIAR SPRAY: Mix 1 tablespoonful (½ fl. oz.) of DX INSECT SPRAY in each gallon of water for a general insect spray on FLOWERS, SHADE TREES, and ORNAMENTALS around Homes, Estates, Parks and Institutions. When insects appear, direct spray to hit as many as possible and to thoroughly cover all plant surfaces, particularly the undersides of leaves. Repeat at weekly intervals or as necessary.

LIST OF INSECTS CONTROLLED

Aphids, leafhoppers, exposed Thrips, adult Japanese Beetle, and Mites such as European Red Mite, Two-spotted Spider Mites, and Clover Mite on FLOWERS, SHADE TREES, and ORNAMENTALS.

Mealy Bug and Whitefly on potted and greenhouse plants. Rose Chafer, Midge, and Slug on Roses.

PATIO SPRAY: To reduce the annoyance of Mosquitoes and gnats on PATIOS around the home grounds and in other recreational areas, apply a solution of six tablespoonfuls (three fluid ounces) of DX INSECT SPRAY in each gallon of water. Use a fine mist to penetrate hiding and resting places such as grass, shrubs, and ornamentals. Treat as large an area as possible surrounding the patio or grounds to be kept mosquito and gnat free. Repeat application as necessary. Apply at the rate of two pints of DX INSECT SPRAY per acre. Do not spray patio surfaces.