

MAR 15 1983

$\frac{345}{17}$	$\frac{92557}{2}$
$\frac{385}{30}$	$\frac{93019}{3}$

Pratt-Gabriel Division
 Miller Chemical and Fertilizer Corp.
 Box 333
 Hanover, PA 17331

Gentlemen:

Subject: Pratt Malathion - 50 Spray
 EPA Registration No. 904-43
 Your Application Dated February 2, 1983


The amendment referred to above, submitted in connection with registration under sec. 3(c)(7)(A), is acceptable, provided that you:

1. Make the labeling change listed below before you release the product for shipment bearing the amended labeling:
 - a. Delete "for safe disposal" in the disposal section.
2. Submit five (5) copies of your final printed labeling before you release the product for shipment.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product bearing the amended labeling constitutes acceptance of these conditions.

A stamped copy of the labeling is enclosed for your records.

Sincerely yours,



William H. Miller
 Product Manager (16)
 Insecticide-Rodenticide Branch
 Registration Division (TS-767)

Enclosure

TS-767:Miller:DCR-24708:WANG-3023C:bam:Raven:479-2013:3/11/83

CONCURRENCES							
SYMBOL ▶							
SURNAME ▶							
DATE ▶							

PRATT MALATHION-50 SPRAY

Controls Ants, Fleas, and Mosquitoes. Also; Japanese Beetle, Canker Worms, Aphid and many other insects on Flowers, Ornamentals, Fruit and Vegetables.

ACTIVE INGREDIENT	
*Malathion.....	50.0%
INERT INGREDIENTS.....	50.0%
TOTAL.....	100.0%

*o,o-dimethyl dithiophosphate

EPA REG. NO. 904-

EPA EST. NO. PA-72-1

KEEP OUT OF REACH OF CHILDREN

CAUTION

STATEMENT OF PRACTICAL TREATMENT

THIS PRODUCT CONTAINS AROMATIC PETROLEUM DERIVATIVE SOLVENT.

- IF SWALLOWED: Call a physician or Poison Control Center immediately. Do not induce vomiting. Gastric lavage is indicated if taken internally. Do not give anything by mouth to an unconscious person.
- IF INHALED: Remove victim to fresh air.
- IF ON SKIN: Remove contaminated clothing and wash affected area with soap and water. Launder clothing before reusing.
- IF IN EYES: Flush with plenty of water. Call a physician.

NOTE TO PHYSICIAN: Malathion may cause cholinesterase inhibition. Atropine is antidotal. 2 PAM may be an effective adjunct to atropine.

See side panel for additional cautions.

PRATT-GABRIEL DIVISION
MILLER CHEMICAL & FERTILIZER CORPORATION
Hanover, Pennsylvania 17331/An Alco Standard Company


NET CONTENTS: 4 fl.oz. 8 fl.oz.
 1 PINT 1 QUART
 1 HALF GALLON 1 GALLON

ACCEPTED
with COMMENTS
in EPA File No. Dated:

1973

Under the Fungicide, Insecticide, and Plant Growth Regulator Act, as amended, this pesticide is registered under Reg. No.

904-413



left panel

PRECAUTIONARY STATEMENT

Hazards to Humans and Domestic Animals

CAUTION

Harmful if swallowed, inhaled or absorbed through the skin. Avoid contact with skin, eyes, and clothing. Do not contaminate feed or food.

ENVIRONMENTAL HAZARD

This product is toxic to fish, shrimp, crabs, and other wildlife. Keep away from any body of water. Do not apply when weather conditions favor drift from areas treated. Do not contaminate any body of water by direct application or by cleaning of equipment or disposal of waste. This product is highly toxic to bees exposed to direct treatment or residue on crops. Protective information may be obtained from you Cooperative Agricultural Extension Service.

PHYSICAL HAZARD

Do not use or store near heat or open flame.


DIRECTIONS FOR USE

It is a violation of Federal law to use this product in any manner inconsistent with this label.

STORAGE AND DISPOSAL

Keep product in original container. Do not contaminate water, feed or food by storage or disposal. Do not reuse container. Wrap empty container and place in trash can for safe disposal.

ANT MOUNDS—Spray hills thoroughly, using 1 1/2 teaspoon per gallon of water. Mix moist earth in the top of the hill for other small ants in flower beds and lawns. spray lightly in the infested area. Repeat in 10-15 days if necessary
MILLIPEDES, SPRINGTAILS & SOLENOUS in and around greenhouses and around homes—Mix 1 teaspoon in 1 gallon of water and apply at the rate of 1 gallon per 150 sq ft. (10' x 15 ft.) of soil surface where insects congregate Repeat in 7-10 days if necessary. Do not apply to soil where food crops are grown.
WASPS & HORNETS—Mix 4 ozs in 1 gallon of water Apply to nests in the late evening as a coarse wet spray



Night Thel

Flowers, Ornamentals, Vegetables, Fruits

Mix 1 1/2 teaspoonsful per gallon of water (1 1/2 pints in 100 gallons) Make thorough, full coverage applications for control of aphids, leaf hoppers, thrips, Japanese beetles, Mexican bean beetles and mites, such as European red mite, two spotted mite and clover mite on apples, pears, beans, peas, tomatoes, cabbages and on flowers and ornamentals

For control of leaf caterpillars, canker worms, certain leaf miners and certain scale crawlers on ornamentals use 2 teaspoonsful per gallon of water (2 pints in 100 gallons) Spray when insects appear and repeat when necessary Do not apply to food crops later than 7 days before harvest Injury may occur on certain forms and some species of C. rosae May injure Bosc pears in Northeast May injure McIntosh and Cortland varieties of apples if applied within four weeks of harvest


FLEA CONTROL.—To control fleas in kennels, yards, lawns, and under houses, dilute 5 ounces in one gallon of water and apply at the rate of one gallon of diluted spray per 1000 square feet. Clean area before treatment Fresh bedding should be placed in animals quarters following treatment Repeat as necessary DO NOT APPLY TO DOGS

MOSQUITO CONTROL.—For the control of adult mosquitoes, flies and small flying insects in outdoor areas, dilute 1 to 20 with water (4 1/2 fl oz per gal). Apply as fine mist or fog. Three fl oz. of concentrate will treat 1 acre Repeat application as necessary May cause spotting on automobile paint finish Cars should not be sprayed directly If accidental exposure occurs, the car should be washed immediately

ROACH CONTROL.—For control of crawling household insects such as roaches, ants, spiders and clover mites in and about homes, institutes, and industrial plants, dilute 4 ounces per gallon of water. Apply by means of a coarse spray or paint brush to windowsills, base boards, under sinks, drain boards, stoves, and other areas frequented by insects Repeat as necessary Do not contaminate food or utensils Do not use in edible product areas of food processing plants Do not use where milk is stored

NOTICE: BUYER ASSUMES ALL RISKS OF USE, STORAGE OR HANDLING OF THIS MATERIAL NOT IN STRICT ACCORDANCE WITH DIRECTIONS GIVEN HEREWITH

Reg. U. S. Patent Office




PRATT MALATHION-50 SPRAY
904-42 (REVISION)
5 THROUGH 55 GAL. CONTAINERS

STORAGE AND DISPOSAL STATEMENT

Pesticide, spray mixture or rinse water that cannot be used according to label instructions must be disposed of according to Federal or approved state procedures under subtitle C of the Resource Conservation and Recovery Act. For container disposal, triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill or by other approved state or local procedures.

Statement on front panel of 5 through 55 gal. container labels:

ONLY FOR SALE TO OR USE AND STORAGE BY
SERVICE PERSONS OR FOR AGRICULTURAL USE



PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed, inhaled, or absorbed through the skin. Avoid contact with skin, eyes, and clothing. Do not contaminate feed or food.

ENVIRONMENTAL HAZARD

This product is toxic to fish, shrimp, crabs, and other wildlife. Keep out of any body of water. Do not apply when weather conditions favor drift from areas treated. Do not contaminate any body of water by direct application or by cleaning of equipment or disposal of waste. This product is highly toxic to bees exposed to direct treatment or residue on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

PHYSICAL HAZARD

Do not use or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with this label.

STORAGE AND DISPOSAL

Keep product in original container. Do not contaminate water, feed or food by storage or disposal. Do not reuse container. Wrap empty container and place in trash can.

DIRECTIONS

ANT MOUNDS: Spray hills thoroughly, using 1½ teaspoons per gallon of water. Mix moist earth in the top of the hill. For other small ants in flower beds and lawns, spray lightly in the infested area. Repeat in 10-15 days if necessary.

MILLIPEDES, SPRINGTAILS & SOWBUGS in and around greenhouses and around homes—Mix 1 teaspoon in 1 gallon of water and apply at the rate of 1 gallon per 150 sq. ft. (10 ft. x 15 ft.) of soil surface where insects congregate. Repeat in 7-10 days if necessary. Do not apply to soil where food crops are grown.

WASPS & HORNETS—Mix 4 ozs. in 1 gallon of water. Apply to nests in the late evening as a coarse wet spray.

PRAATT-GABRIEL DIVISION
Miller Chemical & Fertilizer Corporation
Hanover, Pennsylvania 17331

P.G.

PRATT

SINCE 1904

MALATHI SPRA

**CONTROLS ANTS, FLEAS, AND
JAPANESE BEETLE, CANKERWORM,
MANY OTHER INSECTS ON FLOWERS,
FRUIT AND VEGETABLES.**

ACTIVE INGREDIENT
*Malathion
INERT INGREDIENTS

TOTAL

*0.0 d methyl dithiophosphate of diethyl mercaptan

EPA Reg. No. 904.43

KEEP OUT OF REACH

CAUTION

STATEMENT OF PRACTICE

THIS PRODUCT CONTAINS AROMATIC

IF SWALLOWED: Call a physician or Poison Control Center. Do not induce vomiting. Gastric lavage is indicated if taken by mouth to an unconscious person.

IF INHALED: Remove victim to fresh air.

IF ON SKIN: Remove contaminated clothing and wash with water. Launder clothing before reusing.

IF IN EYES: Flush with plenty of water. Call a physician.


NOTE TO PHYSICIAN: Malathion may cause cholinergic crisis. Atropine 2-PAM may be an effective antidote.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONS

NET CONTENTS: 1 GALLON

NOT REVIEWED

In Accordance with EPA Reg. No. 904.43



FLOWERS, ORNAMENTALS, VEGETABLES, FRUITS:

Mix 1 1/2 teaspoonsful per gallon of water (1 1/2 pints in 100 gallons). Make thorough, full coverage applications for control of aphids, leaf hoppers, thrips, Japanese beetles, Mexican bean beetles and mites, such as European red mite, two spotted mite and clover mite on apples, pears, beans, peas, tomatoes, cabbages and on flowers and ornamentals

For control of tent caterpillars, cankerworms, certain leaf miners and certain scale crawlers on ornamentals use 2 teaspoonsful per gallon of water (2 pints in 100 gallons). Spray when insects appear and repeat when necessary. Do not apply to food crops later than 7 days before harvest. Injury may occur on certain ferns and some species of Crassula. May injure Bosc pears in Northeast. May injure McIntosh and Cortland varieties of apples if applied within four weeks of harvest

FLEA CONTROL—To control fleas in kennels, yards, lawns and under houses, dilute 5 ounces in one gallon of water and apply at the rate of one gallon of diluted spray per 1000 square feet. Clean area before treatment. Fresh bedding should be placed in animals quarters following treatment. Repeat as necessary. **DO NOT APPLY TO DOGS.**

MOSQUITO CONTROL—For the control of adult mosquitoes, flies and small flying insects in outdoor areas, dilute 1 to 28 with water (4 1/2 fl. oz. per gal.). Apply as fine mist or fog. Three fl. oz. of concentrate will treat 1 acre. Repeat application as necessary. May cause spotting on automobile paint finish. Cars should not be sprayed directly. If accidental exposure occurs, the car should be washed immediately.

ROACH CONTROL—For control of crawling household insects such as roaches, ants, spiders and clover mites in and about homes, institutes, and industrial plants, dilute 4 ounces per gallon of water. Apply by means of a coarse spray or paint brush to windowsills, baseboards, under sicks, drain boards, stoves, and other areas frequented by insects. Repeat as necessary. Do not contaminate food or utensils. Do not use in edible product areas of food processing plants. Do not use where milk is stored.

NOTE Malathion 50 may stain rugs, certain fabrics, and indoor surfaces

*Reg. TM American Cyanamid Co

LIMITED WARRANTY: BUYER ASSUMES ALL RISKS OF USE, STORAGE OR HANDLING OF THIS MATERIAL NOT IN STRICT ACCORDANCE WITH DIRECTIONS GIVEN HEREWITH.

90