

10F3
1016
904-43

B.G.



SINCE 1904

MALATHION-50 SPRAY

**CONTROLS ANTS, FLEAS, AND MOSQUITOES. ALSO:
JAPANESE BEETLE, CANKERWORMS, APHIDS AND
MANY OTHER INSECTS ON FLOWERS, ORNAMENTALS,
FRUIT AND VEGETABLES.**

| | |
|-------------------|-----------|
| ACTIVE INGREDIENT | BY WEIGHT |
| * Malathion | 50.00% |
| INERT INGREDIENTS | 50.00% |
| TOTAL | 100.00% |

0,0-dimethyl phosphorodithioate of diethyl mercaptosuccinate

EPA Reg No 904-43

EPA Est No 6720 FL 1

**KEEP OUT OF REACH OF CHILDREN
CAUTION CAUCIÓN**

PRECAUCION AL USUARIO: Si usted no lee ingles, no use este producto hasta que la etiqueta haya sido explicado ampliamente

STATEMENT OF PRACTICAL TREATMENT

THIS PRODUCT CONTAINS AROMATIC PETROLEUM SOLVENT

IF SWALLOWED: Call a physician or Poison Control Center immediately. Do not induce vomiting. Gastric lavage is indicated if taken internally. Do not give anything by mouth to an unconscious or consulting person.

IF INHALED: Remove victim to fresh air.


IF ON SKIN: Remove contaminated clothing and wash affected area with soap and water. Launder clothing before reusing.

IF IN EYES: Flush with plenty of water. Call a physician.

NOTE TO PHYSICIAN: Malathion may cause cholinesterase inhibition. Atropine is antidotal. 2 PAM may be an effective adjunct to atropine.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

NET CONTENTS: 1 GALLON LIQUID



1/29

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed, inhaled, or absorbed through the skin. Avoid contact with skin, eyes, and clothing. Do not contaminate feed or food. Food utensils such as teaspoons or tablespoons should not be used for food purposes after use in measuring this product.

ENVIRONMENTAL HAZARD

This pesticide is toxic to fish, aquatic invertebrates, and aquatic life stages of amphibians. Do not apply directly to water or wetlands (i.e., swamps, bogs, marshes, and potholes). Drift and runoff may be hazardous to aquatic organisms in areas near the application site. Do not contaminate water when disposing of equipment washwaters.

This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area.

Use only with adequate ventilation. After using this product indoors, ventilate thoroughly before occupying enclosed spaces. Do not allow contact with treated surface until sprays have dried.

PHYSICAL HAZARD

Do not use or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with this label.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. **STORAGE:** Store in tightly closed, original container in a locked area away from children and domestic animals. Do not reuse empty container. For Disposal, securely wrap original container in several layers of newspaper and discard in trash.



DIRECTIONS

ANT MOUNDS: Spray hills thoroughly, using 1½ teaspoons per gallon of water. Mix moist earth in the top of the hill. For other small ants in flower beds and lawns, spray lightly in the infested area. Repeat in 10-15 days if necessary.

MILLIPEDES, SPRINGTAILS & SOWBUGS In and around greenhouses and around homes—Mix 1 teaspoon in 1 gallon of water and apply at the rate of 1 gallon per 150 sq. ft. (10 ft. x 15 ft.) of soil surface where insects congregate. Repeat in 7-10 days if necessary. Do not apply to soil where food crops are grown.

WASPS & HORNETS—Mix 4 ozs. in 1 gallon of water. Apply to nests in the late evening as a coarse wet spray.

Manufactured For
PRATT-GABRIEL DIVISION
Miller Chemical & Fertilizer Corporation
Hanover, Pennsylvania 17331



FLOWERS, ORNAMENTALS, VEGETABLES, FRUITS: Mix 1½ teaspoonsful per gallon of water (1½ pints in 100 gallons). Make thorough, full coverage applications for control of aphids, leaf hoppers, thrips, Japanese beetles, Mexican bean beetles and mites, such as European red mite, two spotted mite and clover mite on apples, pears, beans, peas, tomatoes, cabbages and on flowers and ornamentals.


For control of tent caterpillars, cankerworms, certain leaf miners and certain scale crawlers on ornamentals use 2 teaspoonsful per gallon of water (2 pints in 100 gallons). Spray when insects appear and repeat when necessary. Do not apply to food crops later than 7 days before harvest. Injury may occur on certain ferns and some species of Crassula. May injure Bosc pears in Northeast. May injure McIntosh and Cortland varieties of apples if applied within four weeks of harvest.

FLEA CONTROL—To control fleas in kennels, yards, lawns and under houses, dilute 5 ounces in one gallon of water and apply at the rate of one gallon of diluted spray per 1000 square feet. Clean area before treatment. Fresh bedding should be placed in animals quarters following treatment. Repeat as necessary. **DO NOT APPLY TO DOGS.**

MOSQUITO CONTROL—For the control of adult mosquitoes, flies and small flying insects in outdoor areas, dilute 1 to 28 with water (4½ fl. oz. per gal.). Apply as fine mist or fog. Three fl. oz. of concentrate will treat 1 acre. Repeat application as necessary. May cause spotting on automobile paint finish. Cars should not be sprayed directly. If accidental exposure occurs, the car should be washed immediately.

ROACH CONTROL—For control of crawling household insects such as roaches, ants, spiders and clover mites in and about homes, institutes, and industrial plants, dilute 4 ounces per gallon of water. Apply by means of a coarse spray or paint brush to windowsills, baseboards, under sinks, drain boards, stoves, and other areas frequented by insects. Repeat as necessary. Do not contaminate food or utensils. Do not use in edible product areas of food processing plants. Do not use where milk is stored.

NOTE: Malathion-50 may stain rugs, certain fabrics, and indoor surfaces.
*Reg. TM American Cyanamid Co.



LIMITED WARRANTY: BUYER ASSUMES ALL RISKS OF USE, STORAGE OR HANDLING OF THIS MATERIAL NOT IN STRICT ACCORDANCE WITH DIRECTIONS GIVEN HEREWITH



Prod No 02225

h