

75 101-8
EPA 15
EPA 904-138

7 NOV 1984

300 / 128668
17 / 2

Henry B. Pratt
Pratt Gabriel Division
Miller Chemical & Fertilizer Corp.
P.O. Box 333
Hanover, PA 17331

Dear Mr. Pratt:

Subject: Amendment - General Label Update
Pratt Nocate Systemic Insecticide Granular
EPA Registration No. 904-138
Your Application Dated August 24, 1984

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable. A stamped copy is enclosed for your records.

At the next label printing make the following label revisions:

1. Be certain the child hazard warning and the signal word are the right type size. For the draft labeling submitted it appears the type is too small. Also there are two sets of signal words and child hazard warnings present. Only one is necessary.
2. Delete "Do not apply where runoff is likely to occur" from the environmental hazards.

Sincerely yours,

George T. LaRocca
Product Manager (15)
Insecticide-Rodenticide Branch
Registration Division (TS-767)

Enclosure

DCR-50423:LaRocca:LGE:Kendrick:898-1270:RD-39:10/25/84:Del.11/5/84

CONCURRENCES

SYMBOL ▶							
SURNAME ▶							
▶							

7 NOV 1984

300/130433
17/2

Christopher L. Dozier
1276 Halyard Drive
West Sacramento, CA 95691

Dear Mr. Dozier:


Subject: General Label Update - Puregro Di-Syston PCNB 6.5-6.5
EPA Registration No. 1202-203
Your Application Dated September 10, 1984

The amendment referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA) is acceptable, provided that you make the labeling changes listed below before you release the product for shipment bearing the amended labeling:

1. Delete "May be fatal if swallowed. May be absorbed through skin." Use the following instead "Poisonous if swallowed, inhaled, or absorbed through the skin. Rapidly absorbed through the skin."
2. In the environmental hazards section delete the following text as it is not warranted for these uses "This product must not be used in areas where impact on threatened or endangered species is likely. Contact your State Fish and Game Agency before applying this product."
3. In the statement of practical treatment make the following revisions:
 - a. Delete "splashed" from the subheading as the products is not a liquid.
 - b. Add the following new information:

If inhaled - Remove victim to fresh air and apply artificial respiration if indicated.
 - c. In the note to physician, qualify the use of atropine to only when signs of cholinesterase inhibition are present.

CONCURRENCES

NUMBER SIGNATURE DATE							
-----------------------------	---	--	--	--	--	--	--

25 104 3
10 15
10 15 129-138

7 NOV 1984

300 / 128668
17 / 2

Henry B. Pratt
Pratt Gabriel Division
Miller Chemical & Fertilizer Corp.
P.O. Box 333
Hanover, PA 17331

Dear Mr. Pratt:

Subject: Amendment - General Label Update
Pratt Nocate Systemic Insecticide Granular
EPA Registration No. 904-138
Your Application Dated August 24, 1984

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable. A stamped copy is enclosed for your records.

At the next label printing make the following label revisions:

1. Be certain the child hazard warning and the signal word are the right type size. For the draft labeling submitted it appears the type is too small. Also there are two sets of signal words and child hazard warnings present. Only one is necessary.
2. Delete "Do not apply where runoff is likely to occur" from the environmental hazards.

Sincerely yours,

George T. LaRocca
Product Manager (15)
Insecticide-Rodenticide Branch
Registration Division (TS-767)

Enclosure

DCR-50423:LaRocca:LGE:Kendrick:898-1270:RD-39:10/25/84:Del.11/5/84

CONCURRENCES

SYMBOL ▶							
SURNAME ▶							
▶							

HAZARDS TO HUMANS AND DOMESTIC ANIMALS: WARNING— May be fatal if swallowed. May be absorbed through the skin. Do not get in eyes, on skin or clothing. Do not breathe dust. Wear rubber gloves when handling and applying this product. Wash thoroughly after handling. Keep children and pets off treated areas until material has been washed off the soil. Do not make broadcast applications to lawns or ornamentals such as a teaspoon or measuring cup. Do not be used for food after use with pesticides. **ENVIRONMENTAL HAZARD:** This product is toxic to fish, birds and other wildlife. Do not apply directly to water or wetlands. Do not contaminate water by cleaning of equipment or disposal of waste. Do not apply where runoff is likely to occur.

DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Store in the tightly closed, original container in a locked area away from children and domestic animals. Do not reuse container. Securely wrap closed container in several layers of newspaper and discard in trash.

HOW INSECTS ARE KILLED

SYSTEMIC Insecticide enters a plant through its roots (systemic action) and is then moved to all parts of the plant through natural growth and sap flow. Working from inside the plant, it kills sucking insects that feed on the plant.

RECOMMENDED APPLICATIONS

FOR FLOWERS	TO CONTROL	AMOUNT TO USE
Ageratum Calendula Carnation Chrysanthemum Delphinium Petunia and other flowers	Aphids (plant lice) Lace Bug Leafhoppers Spider Mites Thrips Whiteflies	BEFORE PLANTING: Apply one pound evenly over 200 sq. ft. (10 x 20 ft.) of bed area and work into the top 2-3 inches of soil. Sow seed or set plants and water thoroughly. GROWING PLANTS: For individual plants: Apply 2 rounded teaspoons around base of plant, work into soil and water thoroughly. FOR FLOWERS IN A ROW: Apply 2 rounded teaspoons per foot of row in a narrow band near base of plants. Work into top soil and water thoroughly. Repeat application at 4-6 week intervals if insects reappear. POTTED PLANTS: Apply 2 rounded teaspoons per 8-inch pot. Mix thoroughly in top soil and drench with water.
FOR SHRUBS	TO CONTROL	AMOUNT TO USE
Azalea Birch Camellia Euonymus Moraine locust Pine Rhododendron Roses Yew and other shrubs	Lace Bug Aphids (plant lice) Birch Leaf Miner Holly Leaf Miner Leafhoppers Mimosa Webworm Spider Mites Pine Tip Moth Thrips Whiteflies	Apply 4-8 rounded tablespoons per foot of shrub height. Use the lower rate for shrubs up to 3 ft. and the higher rate for shrubs from 3-6 ft. in height. (For shrubs over 6 ft. in height use MOCULATE Systemic Spray according to label directions.) Distribute the required amount evenly from the base of shrub to the drip line on all sides of the plant. Work into the top 1-2 inches of soil and water thoroughly. Repeat application at 4-6 week intervals if required.
FOR TOMATOES	TO CONTROL	AMOUNT TO USE
	Aphids Fly Beetles Leafhoppers Leaf Miners Mites	IN THE SEED FURROW: Apply 6 oz. per 50 feet of row. Place the granules either below or to one side of the seed. Do not allow seed to come into direct contact with the granules. IN THE TRANSPLANT HOLE: Apply 2 rounded teaspoons per plant in the transplant hole. Mix granules with soil in hole prior to setting plant. USE ONLY AT PLANTING TIME

BUYER ASSUMES ALL RISKS OF HANDLING OF THIS MATERIAL NOT IN ACCORDANCE WITH DIRECTIONS GIVEN HEREWITH