

ACCEPTED

PRATT'S
100% CHLORODANE DUST

ILLUSTRATIONS

LETTER BOOKS, CUTTINGS

AND

LAWN & GARDEN SOIL INSECTS

Active Ingredient:	
*Technical Chlorodane	10.00
Inert Ingredients	30.00
Total	100.00

*Equivalent to 0.7% beta-cyhalothrin, 4.7% methomethoxy, hydroindane and 4.9% related compounds.

CAUTION - KEEP OUT OF REACH OF CHILDREN

See back panel for complete caution statement.

NET WEIGHT: ONE POUND

U.S.D.A. Reg. No. 904 - X
E. I. PRATT COMPANY
PATERSON, N. J.

DIRECTIONS

READY TO USE AT DUST OR SPRAY CONCENTRATION. USE FOR INSECT CONTROL.

GENERAL USE - Mix with a little water to make a thin paste. Stir paste into 1 gallon of water. Apply with brush. For 100% CHLORODANE DUST use as directed on label.

LAWN - For Japanese beetles (adults) - mix with water and apply to lawn. Apply 1 pound to 700 sq. ft. of lawn. Water thoroughly to carry insecticide into soil. For crickets and grasshoppers, fold crickets and crickets water lightly after application. Keep children and pets off treated area until thoroughly dry.

FLOWER AND VEGETABLES - Dust or spray all plant surfaces in the early morning or evening when the air is still. Use to control Ants, Leaf Miners, Leaf Rollers, Thrips, Plant Bugs, Leaf Beetles, Lace Bugs, Japanese Beetles (adults) and certain Caterpillars. For Taxus Weevils, treat lower branches and soil around the base of the plants. Use 1 pound for 700 sq. ft. of soil around plants for Termites, Crickets and Grasshoppers - if necessary.

VEGETABLE GARDEN - Dust into soil for inches of soil around plants and celery at time of planting (1 lb. per 100 sq. ft.) (15 pounds/acre) for cutworms and 1 lb. per 100 sq. ft. (20 pounds/acre) for wire worms. For Flea Beetles and cornborers on tomatoes - Flea Beetles - spray with 1 lb. per 100 sq. ft. and caterpillars, Cucumbers - 1 lb. per 100 sq. ft. and cornborers - 2 lbs. per 100 sq. ft. and squash - 1 lb. per 100 sq. ft. for squash bugs, etc. To avoid occasional injury to cucumbers, melons and squash do not apply when plants are in fruit. Do not apply to any part of the above plants after fruit has begun to form.

HOUSEHOLD USE - For ants, dust or spray in low numbers, cracks, in walls and other crevices. For roaches, dust in cracks and around outside of house foundations. For fruit flies in basins and around buildings. Spray spider webs for house flies. For gnats, dust or spray under any overhangs, eaves, etc. For house flies, dust or spray in evening. Do not use in children's rooms.

CAUTION - Do not inhale dust. Do not get on skin or in eyes. Avoid contact with skin. Wash thoroughly with soap and water. Do not eat, drink, or use tobacco. Do not get treated forage into your mouth or other parts. Dispose of container promptly. KEEP OUT OF REACH OF CHILDREN.

ACCEPTED
2-14-66
904-139