

# BEST AVAILABLE COPY

PM 12 ARRY FRUM FRUM

INSECT SPRAY

ONLY FOR SALE TO, USE AND STORAGE BY SERVICE PERSONS
(For Sizes Over )ne Gallon)

Contains BAYCON® Propoxur

KILLS ANTS, ROACHES, SPIDERS, OTHER CRAWLING INSECTS
LISTED IN AND AROUND 1 ROME

SPRAY ONLY ON SURFACES

DO NOT USE AS A SPACE SPRAY

ACTIVE INGREDIENTS:	BY WEIGHT
o-Isopropoxyphenyl methylcarbamate*	1.0%
Isoparaffinic hydrocarbons	83.7%
INERT INGREDIENTS:	15.3%
TOTAL	100.0%

\*U.S. Patent No. 3,111,539

BAYGON® is a Registered Trademark of the Parent Company of FARBENFABRIKEN BAYER GmbH, Cermany.

EPA Reg. No. 904-149

EPA Est. 72-PA-1

KEEP OUT OF REACH OF CHILDREN

CAUTION

CAUCIÓN

PRECAUCION AL USUARIO: Si usted no lee ingles, no use este producto hasta que la etiqueta haya sido explicado ampliamente.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or Poison Control Center immediately. Drink one

or two glasses of water and induce vomiting by touching back of throat with finger. Repeat until vomit fluid is clear. Do not induce vomiting or give anything by mouth to an unconscious or

convulsing person.

IF INHALED: Remove victim to fresh air. Apply artificial respiration if

indicated.

IF ON SKIN: Remove contaminated clothing. Wash affected area with soap and

water. Launder clothing before reusing.

IF IN EYES: Flush with plenty of water. Get medical attention if irritation

develops.

NOTE TO PHYSICIAN: If signs of cholinesterase inhibition are present, administer

atropine sulfate intravenously. Do not use 2-PAM, optates,

or cholinesterase inhibiting drugs.

ACCEPTED

4PR 2 9 1985

Under the Federal Insecticide, Fungicide, and Redenticide Act, as amended, for the pesticide registered under EPA Reg. No. 104-149 SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

Pratt-Gabriel Division
MILLER CHEMICAL & FERTILIZER CORPORATION
Hanover, Pennsylvania 17331

NET CONTENTS:

1 GALLON LIQUID

5 GALLONS LIQUID

55 GALLONS LIQUID

•

PRECAUTIONARY STATEMENTS

TO HUMANS & DOMESTIC ANIMALS: CAUTION—May be harmful if swallowed, inhaled or absorbed through the skin. Avoid breathing vapors of spray mist and provide adequate ventilation of area being treated. Avoid contact with eyes, skin or clothing. Do not take internally. Wear gloves and long-sleeved work clothing. Wash thoroughly after handling. Change to clean clothing daily. Wash hands and face before eating and smoking. Do not contaminate food or feed. Avoid storage near food or feed products. Keep children and pets out of and off treated areas until spray has dried. Remove pets and cover fish bowls before spraying. Avoid contamination of food, utensils and food preparation areas.

#### ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and wildlife. Birds feeding on treated area may be killed. Do not apply directly to water or wetlands. Do not apply where runoff is likely to occur or when weather conditions favor drift from treated areas. Cover bird baths and fish ponds. Do not contaminate water by cleaning of equipment or disposal of wastes.

#### PHYSICAL OR CHEMICAL HAZARDS


Do not use or store near heat and open flame.


#### DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

STORAGE & DISPOSAL (For One Gallon Sizes & Under) Do not contaminate water, food or feed by storage or disposal. STORAGE: Store in tightly closed, original container in a locked area away from children and domestic animals. Do not reuse empty container. For disposal, securely wrap original container in several layers of newspaper and discard in trash.

STORAGE & DISPOSAL (For Sizes Over One Gallon) Do not contaminate water, food or feed by storage or disposal. STORAGE: Store in tightly closed, original container in a locked area away from children and domestic animals. It not reuse empty container. PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.





### DIRECTIONS FOR USE IN FOOD HANDLING ESTABLISHMENTS

USE IN FOOD HANDSING ESTABLISHMENTS: Places other than private residences in which exposed food is held, processed, prepared or served.
FOOD AREAS—APPLICATION LIMITED TO CRACK AND CREVICE TREATMENT ONLY, includes

FOOD AREAS—APYLICATION LIMITED TO CRACK AND CREVICE TREATMENT ONLY. Includes areas for receiving, storage, packing (canning, bottling, wrapping, boxing) preparing, edible waste storage and enclosed processing systems (mills, dairies, edible oils, syrups). Serving areas (when food is exposed and facility is in operation) also would be considered a food area.

Apply in small amounts directly into cracks and crevices using equipment capable of delivering a pin stream in points between different elements of construction, between equipment and floors, openings leading to voids and hollow spaces in walls, equipment legs and bases, conduits, motor housings, junction or switch boxes, where Roaches, Ants and Waterbugs hide.

Prior to application de-engergize electrical equipment. After application, allow time for oil to evaporate before starting motors or placing switches in "on" position.

APPLICATIONS OF THIS PRODUCT IN THE FOOD AREAS OF FOOD HANDLING ESTABLISHMENTS OTHER THAN AS A CRACK AND CREVICE TREATMENT ARE NOT PERMITTED. SERVING AREAS: Facilities where prepared foods are served, such as dining rooms, but excluding areas where foods may be prepared or held.

Apply as a spot treatment to selective surfaces such as baseboards, under elements of construction into cracks and crevices. Avoid treating surfaces likely to be contacted by food. (Do not apply when facility is in operation or foods are exposed.)

NON-FOOD AREAS: Includes garbage rooms, lavatories, floor drains (to sewers), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage (after canning or bottling).

Apply to baseboards areas, around water pipes, surfaces behind and beneath sinks, lockers, tables, pallets and similar areas where insects hide or through which they may enter.

#### DO NOT APPLY AS A SPACE SPRAY.

B.G.N. HOUSEHOLD INSECT SPRAY is a highly effective new formulation which provides rapid kill of crawling insects listed below, including those resistant to certain chlorinated hydrocarbon and phosphate insecticides.

Ants Fleas Roaches Spiders Saw-toothed grain beetles (exposed stage) Earwins Brown dog ticks Millipedes Sowbugs Scorpions Clover Mites Silverfish Crickets pg 3013.

In addition to rapid kill, B.G.N. Household Spray stays on treated surfaces and kills insects for up to two weeks after the spray deposit has dried.

HOW TO USE: B.G.N. Household Insect Spray is ready to use undiluted as it comes from the can, and may be applied with either power-operated or hand sprayers. Apply as a coarse spray to infested surfaces until wet, moving the spray stream rapidly enough to prevent excessive wetting of surfaces and waste of material. Direct spray away from people, plants and pets.

RESTRICTIONS: Do not apply to rugs, carpets, draperies, wallpaper, or similar materials that may be stained. Avoid excessive wetting of plastic, rubber and asphalt surfaces such as tiles and floor coverings. Do not allow the small, finger-operated, plastic attachment type sprayer to remain in B.G.N. Insect Spray solution for extended periods as the plastic sprayer may be damaged.

#### **OUTDOOR USE:**

ANTS, CLOVER MITES, CRICKETS, EAHWIGS, FLEAS, MILLIPEDES, SOWBUGS, AND BROWN DOG TICKS: Spray infested areas thoroughly including outside surfaces of screens, doors, window frames, foundations, patios, or other places where insects may enter. For ants, spray hills and runways. Repeat as necessary Do not spray vegetation.

#### INDOOR USE:

ANTS, COCKROACHES, CRICKETS, SILVEFEISH, SPIDERS, SCORPIONS, WATERBUGS: Spray into cracks, crevices and around baseboards. A ply behind and beneath cabinets, refrigerators, sinks, stoves, and in and around waste containers. Repeat as needed. Do not spray foodstuffs or house plants. For ants, spray trails and places where ants enter premises. Do not allow children to contact treated areas until surfaces are thoroughly dry.

**BROWN DOG TICKS:** Spray sleeping quarters of pets, around baseboards, window and door frames, • wall cracks, and local areas of floors. Repeat as needed. Fresh bedding should be placed in animal quarters after spraying. Do not spray animals.

LIMITED WARRANTY: BUYEP ASSUMES ALL RISKS OF USE, STORAGE OR HANDLING OF THIS MATERIAL NOT IN STRICT ACCORDANCE WITH DIRECTIONS GIVEN HEREWITH.



### BEST AVAILABLE COPY

## - Japkins

## 10% SEVIN® GRANULES

FOR THE CONTROL OF EUROPEAN CORN BORER
AND FOR THE CONTROL OF TURF INSECTS

**ACTIVE INGREDIENT:** 

Carbaryi (1-naphthyl methylcarbamate)
INERT INGREDIENTS:

10%

90% 100%

TOTAL . . 100% Registered trademark of Union Carbide Corporation for the active ingredient carbaryl EPA Reg. No. 2393-208AA

EPA Est. 2393-WI-1

KEEP OUT OF REACH OF CHILDREN AND DOMESTIC ANIMALS

#### CAUTION

#### STATEMENTS OF PRACTICAL TREATMENTS

If on Skin: Wash thoroughly with soap and water.

If in Eyes: Flush with water for at least 15 minutes and get

medical attention.

If Swallowed: Induce vomiting by drinking 1 or 2 glasses of water and touching back of throat with finger or blunt object. Call a physician or Poison Control Center immediately. Do not

induce vomiting or give anything by mouth to an unconscious

person.

NOTE TO PHYSICIAN: Carbaryl is a moderate, reversible, cholinesterase

inhibitor. Atropine is antidotal. Do not use 2-PAM,

opiates, or cholinesterase-inhibiting drugs.

See Side Panels For Additional Precautionary Statements

Manufactured by

HOPKINS AGRICULTURAL CHEMICAL CO. Madison, Wisconsin 53707 USA

NET CONTENTS

ACCEPTED

APR 2 9 1985

Under the Federal Insecticide, Fungicide, and Rodentiaide Act, as amended, for the pesticide registered under, EPA Reg. No. 2393-205

POUNDS