LETTUCE [illegible] Aphids [illegible] Leaf Lettuce and [illegible] days of harvest [illegible] MBER [illegible] ANTALOUPES [illegible] CRENSHAWS HONEYDEWS HONEYBALLS MUSKMELONS PERSIANS WATERMELONS and Hybrids of these [illegible] Aphids [illegible] Mites Cucumber Beetle [illegible] days of harvest [illegible] Aphids [illegible] days of harvest [illegible] Aphids [illegible] days of harvest [illegible] MA [illegible] 10 days of harvest BLACKBERRIES [illegible] Beetle [illegible] RANBERRIES [illegible] Spittlebug Nymphs [illegible] To control Aphids Sap Beetle [illegible] control Aphids Whitefly [illegible] Mites [illegible] Bug and Fruit Beetle [illegible] BLACKBERRIES [illegible] Harvest [illegible] CRANBERRIES STRAWBERRIES [illegible]

MOSQUITO CONTROL [illegible] MOSQUITO LARVAE [illegible] Water [illegible] MA [illegible] 28 [illegible] per gallon [illegible]

CATTLE SPRAY [illegible] mixed with 100 gallons of water [illegible] Water Repellent [illegible] TO LACTATING DAIRY ANIMALS DO NOT TREAT [illegible] LACTATING DAIRY ANIMALS [illegible] rubbing devices [illegible] Malathion [illegible] Health [illegible]

POULTRY HOUSE SPRAY [illegible] Malathion [illegible] Malathion [illegible] fountains.

MUSHROOMS [illegible] Apply by watering [illegible] Water [illegible]

COMPATIBILITY Malathion [illegible] and Bordeaux [illegible]

ACCEPTED

JUL 15 1975

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. [illegible]

B·G

PRATT

SINCE 1904

EC 5 MALATHION SPRAY

Contains CYTHION*, The Premium Grade Malathion

AN EMULSIFIABLE CONCENTRATE
Contains- 5 Pounds of Premium Malathion Per Gallon

		BY WEIGHT
ACTIVE INGREDIENTS		
Malathion**		57%
Aromatic Petroleum Derivative Solvent		36%
INERT INGREDIENTS		7%
	TOTAL	100%

*Registered Trademark of American Cyanamid Company
**O O-dimethyl dithiophosphate of diethyl mercaptosuccinate

CAUTION: KEEP OUT OF REACH OF CHILDREN.

Harmful if swallowed [illegible] and domestic animals. Avoid contact with feed and foodstuffs.
NOTE TO PHYSICIANS Malathion [illegible] prolonged use may cause [illegible]
DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME
ENVIRONMENTAL CAUTION

[illegible]

[illegible]

[illegible] NOT REUSE EMPTY CONTAINERS OR MIX, REUSE, NOR [illegible] REGISTERED PESTICIDE [illegible] AND BURY IN A SAFE PLACE AWAY FROM WATER SUPPLIES.

[illegible] STORAGE [illegible] HANDLING [illegible] MATERIAL [illegible] AND [illegible] THE [illegible] SEVEN HEALTH [illegible]

NET CONTENTS [illegible] 1 5 15 30 55 GALLONS

EPA Reg No 904-153

EPA Est 904-NJ-1

Prod No 6900

B·G PRATT

EC 5 MALATHION SPRAY

Contains CYTHION®,

The Premium Grade Malathion

AN EMULSIFIABLE CONCENTRATE

Contains- 5 Pounds of Premium Malathion Per Gallon

ACTIVE INGREDIENTS	BY WEIGHT
Malathion**	57%
Aromatic Petroleum Derivative Solvent	36%
INERT INGREDIENTS	7%
TOTAL	100%

*Registered Trademark of American Cyanamid Company

**O,O-dimethyl dithiophosphate of diethyl mercaptosuccinate

CAUTION: KEEP OUT OF REACH OF CHILDREN.

[illegible]

NOTE TO PHYSICIANS Malathion poisoning may cause [illegible]

DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME

ENVIRONMENTAL CAUTION

[illegible] marshes and estuaries. Do [illegible] wastes. [illegible]

[illegible] Cooperative Agricultural Extension Service.

DO NOT REUSE EMPTY DRUM. RETURN TO DRUM RECONDITIONER OR DESTROY BY PERFORATING, CRUSHING AND BURYING IN A SAFE PLACE AWAY FROM WATER SUPPLIES.

BUYER ASSUMES ALL RISKS OF USE, STORAGE OR HANDLING OF THIS MATERIAL NOT IN STRICT ACCORDANCE WITH THE DIRECTIONS GIVEN HEREWITH.

B.G. Pratt Division Gabriel [illegible]

NET CONTENTS: 1 5 15 30 55 GALLONS

EPA Reg No. 904-153

EPA Est 904 NJ 1

Prod. No. 6900

DIRECTIONS

Please read entire label before using

GENERAL DIRECTIONS [illegible] spray directed [illegible] contact as many insects as possible and to [illegible] directed [illegible] water.

FLOWERS, ORNAMENTALS and SHADE TREES [illegible] pints per 100 gallons of water in hydraulic [illegible] per 100 gallons of water [illegible] flowers manufacturer's directions for dilutions based on [illegible] recommendations. APHIDS [illegible] EUROPEAN PINE SHOOT MOTH on pines. JAPANESE BEETLE adults on roses, flowers, flowering ornamentals. LEAF HOPPERS on hawthorn, poplar, willow. MEALY BUGS and SCALE INSECTS on azalea, rhododendron, laurel, andromeda, taxus. THRIPS (exposed) on roses and flowers. TARNISHED PLANT BUG on ornamentals, fruit trees and flowers. SAWFLIES on ash, larch, pines, spruce. LACEBUG on rhododendron, azalea. [illegible] insects per 100 gallons [illegible] other flowing insects. LEAF MINER on birch, boxwood. Apply early to mid May. Repeat 10 days. TENT CATERPILLARS on flowering ornamentals. Apply when scale crawlers appear on the following insects. OAK [illegible] FLETCHER SCALE on taxus, juniper, arborvitae. FLORIDA JUNIPER SCALE on ornamental evergreens. [illegible] SCALE on Pachysandra. PINE NEEDLE or ALE on pines.

FRUIT, FORBES SCALE on apples and pears use [illegible] per 100 gallons of water when scale crawlers appear. PLUM CURCULIO on [illegible] peaches and pears use 2 pints per 100 gallons of water at petal fall or shuck and 10 days later. Repeat applications as necessary. TWO SPOTTED SPIDER MITES on cherries, peaches and plums use 2 pints per 100 gallons of water. EUROPEAN RED MITES on apples, cherries and plums use [illegible] per 100 gallons of water. APHIDS on apples, berries, peaches, pears & [illegible] per 100 gallons of water.

NOTE MAY CAUSE INJURY TO BOSC PEARS IN THE NORTHEAST AND MC INTOSH AND CORTLAND VARIETIES OF APPLES IF APPLIED WITHIN 4 WEEKS OF HARVEST

DO NOT APPLY within the following days of harvest: Pears [illegible] days, Apples [illegible], Berries [illegible], Plums [illegible] days, Peaches 7 days.

APPLICATIONS SHOULD NOT EXCEED [illegible] gallons per acre: Apples [illegible], Pears 2 gallons per acre, Plums 1 [illegible] gallons per acre, [illegible] gallons per acre, Berries [illegible].

DIRECTIONS FOR BERRY, FIELD, FORAGE, AND VEGETABLE CROPS

FOR GROUND APPLICATIONS on the crops listed, unless otherwise noted, the specified amounts of the emulsifiable liquid should be applied in sufficient water for good coverage, usually 25-50 gallons of water per acre. AERIAL APPLICATIONS should be made in 2-10 gallons of water per acre. Do not make applications when wind exceeds 5 miles per hour. Repeat applications should be made as needed, unless otherwise indicated. Observe all label directions for dosage and application limitations.

ALFALFA: [illegible] Aphids, Spotted [illegible] Mite. Alfalfa weevil, larvae at 1-5 [illegible] per acre. [illegible] pints per acre. NOTE: Apply alfalfa [illegible] the evening, early morning when bees are not working in the field or are not hanging [illegible] hives. Do not apply within 7 days of harvest. [illegible] BEETLE [illegible] control: Mexican Bean Beetle and Green [illegible] control: Aphids, use 1½ to 2½ pints per acre. NOTE: [illegible] dosage in plant bed. Do not apply within [illegible] days [illegible] ASPARAGUS: To control Asparagus beetle, Asparagus Aphid and Thrips, repeat sec. stages, use [illegible] per [illegible] within [illegible] day of harvest. COLE CROPS: BROCCOLI, BRUSSELS SPROUTS, CABBAGE, CANTALOUPES, KALE, [illegible] PARSLEY, SWISS CHARD, TURNIPS, WATERCRESS: [illegible] per acre. Do not apply within 3 days [illegible] within 7 days of harvest. [illegible] harvest. [illegible] Aphids and [illegible] within 7 days of harvest.