




TOMATO and VEGETABLE DUST OR SPRAY



TOMATO & VEGETABLE DUST OR SPRAY



**KILLS COMMON INSECTS
CONTROLS DISEASES
ON VEGETABLES**

ACTIVE INGREDIENTS: By Weight
Rotenone not less than .75%
Other Cube Resins 1.50%
Copper (in Basic Copper Sulphate)
expressed as metallic copper 7.00%
INERT INGREDIENTS not more than 90.75%
Total 100.00%

U.S.D.A. Registration No. 904-174

CAUTION: KEEP OUT OF REACH OF CHILDREN

See back panel for complete "CAUTION" statement

NET WEIGHT ONE POUND



TOMATO and VEGETABLE DUST OR SPRAY

DIRECTIONS

Please Read Entire Label Before Using.

For control of common insects and diseases in the home garden keep all plant surfaces thoroughly covered throughout the growing season with weekly applications.

DUSTING: Material is ready for use and can be dusted from the sifter can or transferred to a dust gun. The best time to apply is early morning or late afternoon.

SPRAYING: Prepare a thin, smooth paste by mixing a little water with 6 to 8 tablespoonfuls of material. Add paste to water in sprayer to make one gallon. Mix thoroughly. Apply with sprayer designed for garden use. 1 lb. makes 10 gallons of spray. **AGITATE SPRAY WHILE USING.** Do not store mixed spray.

INSECTS and DISEASES CONTROLLED

TOMATOES

| | | |
|--------------|-----------|-------------|
| Early blight | Aphis | Fruit worm |
| Late blight | Leaf spot | Flea beetle |

POTATOES, EGGPLANT, CELERY

| | |
|---------------------------|------------------------|
| Early blight, Late blight | Flea beetle |
| Anthracnose | Colorado potato beetle |

CUCUMBERS, MELONS, RELATED PLANTS

| | |
|-------------------|--------------------------|
| Scab | Striped cucumber beetle |
| Angular leaf spot | Spotted cucumber beetle |
| | Macrosporium leaf blight |

BEANS

| | |
|-------------|---------------------|
| Anthracnose | Mexican bean beetle |
|-------------|---------------------|

STRAWBERRIES

| | |
|-----------|-------------|
| Leaf spot | Spittle bug |
|-----------|-------------|

GRAPES

| | |
|------------|-------------------|
| Black spot | Grape flea beetle |
|------------|-------------------|

CAUTION

HARMFUL IF SWALLOWED OR INHALED.

Wash thoroughly after handling.

Keep out of reach of children.

Do not apply within one day of harvest.

Fish may be killed if exposed to this product.

Do not contaminate public water or ponds.

NOTICE

Buyer assumes all risk of use, storage or handling of this material not in strict accordance with directions given herewith.

This material is packed at full net weight as listed. It is subject to settling and may appear less than full.

PACKAGED BY

B. G. PRATT COMPANY, PATERSON, N. J. 07059

© 1969 B. G. P. Co.

904-174
9/1/70
P1132

ACCEPTED
SEP 1 1970
UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTER.
ED UNDER NO. 904-RT11

174
FS 904-RT11

4.30.50

10.30.50

10.30.50

10.30.50