

10/1/70

904-176

19183



1% ROTENONE

1% ROTENONE  
DUST OR SPRAY

1% ROTENONE

DUST  
OR  
SPRAY

DUST  
OR  
SPRAY

**A**  
**BOTANICAL INSECTICIDE  
FOR CONTROL OF CERTAIN  
CHEWING INSECTS ON  
FLOWERS &  
VEGETABLES**

*As listed on  
back panel.*

ACTIVE INGREDIENTS:	By Weight
Rotenone	2.0%
Other Cube Resins	7.0%
INERT INGREDIENTS	91.0%
	Total 100.0%

U.S.D.A. Registration No. 904-176

See back panel for additional cautions.

NET WEIGHT ONE POUND

— Insecticide Manufacturers Since 1904 —

## DIRECTIONS

Pratt's 1% Rotenone Dust or Spray is used directly as a dust or diluted for spraying at the rate of 1 pound to 10 gallons of water (6 level tablespoonfuls to 1 gallon of water). Dust or spray thoroughly, taking care to cover all plant surfaces. Begin applications when insects appear, and repeat at intervals of a week to ten days as long as protection is needed. Pratt's 1% Rotenone Dust or Spray is intended for use for such purposes where a 1% rotenone is recommended by state or federal authorities. Do not apply within 24 hours of harvest on vegetables.

### INSECTS CONTROLLED ON FLOWERS

ASTER—Aster Beetle	GLADIOLUS—Aphids
CHRYSANTHEMUM—Aphids & Thrips	ROSE—Aphids, Flea Beetle, Rose Slug & Japanese Beetle (Adults)
DAHLIA—Aphids	

### INSECTS CONTROLLED ON VEGETABLES

ASPARAGUS—Asparagus Beetles

BEANS—Mexican Bean Beetle & Bean Leaf Beetle.

BEETS (Garden), CARROTS, EGG PLANT & PEPPERS—Flea Beetle.

CABBAGE, CAULIFLOWER, BROCCOLI, BRUSSELS SPROUTS—Imported Cabbage Worm and Cabbage Looper. Begin applications as soon as plants are established in the field.

MELONS, SQUASHES & CUCUMBERS—Striped & Spotted Cucumber Beetles. To reduce damage keep plants thoroughly covered with dust or spray throughout the season.

PEAS—Pea Aphids & Pea Weevil.

TOMATOES—Aphids, Fruit Worm & Flea Beetle.

Do not apply within 24 hours of harvest on vegetables.

Remove any spray residue at harvest by washing edible portions.

**CAUTION:** Harmful if swallowed. Avoid inhalation of dust.

**NOTICE:** Buyer assumes all risks of use, storage, or handling of this material not in strict accordance with directions given herewith.

This material is packed at full net weight as listed. It is subject to settling and may appear less than full.

### AGITATE WHILE USING

383

**ACCEPTED**

OCT 1 1970

UNDER THE FEDERAL INSECTICIDE  
FUNGICIDE AND RODENTICIDE ACT  
FOR ECONOMIC POISON REGISTE  
ED UNDER NO. 904-176

904-RTA