

Best Available Copy

tion on the label and is reasonably fit for the use therein described when used in accordance with the directions for use.

Any damages arising from a breach of this warranty shall be limited to direct damages, and shall not include consequential commercial damages such as loss of profits or values, etc.

B. G. Pratt Company makes no other express or implied warranty, including any other express or implied warranty of FITNESS or of MERCHANTABILITY. BUYER assumes the risk of any use contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable by B. G. Pratt Company.

HOUSEFLIES

Residual Wall Sprays: For the control of houseflies, including resistant strains, in dairy barns, hog pens, calf barns, poultry houses and other farm buildings, apply a 1% residual spray to the stanchions—ceilings, walls, stanchions, etc. Prepare the spray by mixing 1 pint of CYGON 2-E in 3 gallons of water. Thoroughly wet all fly resting areas to the point of run-off. One gallon of spray will cover 500 to 1,000 square feet of surface. Repeat applications should be made when necessary.

Remove all animals from building when applying residual wall sprays.

CYGON 2-E IS ACCEPTABLE FOR USE AS A RESIDUAL-TYPE INSECTICIDE IN AND AROUND FEDERALLY INSPECTED MEAT-PACKING PLANTS. DO NOT USE IN COMMERCIAL FOOD PREPARATION AREAS OR IN EDIBLE PRODUCTS AREAS OF FOOD PROCESSING PLANTS.

The U.S.D.A. Reg. No. 904-179

B. G. PRATT COMPANY, PATERSON, N. J. 07509

©1970 B.G.P. Co.

B. G. PRATT
A trademark of American Cyanamid Co.

CYGON 2-E SYSTEMIC INSECTICIDE

CONTROLS HOUSEFLIES & INSECTS & MITES ON ORNAMENTAL PLANTS
For control of insects and mites
(refer to attached folder.)

ACTIVE INGREDIENTS	By Weight
Dimethoate	23.4%
INERT INGREDIENTS	76.6%
	100.0%

See back panel for directions and other warnings.
NET CONTENTS: 1 GALLON

WARNING

HARMFUL OR FATAL IF SWALLOWED. VAPOR HARMFUL. CONCENTRATED MATERIAL CAUSES EYE IRRITATION. COMBUSTIBLE.

Avoid breathing vapor or spray mist. Use only with adequate ventilation. Avoid contact with skin and eyes. Wash thoroughly after handling. Do not contaminate food or feed products. Keep away from heat and open flame.

FIRST AID: In case of contact with eyes, flush eyes with plenty of water for at least 15 minutes; get medical attention.

NOTE TO PHYSICIANS: This product, upon repeated or prolonged use, may cause cholinesterase inhibition. Atropine is antidotal.

This product is toxic to wildlife. Birds feeding on treated areas may be killed. Do not apply when weather conditions favor drift of spray from areas treated.

Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment, or disposal of wastes.

DO NOT STORE BELOW FREEZING TEMPERATURES.

Rinse spills on outside of bottle after use. When empty, wash thoroughly with water containing a household detergent. Recap and discard bottle. Never reuse.

Do not use this product for any uses other than those specified on this labeling.

DIRECTIONS FOR USE

DISCLAIMER

B. G. Pratt Company warrants only that the material contained herein conforms to the chemical descrip-

WP-11032-2-6-71

904-179 3-31-72


1093

Best Available Copy

2013

OUTDOOR ORNAMENTAL PLANTS

This product is toxic to wildlife.
 Do not spray on treated areas may be killed.
 Do not apply when weather conditions favor drift of spray from areas treated.
 CYGON 2-E is generally effective in controlling aphids, mealybugs, leaf miners, scales, leathoppers and mites for proper timing of treatment for the control of specific pests on ornamental plants, consult your state agricultural experiment station or state agriculture extension service.
 Make adequate sprays when pests appear or when damage is first observed. Do not overuse or overwater. Do not use on ornamental plants not listed. Do not use on any ornamental stock plants grown as a source of propagation material, such as cuttings, layers, root stocks or scions for grafting or budding. Do not use in spray nurseries containing oil. Do not use on plants growing in greenhouses.
 The uses listed below are for spot sprays unless otherwise indicated.



Trademark American Cyanamid Co.

ORNAMENTAL PLANTS	PEST CONTROLLED	TEASPOONFULS PER 1/2 GAL. WATER	TABLESPOONFULS PER 3 GALS. WATER
Azaleas	Leaf Bugs Leaf Miners Mites Tea Scale White Flies	1	2
Camelias	Aphids Camellia Scale Mites Tea Scale	1	2
Roses	Aphids Leathoppers Mites Thrips	1	2
Birch	Aphids Leaf Miners	1/2	1
Botanod	Leaf Miners Mealy Bugs Mites	1	2
Euonymus	Aphids Scale	2	4
Gladiolus	Aphids Thrips	1	2
Hemlock	Mites Scale	1	2
Hydrangea	Aphids Fagworms Midges Mites	2	4
Pine	Aphids Bark Beetles Europeen Pine Sawfly Nymphs Zinnelike Bark Beetle	2	4

CONTROLS HOUSEFLIES & INSECTS & MITES ON ORNAMENTAL PLANTS
 For control of houseflies refer to container label.

B. G. PRATT COMPANY
 PATERSON, NEW JERSEY 07509

Printed in U.S.A.

The use of the within contained material for systemically protecting living plants is covered by Patent No. 3,210,242. The selling price includes a royalty for the right of any purchaser of said material to practice the methods claimed in said patent. A non-transferable license under said patent may be obtained from American Cyanamid Company on current royalty terms whatever the source of material used.

CYGON 2-E IS ACCEPTABLE FOR USE AS A RESIDUAL-TYPE INSECTICIDE IN AND AROUND FEDERALLY INSPECTED MEAT-PACKING PLANTS EXCEPT WHERE MEAT FOOD PRODUCTS ARE PROCESSED OR HANDLED.

DIRECTIONS FOR USE
DISCLAIMER

B. G. Pratt Company warrants only that the material contained herein conforms to the chemical description on the label and is reasonably fit for the use therein described when used in accordance with the directions for use.

Any damages arising from a breach of this warranty shall be limited to direct damages, and shall not include consequential commercial damages such as loss of profits or values, etc.

B. G. Pratt Company makes no other express or implied warranty, including any other express or implied warranty of FITNESS or of MECHANICALITY.

BUYER assumes the risk of any use contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable by B. G. Pratt Company.

HOUSEFLIES

Residual Wall Sprays:
 For the control of houseflies, including resistant strains, in dairy barns, hog pens, calf barns, poultry houses and other farm buildings, apply a 1% residual spray to the ceilings, walls, stanchions, etc. Prepare the spray by mixing 1 pint of CYGON 2-E in 3 gallons of water. Thoroughly wet all fly-resting areas to the point of run-off. One gallon of spray will cover 500 to 1,000 square feet of surface. Repeat applications should be made when necessary.
 Remove all animals from buildings when applying residual wall sprays.

Spot Sprays:
 For localized housefly control, apply a spray containing 1/2 pint of CYGON 2-E in 5 quarts of water with a knapsack or similar type sprayer to areas frequented by flies, such as doorways, around windows, etc.
 Repeat applications should be made when necessary. Good sanitation is a necessary part of any effective fly control program.
Maggot Sprays:
 For the control of housefly maggots, mix 1/2 pint of CYGON 2-E in 5 quarts of water and apply as a coarse spray or with a sprinkling can to fly-breeding areas, such as poultry droppings in caged-layer houses, garbage dumps and manure piles.
 Repeat application as additional manure or garbage is added.

General Outside Use:
 For the control of houseflies around homes and recreation areas, garbage cans, animal quarters, food-processing plants, warehouses, loading docks and refuse areas, thoroughly spray exposed surfaces, such as walls, fences, garbage and refuse containers with 1 pint of CYGON 2-E in 3 gallons of water.
 Repeat applications should be made when necessary.
DO NOT CONTAMINATE FEED AND FOODSTUFFS, DRINKING FOUNTAINS, LITTER AND FEED TROUGHS. DO NOT USE IN MILK-PROCESSING ROOMS, INCLUDING MILK HOUSES AND MILK STORAGE ROOMS. DO NOT USE IN HOMES.

3043

ACCEPTED
MAR 31 1972
UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC PESTICIDE REGISTER-
ED UNDER NO. _____ SUBJECT
TO ATTACHED COMMENTS.

904-179