

G.B.



SINCE 1904

# RED ARROW INSECT SPRAY

for FRUITS,  
FLOWERS,  
VEGETABLES,  
ORNAMENTALS

A BOTANICAL INSECTICIDE CONCENTRATE

**PATIO SPRAY:** To reduce the annoyance of Mosquitoes and gnats on PATIOS around the home grounds and in other recreational areas, apply a solution of six table-spoonfuls (3 fl. oz.) of RED ARROW INSECT SPRAY in each gallon of water. Use a fine mist to penetrate hiding and resting places such as grass, shrubs, and ornamentals. Treat as large an area as possible surrounding the patio or grounds to be kept mosquito and gnat free. Repeat application as necessary. Apply at the rate of two pints of RED ARROW INSECT SPRAY per acre.

**WARNING:** Poisonous if swallowed or absorbed through skin. Do not get in eyes, on skin or clothing. In case of contact, wash immediately with soap and water. Wash all contaminated clothing with soap and hot water before re-use. Keep container closed and away from heat or open flame. Keep out of reach of children.

Fish may be killed if exposed to this product. Do not contaminate public water or ponds which drain into public waters.

**NOTICE:** Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

<b>ACTIVE INGREDIENTS:</b>	By Weight
Pyrethrins	0.5%
Rotenone	1.5%
Other Cube Resins	3.0%
Technical Piperonyl Butoxide*	3.0%
Xylene	85.0%
<b>INERT INGREDIENTS:</b>	7.0%
	<hr/>
Total	100.0%

\*Equivalent to 2.4% (Butylcarbityl) (6-propylpiperonyl) ether and 0.6% related compounds.

**AGITATE WHILE USING**  
U.S.D.A. Reg. No. 904-184

**B. G. PRATT CO. • INSECTICIDES • PATERSON, N.J. 07509**

©1970 BGP Co

**WARNING: KEEP OUT OF REACH OF CHILDREN**

See side panel for complete warning statement

**NET CONTENTS: 1 PINT**

**ACCEPTED**  
Oct 21 1970

IN THE FEDERAL INSECTICIDE  
REGISTRATION ACT  
PATERSON, REGISTER  
SUBJECT  
COMMENTS.

**DIRECT**

**FOLIAR SPRAY:** Mix 1 table-spoonful of Arrow Insect Spray in each gallon of water. Use a fine mist to penetrate hiding and resting places such as grass, shrubs, and ornamentals. Treat as large an area as possible surrounding the patio or grounds to be kept mosquito and gnat free. Repeat application as necessary. Apply at the rate of two pints of RED ARROW INSECT SPRAY per acre.

### LIST OF INSECTS

Aphids, leafhoppers, exposed Beetle, and Mites such as spotted Spider Mites, and FLOWERS, VEGETABLES\*\*, S ORNAMENTALS.  
Mealy Bug and Whitefly on plants. Rose Chafer, Midge, and Mexican Bean Beetles and Flea Beetle on Tomatoes.  
Cankerworm and Lace Bug on

To be used on the following  
Apples Blackber  
Cherries Peaches  
Grapes

\*\*To be used for pre-harvest  
VEGETABLES:  
Asparagus Cucumb  
Beets Turnips  
Tomatoes Beans

Do not apply in excess of 0  
INSECT SPRAY per acre on F

B  
G

PRATT

SINCE 1904

# RED ARROW INSECT SPRAY

for FRUITS,  
FLOWERS,  
VEGETABLES,  
ORNAMENTALS

**A BOTANICAL INSECTICIDE CONCENTRATE**

**WARNING: KEEP OUT OF REACH OF CHILDREN**

See side panel for complete warning statement

**NET CONTENTS: 1 PINT**

of Mosquitoes  
ounds and in  
of six table-  
CT SPRAY in  
etrate hiding  
and ornamen-  
rounding the  
gnat free. Re-  
e rate of two  
cre.

orbed through  
ig. In case of  
water Wash  
not water be-  
ay from heat  
n.

t. Do not con-  
in into public

orage or han-  
ce with direc-

By Weight

0.5%  
1.5%  
3.0%  
3.0%  
85.0%  
7.0%

100.0%

(piperonyl)

## DIRECTIONS

**FOLIAR SPRAY:** Mix 1 tablespoonful (1/2 fl. oz.) of Red Arrow Insect Spray in each gallon of water for a general insect spray on FLOWERS, FRUITS, VEGETABLES, SHADE TREES, and ORNAMENTALS around Homes, Estates, Parks and Institutions. When insects appear, direct spray to hit as many as possible and to thoroughly cover all plant surfaces, particularly the undersides of leaves. Repeat at weekly intervals or as necessary. Application may be made on FRUITS and VEGETABLES up to within one day of harvest.

## LIST OF INSECTS CONTROLLED

Aphids, leafhoppers, exposed Thrips, adult Japanese Beetle, and Mites such as European Red Mite, Two-spotted Spider Mites, and Clover Mite on FRUITS\*, FLOWERS, VEGETABLES\*\*, SHADE TREES, and ORNAMENTALS.

Mealy Bug and Whitefly on potted and greenhouse plants. Rose Chafer, Midge, and Slug on Roses.

Mexican Bean Beetles and Bean Leaf Beetles on Beans. Flea Beetle on Tomatoes.

Cankerworm and Lace Bug on Ornamentals.

\*To be used on the following FRUITS:

Apples	Blackberries	Currants
Cherries	Peaches	Pears
Grapes		

\*\*To be used for pre-harvest spray on the following VEGETABLES:

Asparagus	Cucumbers	Squash
Beets	Turnips	Celery
Tomatoes	Beans	Carrots

Do not apply in excess of one gallon of RED ARROW INSECT SPRAY per acre on FRUITS and VEGETABLES.

N. J. 07509

RED  
21 1970

INSECTICIDE  
401 401  
SUBJECT