

RESTRICTED USE PESTICIDE (Type Size Same as Signal Word)

For application only by or under the direct supervision of a certified applicator. Aerial application of Lindane is prohibited.

PRATT BORER SPRAY

For control of Borers on woody ornamentals, Pines Weevils, Northern Pine Weevils, Taxus Weevils, Pine Root Collar Weevils, White Pine Weevils, Engraver Beetles, Southern Pine Beetles, Turpentine Beetles.

ACTIVE INGREDIENTS:	BY WEIGHT
Gamma Isomer of Benzene Hexachloride from Lindane-----	20.0%
Cyclohexanone-----	5.0%
INERT INGREDIENTS:-----	75.0%
TOTAL-----	100.0%

ONLY FOR SALE TO, USE AND STORAGE BY SERVICE PERSONS

KEEP OUT OF REACH OF CHILDREN

WARNING

STATEMENT OF PRACTICAL TREATMENT

THIS PRODUCT CONTAINS AROMATIC
PETROLEUM DERIVATIVE SOLVENTS

IF SWALLOWED: Call a physician or Poison Control Center immediately. Gastric lavage is indicated if material was taken internally. DO NOT INDUCE VOMITING unless other treatment is not available. Vomiting may cause aspiration pneumonia. If necessary to induce vomiting, it should be done under medical supervision. Drink one or two glasses of water and induce vomiting by touching the back of the throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.

IF INHALED: Remove victim to fresh air. Apply artificial respiration if indicated.

IF ON SKIN: Remove contaminated clothing. Wash affected area with plenty of soap and water. Launder clothing before reusing.

IF IN EYES: Flush with plenty of water. Call a physician immediately.

EPA Reg. No. 904-185

EPA Est. No. 72-PA-1

PRATT-GABRIEL DIVISION
MILLER CHEMICAL & FERTILIZER CORPORATION
Hanover, Pennsylvania 17331

NET CONTENTS: [] [] [] [] GALLONS
 5 30 55

APPROVED
DATE
BY

MAR 1971

BEST DOCUMENT AVAILABLE

Under the provisions of the
Federal Insecticide, Fungicide,
and Rodenticide Act
the following information is
being furnished to you
for your information only
and is not to be used for
any other purpose
without the express written
consent of the EPA
1-10-71

PRATT FUMER SPRAY
904-185

PRECAUTIONARY STATEMENTS

Keep out of reach of children.

WARNING: May be fatal if swallowed. May be absorbed through the skin. Do not breathe spray. Avoid contact with skin and eyes. Do not use on household pets. If sprayed, wear the following protective clothing during the application: a light-weight protective suit or coveralls; water-resistant hat; unlined, waterproof gloves; and unlined, lightweight boots. Farmers and leaders must also wear goggles, face shields, waterproof gloves, and a waterproof apron. Do not contaminate water, food or feed. Food utensils such as teaspoons or spoons should not be used for food purposes after measuring pesticides. Keep children and pets out of treated area until spray dries.

ENVIRONMENTAL HAZARD

This product is toxic to fish, birds and other wildlife. Keep out of any body of water. Do not apply when weather conditions favor drift from areas treated. Do not contaminate any body of water by direct application or by cleaning of equipment or disposal of waste or container. Do not apply where runoff is likely to occur. This pesticide is highly toxic to bees exposed to direct treatment or to residues remaining on the treated areas. Do not apply when bees are actively visiting in the treatment area. Application should be timed to provide the maximum possible interval between treatment and the next period of bee activity.

PHYSICAL AND CHEMICAL PROPERTIES

Do not use or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Store in original container in a locked area. Do not contaminate water, food or feed by storage or disposal. **PESTICIDE DISPOSAL:** Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinse is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: (Metal) Triple rinse (or equivalent). Then offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill or by other approved state or local authority. (Plastic) Containers: Triple rinse (or equivalent). Then offer for reconditioning or recycling or puncture and dispose of in a sanitary landfill, or by incineration; or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

1000 1000 1000 1000

Mix 3 pints per 100 gallons of water of tabeex equivalent 1 gallon of water for the following borers:

CAMBIUM BORERS: Bronze Borer on Birch, Cottonwood, Poplar, and Willow; apply in mid and late June. Flat Headed Apple Borer on ornamental trees and shrubs (flowering cherries, quince, plum, almond and roses); apply at 1 week intervals from June to August. Locust Borer on Locust; apply in early June. Two lined Chestnut Borer on Chestnut; make 2 applications in mid and late June. Rhododendron Borer on Rhododendron and Azalea. Stem Borer on Azalea and Dogwood Borer on Dogwood; make 2 to 3 applications at 7 to 10 day intervals in May and early June.

DEEP CROWN WOOD BORERS: Ash Borer on most Ash trees; apply in late June or early July. Jack Borer on Elm; apply in late May; repeat for 3 applications in 2 to 3 weeks. Flat Headed Apple Tree Borer on Mountain Ash and flowering ornamental trees; apply at 1 week intervals from June to August.

PALES AND NORTHERN PINE WEEVILS: For the control of Pales Weevils and Northern Pine Weevils on freshly cut pine stumps make a treatment in March or early April and in October. Use solution equivalent to 1 gallon of Borer Spray (20% Lindane in 40 gallons of water) or 100 oz. Apply to tops and sides of stumps to point of runoff. The addition of NuFum 17 at a rate equivalent to 1 pint per 100 gallons of water (6 oz. per 40 gallons of water) will extend the insecticidal activity of the Lindane. Young seedlings may be sprayed with a solution equivalent to 2 quarts of Borer Spray to 100 gallons of water in early April to May and in October.

SPRUCE GALL APHIDS: For control of Spruce Gall Aphids on Spruce; spray before new growth starts in the Spring using 1 to 2 pints per 100 gallons of water (2 teaspoonful per 2 gallons). Remove galls in August.

TAXUS WEEVILS and PINE ROOT COLLAR WEEVILS: For control of Taxus Weevils and Pine Root Collar Weevils; spray trunks and lower branches and soak the soil around the base of the tree using 3-4 pints per 100 gallons of water (1 tablespoonful per 1 gallon). Apply in June or when insect damage appears.

WHITE PINE WEEVILS: For control of White Pine Weevils on White Pine, Norway White Spruce, Scotch Pine and Japanese Black Pine; spray in April thoroughly, covering terminals using 2 quarts per 100 gallons of water (1/2 tablespoonful per 1 gallon).

Application timing is based for Northeastern States. Consult your State Agricultural Extension Service for timing in other areas.

SOUTHERN PINE BARK BEETLE FAMILY

ENGRAVER BEETLES: For control of Engraver Beetles on yard or Ornamental trees; spray trees using a 1% solution (1 gallon per 40 gallons of water) or 6 tablespoonful per 1 gallon of water. The spray should be used to prevent the attack on a tree as soon as possible after damage has been done to the tree.

SOUTHERN PINE BEETLES: To aid in the control of Southern Pine Beetles on lops, stumps and trees; apply a solution of 2 quarts per 40 gallons of water (2 tablespoonful per 1 gallon) from bark to the point of runoff. For control of Southern Pine Beetles on yard or Ornamental trees when a Southern Pine Beetle epidemic is in the vicinity; spray trees before they are attacked by the beetles using a 1% solution (1 gallon per 40 gallons of water) or 6 tablespoonful per 1 gallon of water. To aid in the control of Southern Pine Beetles on lops, stumps and trees; apply a solution of 2 quarts per 40 gallons of water (2 tablespoonful per 1 gallon) from bark to the point of runoff.

TURPENTINE BEETLES: For control of Turpentine Beetles on yard or Ornamental trees; spray the trunk and base of the tree with a solution of 2 quarts per 40 gallons of water (2 tablespoonful per 1 gallon) from bark to the point of runoff. This treatment will control many of the beetles that are in the tree.

LIMITED WARRANTY: Buyer assumes all risks of loss or damage resulting from the use of this product. No warranty is made by the manufacturer.

BEST DOCUMENT AVAILABLE

2 MAR 1971

$$\frac{300}{17} \bigg/ \frac{116992}{7}$$

100 Bushy Place
Bristol, Rhode Island
Hillier School of Education, Providence, R.I.
110 Clinton Road
Providence, R.I. 02904

1903-4. 12483.

$\frac{d}{dt} \left(\frac{\partial L}{\partial \dot{x}} \right) = \frac{\partial L}{\partial x}$

20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100 101 102 103 104 105 106 107 108 109 110 111 112 113 114 115 116 117 118 119 120 121 122 123 124 125 126 127 128 129 130 131 132 133 134 135 136 137 138 139 140 141 142 143 144 145 146 147 148 149 150 151 152 153 154 155 156 157 158 159 160 161 162 163 164 165 166 167 168 169 170 171 172 173 174 175 176 177 178 179 180 181 182 183 184 185 186 187 188 189 190 191 192 193 194 195 196 197 198 199 200 201 202 203 204 205 206 207 208 209 210 211 212 213 214 215 216 217 218 219 220 221 222 223 224 225 226 227 228 229 230 231 232 233 234 235 236 237 238 239 240 241 242 243 244 245 246 247 248 249 250 251 252 253 254 255 256 257 258 259 260 261 262 263 264 265 266 267 268 269 270 271 272 273 274 275 276 277 278 279 280 281 282 283 284 285 286 287 288 289 290 291 292 293 294 295 296 297 298 299 300 301 302 303 304 305 306 307 308 309 310 311 312 313 314 315 316 317 318 319 320 321 322 323 324 325 326 327 328 329 330 331 332 333 334 335 336 337 338 339 340 341 342 343 344 345 346 347 348 349 350 351 352 353 354 355 356 357 358 359 360 361 362 363 364 365 366 367 368 369 370 371 372 373 374 375 376 377 378 379 380 381 382 383 384 385 386 387 388 389 390 391 392 393 394 395 396 397 398 399 400 401 402 403 404 405 406 407 408 409 410 411 412 413 414 415 416 417 418 419 420 421 422 423 424 425 426 427 428 429 430 431 432 433 434 435 436 437 438 439 440 441 442 443 444 445 446 447 448 449 450 451 452 453 454 455 456 457 458 459 460 461 462 463 464 465 466 467 468 469 470 471 472 473 474 475 476 477 478 479 480 481 482 483 484 485 486 487 488 489 490 491 492 493 494 495 496 497 498 499 500 501 502 503 504 505 506 507 508 509 510 511 512 513 514 515 516 517 518 519 520 521 522 523 524 525 526 527 528 529 530 531 532 533 534 535 536 537 538 539 540 541 542 543 544 545 546 547 548 549 550 551 552 553 554 555 556 557 558 559 560 561 562 563 564 565 566 567 568 569 570 571 572 573 574 575 576 577 578 579 580 581 582 583 584 585 586 587 588 589 590 591 592 593 594 595 596 597 598 599 600 601 602 603 604 605 606 607 608 609 610 611 612 613 614 615 616 617 618 619 620 621 622 623 624 625 626 627 628 629 630 631 632 633 634 635 636 637 638 639 640 641 642 643 644 645 646 647 648 649 650 651 652 653 654 655 656 657 658 659 660 661 662 663 664 665 666 667 668 669 670 671 672 673 674 675 676 677 678 679 680 681 682 683 684 685 686 687 688 689 690 691 692 693 694 695 696 697 698 699 700 701 702 703 704 705 706 707 708 709 710 711 712 713 714 715 716 717 718 719 720 721 722 723 724 725 726 727 728 729 730 731 732 733 734 735 736 737 738 739 740 741 742 743 744 745 746 747 748 749 750 751 752 753 754 755 756 757 758 759 760 761 762 763 764 765 766 767 768 769 770 771 772 773 774 775 776 777 778 779 780 781 782 783 784 785 786 787 788 789 790 791 792 793 794 795 796 797 798 799 800 801 802 803 804 805 806 807 808 809 810 811 812 813 814 815 816 817 818 819 820 821 822 823 824 825 826 827 828 829 830 831 832 833 834 835 836 837 838 839 840 841 842 843 844 845 846 847 848 849 850 851 852 853 854 855 856 857 858 859 860 861 862 863 864 865 866 867 868 869 870 871 872 873 874 875 876 877 878 879 880 881 882 883 884 885 886 887 888 889 890 891 892 893 894 895 896 897 898 899 900 901 902 903 904 905 906 907 908 909 910 911 912 913 914 915 916 917 918 919 920 921 922 923 924 925 926 927 928 929 930 931 932 933 934 935 936 937 938 939 940 941 942 943 944 945 946 947 948 949 950 951 952 953 954 955 956 957 958 959 960 961 962 963 964 965 966 967 968 969 970 971 972 973 974 975 976 977 978 979 980 981 982 983 984 985 986 987 988 989 990 991 992 993 994 995 996 997 998 999 1000 1001 1002 1003 1004 1005 1006 1007 1008 1009 1010 1011 1012 1013 1014 1015 1016 1017 1018 1019 1020 1021 1022 1023 1024 1025 1026 1027 1028 1029 1030 1031 1032 1033 1034 1035 1036 1037 1038 1039 1040 1041 1042 1043 1044 1045 1046 1047 1048 1049 1050

1. The first part of the document is a list of names and titles, including "The Hon. Mr. Justice" and "The Hon. Mr. Justice".

~~Not a Member of either body~~

[illegible]

1. The following information was obtained from the records of the

On 19th March 1968, the following was received from the Ministry of Agriculture, Fisheries and Food, Department of Agriculture, Northern Ireland:

- [illegible]

CONCURRENCES							
SYMBOL ▶							
SURNAME ▶							
DATE ▶							

-2-

Symptoms of poisoning: Headache, nausea, dizziness, loss of equilibrium, muscle spasms, difficulty in breathing, hyperexcitability and convulsions.

7. Add an "e" to "hazard" in the heading "Environmental Hazard" and "Physical or Chemical hazard."

8. Delete "Do not apply where runoff is likely to occur."

Submit five (5) copies of your revised final printed labeling before you release the product for shipment with the amended labeling.

A stamped copy of the label is enclosed for your records.

If you hold a Federal registration, a supplemental registration, or a Special Local Needs registration, you may continue to produce new stocks of such products, using current labeling, until April 1, 1984. After that date, all remaining inventories of affected products will fall under the Existing Stocks provisions stated in our letter of October 28, 1983.

Sincerely yours,

George T. LaRocca
Product Manager (15)
Insecticide-Rodenticide Branch
Registration Division (TS-767)

Enclosure

RD/IRB:DCR-05470:LaRocca:pjb:Raven:557-2226:CBI-25:2/29/84:Del.3/17/84

P.S. Please disregard comment 6 above; the "Symptoms of Poisoning" section is not required for this product.