

PRATT 5% SEVIN® DUST
CONTROLS MANY INSECTS* ON
VEGETABLES . SMALL FRUITS . FLOWERS . TREES . SHRUBS
ALSO FLEAS & TICKS ON CATS & DOGS

ACTIVE INGREDIENT:

Carbaryl (1-naphthyl methylcarbamate)-----	5.0%
INERT INGREDIENTS:-----	95.0%
TOTAL-----	100.0%

EPA Reg. No. 304-191

EPA Est. No. 2125-IL-1

®Registered trademark of Union Carbide Corporation for carbaryl insecticide.
*As listed in "DIRECTIONS".

KEEP OUT OF REACH OF CHILDREN

CAUTION

See Side Panel For Additional Precautionary Statements.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Drink one or two glasses of water and induce vomiting by touching back of throat with finger. Call physician or Poison Control Center. Do not induce vomiting or give anything by mouth to an unconscious person. IF INHALED: Remove victim to fresh air. IF IN EYES: Flush with plenty of water. IF ON SKIN: Remove contaminated clothing. Wash affected area with soap and water. Launder clothing before reusing. NOTE TO PHYSICIAN: Carbaryl is a moderate, reversible cholinesterase inhibitor. Intravenous injection of atropine is antidotal.

Manufactured for

PRATT-GABRIEL DIVISION
MILLER CHEMICAL & FERTILIZER CORPORATION
Hanover, Pennsylvania 17331

NET WEIGHT: 1 POUND
4 POUNDS
20 POUNDS

ACCUMULATED
RESIDUES

1 0 0 0

704-171

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS--CAUTION: Harmful if inhaled or swallowed. Do not breath dust. Avoid contact with skin, eyes, or clothing. Do not take internally. Wear long-sleeves. Change clothing daily. Wash hands and face before eating. Wash thoroughly after handling. Keep children and pets off treated area until spray has dried. ENVIRONMENTAL HAZARDS: Do not apply directly to water or wetlands. Do not apply when weather conditions favor drift from treated area. Do not contaminate water by cleaning of equipment or disposal of waste. BEE CAUTION: MAY KILL HONEYBEES IN SUBSTANTIAL NUMBERS. This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service. Do not use when value of bees as pollinators is more important than insect control. Warn beekeepers to locate hives beyond bee flight range until one week after application, or take equally effective precautions.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL: Do not contaminate water, food or feed by storage or disposal. Store in closed, original container in a locked area away from children and domestic animals. For disposal, securely wrap closed container in several layers of newspaper and place in trash collection. Do not reuse container.

BEST DOCUMENT AVAILABLE

FEB 14 1984

Mr. H. B. Pratt
Pratt-Gabriel Division
Miller Chemical and Fertilizer Corporation
P.O. Box 333
Hanover, PA 17331

Dear Mr. Pratt:

Subject: Re: Label Improvement Program
Pratt 58 Sevin Dust
EPA Reg. No. 904-191
Date of Submission: December 1, 1983

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable, and a stamped copy is enclosed for your records.

Sincerely,

Jay S. Ellenberger
Product Manager (12)
Insecticide-Rodenticide Branch
Registration Division (TS-767)

CONCURRENCES							
SYMBOL							
SURNAME							
DATE							