

ACCEPTED

DEC 13 1982

for the Federal Insecticide, Fungicide, and Rodenticide Act, 7 U.S.C. 136

PRECAUTIONARY STATEMENTS
Hazards to Humans and Domestic Animals—CAUTION: Harmful if swallowed. Avoid contact with eyes, skin, or clothing. Avoid contamination of feed or food stuffs.
Environmental Hazards: Do not apply directly to water. Do not apply when weather conditions favor drift from target area. Do not contaminate domestic or irrigation water.
Physical or Chemical Hazard: Keep from freezing.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner not specified on this label.

STORAGE AND DISPOSAL

Do not store near fertilizer, seeds or other pesticides. Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. Pesticide spray mixture or residue that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticides. Reseal container and offer for recycling or reuse (or equivalent) and offer for recycling, reconditioning or disposal in approved landfill. Consult Federal, State or Local authorities for approved alternative procedures.

OTHER USE PRECAUTIONS: Do not allow spray to drift onto vegetable, flowers, ornamental plants, shrubs, trees and other desirable plants since injury may result. Do not pour spray solution near these plants. Whether using a hose-end sprayer or pressure-sprayer, do not use sprays that are fine because they can drift and cause damage to non-target plants. Coarse droplet sprays are less likely to drift. Use only pump-type sprayers. Do not spray on carpetgrass, dichondra, nor on lawns or turf where desirable clovers are present. Do not spray roots of trees and ornamentals. Do not exceed specified dosages for any area, be particularly careful with drip-line of trees and other ornamental species. This product may be injurious to St. Augustine and Centipede grasses. Since injury can be expected, "spot-spray" weeds only with a pressure sprayer.

May be used on Bahia, Bermuda, Bluegrass, Fescue, Rye or Zoysia lawns, vacant lots, playgrounds and other similar areas where broadleaf weeds are present. This product is especially effective on all hard-to-kill weeds such as Poison Ivy, Poison Oak, Sheep Sorrel and Spurge. In addition, this product controls most other broadleaf weeds, including sensitive weeds such as Clover, Dandelion, Knotweed and Plantain. Spray at any time during the growing season when weeds are actively growing. On new lawns, wait until the grass has reached a height of 2 inches before making an overall spray treatment. However, a spot-treatment may be made at any time with a small pressure-sprayer, spraying only the weeds at ground level. Wait 3 weeks before putting new grass seed or stolons down in bare spots. Poor weed control may result if spray is applied during drought or just before rain. For best results, mow before treating. Do not water lawn within 24 hours after treatment.

TURF HERBICIDE 10,000

LAWN WEED KILLER Contains TRIMEC® Herbicide

KEEP FROM FREEZING
 One Quart Covers 10,000 Sq. Ft.
 Contains: 2, 4-D, MCPP and Dicamba

ONLY FOR SALE TO, STORAGE, AND USE BY SERVICE PERSONS

ACTIVE INGREDIENTS	
***D methylamine Salt of 2,4-D chlorophenoxyacetic acid	12.11%
***D methylamine Salt of 2,4,2-methyl-4-chlorophenoxy propionic acid	5.84%
***D methylamine Salt of Dicamba (3,5-dichloro-o-anisic acid)	1.54%
INERT INGREDIENTS	80.51%
TOTAL	100.00%


THIS PRODUCT CONTAINS
 ***0.69 lb. 2,4-D chlorophenoxyacetic acid per gallon or 13.06
 ***0.42 lb. 2,4,2-methyl-4-chlorophenoxy propionic acid per gallon or 4.82%
 ***0.06 lb. 3,5-dichloro-o-anisic acid per gallon or 1.11%
 Isomer Specific by AOAC Method 6 D01-5
 EPA Reg. No. 904-195 EPA Est. No. 72-PA-1

KEEP OUT OF REACH OF CHILDREN CAUTION

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Drink one or two glasses of water. Induce vomiting by touching back of throat with finger. Take 15 to 20 minutes. Do not induce vomiting or give anything by mouth to an unconscious person.
IF IN EYES: Flush with plenty of water and call a physician immediately.
IF INHALED: Remove person to fresh air.
IF ON SKIN: Wash thoroughly with soap and water. Rinse thoroughly. Remove contaminated clothing and shoes. Wash before reworking.
 See back panel for additional precautionary statements.

BEST PRODUCT AVAILABLE



NET CONTENTS: 1 5 30 55 **GALLONS LIQUID**

BROADLEAF WEEDS/HOW MUCH TO USE (ENTIRE LAWN) PRESSURE-SPRAYER: Measure indicated amount of product into tank and dilute with water according to the following chart. Use a spray pattern which gives small spray droplets without any fine mist. Cover the area indicated.

Turf Herbicide	Water in Sprayer	Area to be Sprayed
6 fl. oz.	3 gals.	2,000 sq. ft.
32 fl. oz.	10 to 15 gals.	10,000 sq. ft.
1 gal.	40 to 60 gals.	1 acre

NOTE: When using a pressure sprayer, avoid fine-mist sprays. A fine-mist spray can drift, causing damage to ornamental or garden plants. Use coarse spray droplets.
BROADLEAF WEEDS/HOW MUCH TO USE (Spot-Spraying): To spray small areas or individual weeds, do not use a hose-end sprayer. Mix 1 oz. (2 tbsp.) in a half-gallon of water in a pressure sprayer and spray as required, being certain to "wet" each weed.

LIMITED WARRANTY: BUYER ASSUMES ALL RISKS OF USE, STORAGE AND HANDLING OF THIS MATERIAL NOT IN STRICT ACCORDANCE WITH DIRECTIONS GIVEN HERewith.

Manufactured By
PRATT-GABRIEL DIVISION
MILLER CHEMICAL & FERTILIZER CORPORATION
Hanover, Pennsylvania 17331/An Alco Standard Company