

Evergreen	Armyworms, cutworms, aphids, soft scales, scale crawlers, mealybugs, whiteflies, mites	3 tsp. per gal. 1 qt. per 100 gal.	chestnut or cedar bark scale flower. Excessive dosage may cause slight injury to new foliage growth on roses, phlox and petunias
Turf and Ground Covers	Snails, Slugs, sod webworms (lawn moths), armyworms, cutworms, millipedes, sowbugs, earbugs	3 tsp. per gal. 1 qt. per 100 gal.	Water turf thoroughly before treating. Apply 1 gallon of spray mixture per 130 to 180 square feet of area treated. Soak debris under infested plants to kill snails and slugs secluded in such spots. Note: Snails and slugs stop feeding soon after treatment but complete kill may be delayed for 2 or 3 days

PRATT

Z-2 INSECT SPRAY

FOR
SNAILS & SLUGS
AND CERTAIN INSECTS
ON TURF, FLOWERS,
SHADE TREES, SHRUBS

*As listed on back panel

Contains ZECTRAN*

WARNING: KEEP OUT OF REACH OF CHILDREN

An emulsifiable insecticide that mixes with water that kills: Armyworms, cutworms, Sod webworm, Leaf Miners, European Pine Shoot Moth, Tent Caterpillar, Sawfly, Thrips, Leafhoppers, Whiteflies, Mealybugs, Aphids, Soft Scales and Scale Crawlers, Mites, Earbugs, Snails and Slugs

DIRECTIONS FOR USE

Mix Z-2 Insect Spray with water and apply as a drench to infested ornamental plants and turf as specified in DIRECTIONS TABLE. Make the application using spray equipment or hose attached applicator for thorough and uniform coverage of plants and turf as necessary.

WARNING: Keep out of the reach of children. Do not swallow. May be absorbed through skin. May irritate eyes. Avoid Eye and Skin Contact. Avoid Breathing. Avoid contamination of food, feedstuffs and water. Wash thoroughly after handling. In case of contact, flush contaminated eyes with plenty of water for at least 15 minutes and get medical attention. If swallowed, call a physician.

NOTE TO PHYSICIAN: Active ingredient has cholinergic activity. Treat symptomatically. Atropine is an antidote.

USE PRECAUTIONS

Avoid contamination of lawn and garden fishpools and pets off treated areas until spray has dried.

This product is toxic to fish, birds and other wildlife. Avoid application near water. Avoid application on treated areas may be killed. Keep out of ponds. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not apply to crops. Protective information may be obtained from the Cooperative Agricultural Extension Service. Do not use on crops by cleaning equipment or disposal of wastes. Do not use on cropland away from water supplies. Containers should be buried with waste. Apply this product on this label.

DO NOT USE FOR SPRINKLER SYSTEMS. NEAR HEAT. BUYER ASSUMES ALL RISKS OF USE AND STORAGE. THIS MATERIAL WILL BE SUPPLIED IN ACCORDANCE WITH THE FOLLOWING:

Packaged by

E. G. PRATT DIVISION

LAUREL CHEMICALS LTD. PATTERSON, N.J.

USE RECOMMENDATIONS

Plants	Pests Controlled	Amount Z-2 Insect Spray Diluted in Water	Remarks
Ornamentals <u>Flowers</u> <u>Shrubs</u> <u>Vines</u> <u>Trees</u> (shade and flowering) <u>Evergreen</u>	<u>Loopers, tent caterpillars, European pine shoot moth, birch leaf miner, thrips, red-pine sawfly, lygus bugs and leafhoppers</u>	2 tsp. per gal. 1 qt. per 100 gal.	Spray to wet plants thoroughly, including both upper and lower leaf surfaces. Warning: Do not use on maidenhair fern, cape chestnut or Geraldton wax flower. Excessive dosage may cause slight injury to new foliage growth on roses, phlox and petunias.
	<u>Armyworms, cutworms, aphids, soft scales, scale crawlers, mealybugs, whiteflies, mites</u>	3 tsp. per gal. 1 ½ qt. per 100 gal.	
<u>Turf and Ground Covers</u>	<u>Snails, Slugs, sod webworms (lawn moths), armyworms, cutworms, millipedes, sowbugs (pillbugs)</u>	3 tsp. per gal. 1 ½ qt. per 100 gal.	Water turf thoroughly before treating. Apply 1 gallon of spray mixture per 130 to 180 square feet of area treated. Soak debris under infested plants to kill snails and slugs secluded in such spots. Note: Snails and slugs stop feeding soon after treatment but complete kill may be delayed for 2 or 3 days.

An emulsifiable insecticide that dilutes with water to make a spray that kills: Armyworms, Cutworms, Sod Webworms, Loopers, Birch Leaf Miners, European Pine Shoot Moth, Tent Caterpillars, Red-Pine Sawfly, Thrips, Leafhoppers, Whiteflies, Mealybugs, Lygus Bugs, Aphids, Soft Scales and Scale Crawlers, Mites, Millipeds, Sowbugs (pillbugs), Snails and Slugs.

DIRECTIONS FOR USE

Mix Z-2 Insect Spray with water and apply as a spray to pest infested ornamental plants and turf as specified in the USE RECOMMENDATIONS TABLE. Make the application using hand or power spray equipment or hose attached applicator that will provide thorough and uniform coverage of plants and turf. Re-treat as necessary.

WARNING: Keep out of the reach of children. May be fatal if swallowed. May be absorbed through skin. May be injurious to eyes. Avoid Eye and Skin Contact. Avoid Breathing Spray Mists. Avoid contamination of food, feedstuffs and water supplies. Wash thoroughly after handling. In case of contact, immediately flush contaminated eyes with plenty of water for at least 15 minutes and get medical attention. If swallowed, call a physician immediately.

NOTE TO PHYSICIAN: Active ingredient has cholinergic effects. Treat symptomatically. Atropine is an antidote.

USE PRECAUTIONS

Avoid contamination of lawn and garden fishpools. Keep children and pets off treated areas until spray has dried.

This product is toxic to fish, birds and other wildlife. Birds feeding on treated areas may be killed. Keep out of lakes, streams or ponds. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Co-operative Agricultural Extension Service. Do not contaminate water by cleaning equipment or disposal of wastes. Bury wastes in non-cropland away from water supplies. Containers should be disposed of by burying with wastes. Apply this product only as specified on this label.

DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME. BUYER ASSUMES ALL RISKS OF USE, STORAGE OR HANDLING OF THIS MATERIAL NOT IN STRICT ACCORDANCE WITH DIRECTIONS GIVEN HEREWITH.

Packaged by

B. G. PRATT DIVISION

GABRIEL CHEMICALS LTD., PATERSON, N.J. 07509