

DURSBAN^{*} G5

GRANULAR


LAWN INSECT CONTROL CONTROLS

- CHINCH BUGS • ANTS
- SOD WEBWORMS
- CUTWORMS • CRICKETS
- EARWIGS • BROWN DOG TICKS
- HYPERODES WEEVILS
- WHITE GRUB

(Larvae of Japanese Beetle and European Chafer)

ON

- HOME LAWNS AND OTHER ORNAMENTAL TURF AREAS



ACTIVE INGREDIENTS:	By Weight
Chlorpyrifos [0, 0-Diethyl 0-(3, 5, 6-trichloro-2-pyridyl) phosphorothioate]	0.46%
Aromatic Petroleum Derivative Solvent	0.25%
INERT INGREDIENTS	99.29%
TOTAL	100.00%

*DURSBAN[®] Trademark of The Dow Chemical Co., U.S. Pat. No. 3,244,586
E.P.A. Reg. No. 904-199
E.P.A. Est. 904-NJ-2

DIRECTIONS FOR USE

To control **WHITE GRUB** (Larvae of Japanese Beetle and European Chafer): Apply 10 to 20 pounds of granules uniformly over 1,000 square feet of turf. For best results, treat when grubs are young and actively feeding near the soil surface, usually during late July and August. Consult your local Agricultural Extension Service for the proper time to treat your area.
AFTER APPLICATION WASH GRANULES INTO SOIL WITH 30 GALLONS OF WATER PER 1,000 SQUARE FEET.

CHINCH BUGS, SOD WEBWORMS, ANTS, CRICKETS, CUTWORMS, EARWIGS: Spread uniformly at a rate of 5 pounds per 1,000 sq. ft. In northeastern states, make first application in May or June, or when insect is first appear. Retreat as needed, usually in July or August.

HYPERODES WEEVILS: Apply uniformly at a rate of 10 pounds per 1,000 sq. ft. Make the first application of suspected area in mid-April, followed by second application 30 days later.

BROWN DOG TICKS: Apply uniformly at a rate of 5 pounds per 1,000 sq. ft., with special attention to pet resting areas.

SPREADER SETTINGS:

Rate - 1,000 sq. ft. Cyclone 411, Scott 711, Sears 1919-B
10 lbs. per 1,000 sq. ft. Apply twice as above in opposite directions.

CAUTION: KEEP OUT OF REACH OF CHILDREN

Harmful if swallowed. Do not take internally. Avoid eye contact. Wash thoroughly after handling. Flush contaminated eyes with plenty of water and get medical attention. Wash contaminated clothing before reuse. Do not breathe dusts. Keep away from food, feed stuffs, and domestic water supplies. Do not graze animals on treated areas.

NOTE TO PHYSICIAN: A major ingredient is a cholinesterase inhibitor. Treat symptomatically. Atropine is an antidote.

USE PRECAUTIONS

Keep children and pets off treated areas until this material is washed into the soil and grass is dry.

ENVIRONMENTAL CAUTION

This product is toxic to fish, birds, and other wildlife. Keep out of any body of water. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on the label.

Dispose of empty container and wastes by burning or by burying in non-cropland, away from domestic water supplies. Stay out of smoke or fumes.

BUYER ASSUMES ALL RISKS OF USE, STORAGE OR HANDLING OF THIS MATERIAL NOT IN STRICT ACCORDANCE WITH DIRECTIONS GIVEN HERE WITH.

B.G. PRATT DIVISION GABRIEL CHEMICALS LTD. PATERSON, N.J. 07509