

VEGETABLE GARDEN SPRAY: Mix 1 fl. oz. in 3 gals. of water to 650 sq. ft. (2 qts. in sufficient water for 1 acre). Spray when insects or damage appear and repeat at 7-10 day intervals when necessary. No post-treatment time limitations for the following host plants when material is applied in accordance with directions.

BEANS (Green Lima and Snap): Japanese and Mexican Bean Beetle, Tarnished Plant Bug; **TOMATOES, EGGPLANTS and PEPPERS:** Leafhopper, Lace Bug, Tomato Fruitworm; **PUMPKINS, SQUASH, CUCUMBERS, MELONS:** Flea Beetle, Melonworms, Cucumber Beetle, Squash Bug. Avoid excessive applications. Some leaf injury may occur if treatments are made when tender foliage is wet or in the presence of prolonged high humidity. Do not use on watermelons in Florida.

CAUTION: HARMFUL IF SWALLOWED OR INHALED. Do not breathe spray mist or take internally. Avoid contact with skin, wear gloves and long-sleeved work clothing. Change to clean clothing daily. Wash hands and wash face before eating or smoking. Wash thoroughly after handling. Do not contaminate food or feed.

This product is highly toxic to bees exposed to direct treatment or residues on crops. For protection of bees, avoid use during periods when honey bees are visiting crops. When necessary to use during such periods, warn bee keepers to locate hives at a safe distance until one week after application. Further protective information may be obtained from your Cooperative Agricultural Extension Service. Do not allow drifting to adjoining food or forage crops. Do not use in any manner not described on this label.


Do not reuse container. Wrap in newspaper and place in trash can for safe disposal or bury in a safe place away from water supplies.

BUYER ASSUMES ALL RISKS OF USE, STORAGE OR HANDLING OF THIS MATERIAL NOT IN STRICT ACCORDANCE WITH DIRECTIONS GIVEN HEREWITH.

**B. G. PRATT DIV., Gabriel Chemicals Ltd.
Paterson, N. J. 07509**

EPA EST. 904-NJ-1

PROD. NO. 4416



SINCE 1904
TM

LIQUID 2 SEVIN®

PLANT INSECTICIDE

- FOR**
- LAWNS • ORNAMENTAL PLANTS
 - FLOWERS • SHRUBS
 - SHADE TREES
- KILLS**
- CHINCH BUGS
 - JAPANESE BEETLES
 - MOSQUITOES
- AND CERTAIN OTHER INSECTS**

ACTIVE INGREDIENT	
Carbaryl (1 naphthyl N-methylcarbamate)	22.5%
INERT INGREDIENTS	77.5%
TOTAL	100.0%

*Registered Trademark of Union Carbide Corporation
U. S. Pat. No. 2,903,478 EPA REG NO 904 208

Contains 2 lbs. of Sevin per gallon

CAUTION: KEEP OUT OF REACH OF CHILDREN

See Side Panel for Additional Cautions

NET CONTENTS: 1 PINT

PROTECT FROM
Keep cover on op


DIRECTIONS: Liquid 2 S in water. SHAKE WELL amount of material into another container half full. Add balance of water. A coarse wet spray to throo

LAWNS: For Ants, Chir Leafhoppers, Sod Webwo fl. oz. in 15-20 gals. o established lawn area. F immediately after rain or Keep children and pets o into the soil and grass is d

ORNAMENTAL PLANT TREES: For use on Rose mums, Lilacs, Arborvita Maples, Oaks, Dogwood BOSTON IVY), use 4 te gals. (1 to 200 dilution) miner, Blister Beetles, Bo Aphid, Elm Leaf Beetle, June Beetle, Lace Bug, L Webworms, Oakleaf Min Bugs, Puss Caterpillars, Insects, Tent Caterpillars Beetles. Apply when in necessary throughout the

ADULT MOSQUITO C
Recreation Areas, use 1 sprayers (4 teaspoonsful to thoroughly cover low grass and shaded areas congregate (DO NOT A intervals or as necessary

B
G



SINCE 1904
TM

LIQUID 2 SEVIN®

PLANT INSECTICIDE

FOR

- LAWNS • ORNAMENTAL PLANTS
- FLOWERS • SHRUBS
- SHADE TREES

KILLS

- CHINCH BUGS
- JAPANESE BEETLES
- MOSQUITOES

AND CERTAIN OTHER INSECTS

ACTIVE INGREDIENT:

Carbaryl (1-naphthyl N-methylcarbamate)	22.5%
INERT INGREDIENTS	77.5%
TOTAL	100.0%

*Registered Trademark of Union Carbide Corporation
U S Pat No 2,903,478 EPA REG NO. 904-208

Contains 2 lbs. of Sevin per gallon

CAUTION: KEEP OUT OF REACH OF CHILDREN

See Side Panel for Additional Cautions

NET CONTENTS: 1 PINT

PROD. NO. 4416

PROTECT FROM TEMPERATURES BELOW 32 F.

Keep cover on opened container to prevent drying.

DIRECTIONS: Liquid 2 Sevin is an extremely fine dispersion of Sevin in water. **SHAKE WELL BEFORE USING.** Pour recommended amount of material into nearly full spray tank or pre-mix material in another container half full of water and pour mixture into spray tank. Add balance of water. Agitate while mixing and using. Apply as a coarse wet spray to thoroughly cover all plant surfaces.

LAWNS: For Ants, Chinch Bugs, Earwigs, Fall Armyworms, Fleas, Leafhoppers, Sod Webworms (Lawn Moths) and Millipedes, apply 8 fl. oz. in 15-20 gals. of water evenly over each 500 sq. ft. of established lawn area. For best results, mow the lawn and apply immediately after rain or watering. Repeat in 2-3 weeks if necessary. Keep children and pets off treated areas until this material is washed into the soil and grass is dry.

ORNAMENTAL PLANTS, FLOWERS, SHRUBS AND SHADE TREES: For use on Roses, Carnations, Gladioli, Zinnias, Chrysanthemums, Lilacs, Arborvitae, Junipers, Hydrangeas, Azaleas, Elms, Maples, Oaks, Dogwood, Birch and Pines (DO NOT USE ON BOSTON IVY), use 4 teaspoonsful per gal. of water or 1 pt. to 25 gals. (1 to 200 dilution) to control Apple Aphid, Bagworm, Birchleaf miner, Blister Beetles, Boxelder Bugs, Boxwood Leafminer, Elm Leaf Aphid, Elm Leaf Beetle, Flea Beetle, Gypsy Moth, Japanese Beetle, June Beetle, Lace Bug, Leafhoppers, Leafrollers, Mealybugs, Mimosa Webworms, Oakleaf Miners, Orange Tortrix, Periodical Cicada, Plant Bugs, Puss Caterpillars, Psyllids, Rose Aphids, Rose Slug, Scale Insects, Tent Caterpillars, Thorn Bugs, Thrips (exposed), Willowleaf Beetles. Apply when insects first appear. Repeat weekly or as necessary throughout the season.

ADULT MOSQUITO CONTROL for Home Grounds, Parks and Recreation Areas, use 1 to 200 dilution in hydraulic low pressure sprayers (4 teaspoonsful per gal. or 1 pt. to 25 gals. of water). Spray to thoroughly cover low shade tree foliage, shrubbery, flower beds, grass and shaded areas around buildings where adult mosquitoes congregate (DO NOT APPLY TO WATER). Repeat at 7-10 day intervals or as necessary. (DO NOT SPRAY BOSTON IVY).

ACCEPTED

374-LF 4416-5-4-74

JUL 12 1974

UNDER THE FEDERAL INSECTICIDE FUNGICIDE AND RODENTICIDE ACT FOR ECONOMIC PEST CONTROL REGISTERED BY UNION CARBIDE CO.

374-LF 4432-5 4 74